


TargetMol

A Drug Screening Expert

Product Catalog

2018-2019

--Drug Screening Expert (Inhibitors, Libraries, Natural Compounds)



About us

Target Molecule Corp. (TargetMol) is a global high-tech enterprise, specializing in chemical and biological research products and service to meet the research needs of global customers. With the help of fast and efficient global supply chain, professional and rigorous procurement process and timely dynamic news of products, you will save more time with less cost and lead in drug discovery and screening.

Our Product Portfolio

Inhibitor

Targetmol supplies **over 5000** compounds used in the study of cell signaling pathways and drug discovery. Track the latest scientific research and promptly offer the newest and most popular inhibitors.

- 100~200 new inhibitors per month.
- NMR and HPLC validated to ensure high purity.
- Above 95% compounds are in stock.



Compound Libraries

Targetmol provides **more than 60** types of compound libraries. They are available for **cell induction, signaling pathway and HTS**. Compound libraries are useful professional tools for drug discovery and new indication research. Customers can customize individual libraries by selecting specific molecules, quantities, concentrations, and format.

Bioactive Screening Libraries


TargetMol's Bioactive Screening Libraries are ready-to-use compound libraries to assist with drug discovery and screening, drug target identification, and cell signal research.



- ★ The libraries contain in excess of **5000** small molecules with validated biological and pharmacological activity.
- ★ Safety and effectiveness of the small molecules have been demonstrated through preclinical and clinical research.
- ★ Many of the compounds are FDA-approved.
- ★ Agonists, antagonists, activators and inhibitors are included, and are focused on over 250 targets that are part of more than 25 cell signaling pathways. Examples of which include: JAK/STAT signaling, apoptotic, and MAPK signaling pathways.

Compound Library Advantages

- ★ Structurally diverse, medicinally active, and cell permeable.
- ★ Rich documentation with structure, IC₅₀, and customer reviews.
- ★ NMR, LCMS and HPLC validated to ensure high purity.




Cat. No. L1000 Approved Drug Library



- ★ A unique collection of **1818** approved drugs
- ★ Identify new targets for previously discovered drugs;
- ★ Bioactivity and safety confirmed by clinical trials;
- ★ All compounds have been approved;
- ★ Compounds have applications in a wide range of fields, including **oncology, cardiology, immunology, endocrinology**, etc.;
- ★ Accelerate drug optimization and discovery;
- ★ Extensive compound documentation, including structure and IC50 value, as well as customer reviews;
- ★ Save time and budget.

Research fields:



Database Contains:

- ★ CAS, Chemical name, 3D structure, Formula, Solubility;
- ★ Bioactivity, Targets, IC50 Value, References, Clinical Data;
- ★ COA, MSDS, Datasheet, NMR, LCMS, HPLC, etc.

Cat. No. L2000 Inhibitor Library


- ★ A unique collection of **over 3010** small molecule inhibitors for HTS and HCS;
- ★ Compound bioactivity and safety have been validated by preclinical research and clinical trials.
- ★ Some inhibitors have been approved by FDA;
- ★ Includes most TargetMol inhibitors on all targets and pathways;
- ★ Targets include: **PI3K**, **VEGFR** and **RTK** pathways, **HDAC**, **Aurora kinase**, **CDK** and **cell cycle regulators**, **Integrase**, **Proteasomes**, etc.



Targets include:

JAK	p38 MAPK	AMPK	Aurora Kinase	Syk	PERK
PDK-1	DNA-PK	GSK-3	ALK	Bcr-Abl	Aurora Kinase
MEK	JNK	ERK	ROCK	PLK	Histone Demethylase
CDK	LRRK	ATPase	Raf	Rho	Epigenetic Reader domain
HDAC	Pim	EGFR	MAO	HAT	DNA Methyltransferase
ATM/ATR	HIF	FLT3	STAT	p53	DNA Demethylase
PARP	Sirt	CDK	PKC	Bcl-2	Histone Methyltransferase
Src	FAK	BTK	IAP	Wnt/beta-catenin	Hedgehog/Smoothened

Inhibitor Library Composition



Cat. No. L6000 Natural Compound Library

TargetMol's Natural compound library contains over 1500 molecules. The structures and stereochemistry are confirmed by various physicochemical analytical methods, including NMR(Bruker 300-500MHz), mass spectroscopy and in some cases X-ray analysis. Compounds are supplied in 96-well format; however other formats are available upon request.



Origin:


- ★ Plant; animal; microorganisms; marine species; other natural sources

Types:

- ★ Alkaloids; terpenoids; flavonoids; coumarins
- ★ Peptides, glycosides and nucleosides; phenol compounds;
- ★ Phytoalexins, alleopathic agents, specific sex attractants, natural toxins, unusual sesquiterpenoids and other secondary metabolites...


Application:

- ★ Pharmacy; Cosmetics; Food and beverages...



Cat. No. L2100 Anti-cancer Compound Library

- ★ Our anti-cancer compound library has collected **2723** molecules with a diversity of potent targets, including: vascular endothelial growth factor receptors (VEGFR), histone deacetylases (HDAC), Bcr-Abl, p53, Bcl-2, Aurora kinase, etc.
- ★ Cover 12 types of cancers: **Stomach Cancer, Breast Cancer, Liver Cancer, Leukemia, Lung Cancer, Lymphoma**, etc.
- ★ Some compounds have been **FDA-approved**, some have entered into clinical phase, and some are still undergoing research in cell and animal models.




Compounds' distribution in Signaling Pathways

Tyrosine Kinase/Adaptors	EGFR, VEGFR, PDGFR, FGFR...
Angiogenesis	Bcr-Abl, Src, HER2...
Apoptosis	Bcl-2, p53, TNF-alfa ...
Cell cycle/Checkpoint	CDK, Chk, ROCK...
PI3K/Akt/mTOR Signaling	PI3K, Akt, mTOR...
MAPK Signaling	Raf, JNK, ERK...
JAK/STAT Signaling	STAT3, STAT5, Pim...
Chromatin/Epigenetics	HDACs, Sirtuin, Epigenetic reader domain...
Ubiquitination	Mdm2, E3 ligase...
Proteases/Proteasome	MMP, Proteasome, caspase...
DNA Damage/DNA Repair	DNA/RNA Synthesis, DNA-PK, DNA alkylation...
Immunology/Inflammation	ALK, CCR, TGF-beta/Smad...
Stem Cell & Wnt Pathway	Wnt/beta-catenin, Hedgehog/Smoothened Receptor...
Others	Bioactive Natural compounds...

Cat. No. L1600 Kinase Inhibitor Library

- ★ A unique collection of **773** kinase inhibitors for **HTS** and **HCS**;
- ★ Most compounds are ATP-competitive
- ★ Targets of the inhibitors include **MAPK, PI3K, JAK, STAT, CDK, MEK**, etc.
- ★ The biological activity and safety of the compounds have been validated by preliminary clinical studies and clinical trials.
- ★ Some of the Kinase inhibitors have been approved by the FDA.



Targets include:

JAK	p38 MAPK	AMPK	Aurora Kinase	Syk	PERK
PDK-1	DNA-PK	GSK-3	ALK	Bcr-Abl	STAT
MEK	JNK	ERK	ROCK	PLK	PKC
CDK	LRRK	ATPase	Raf	Rho	...

Cat. No. L3400 Clinical Compound Library


- ★ Our clinical compound library is a collection of **856** molecules that have entered the clinical phase.
- ★ All compounds are contemporary and have potential to be candidate drugs.
- ★ Bioactivity, safety and toxicity have been valued by preclinical trials or animal experiments;
- ★ The library will hopefully enable effective and timely discovery of new drug functions.



Using our clinical compound library will give you the scope to discover the next pioneering drug.

Cat. No. L1200 Epigenetics Compound Library

- ★ A unique collection of **305** small molecules modulators (inhibitors and activators) with biological activity used in epigenetics research and associated assays.
- ★ Library contents are a variety of structurally and mechanistically different compounds.
- ★ A valuable tool for chemical genomics, epigenetic target identification in pharmacogenomics, as well as other biological applications.
- ★ This library contains modulators of epigenetic enzymes including Histone Deacetylase (HDACs), SIRTs, Lysine demethylases, Histone Acetyltransferases (HATs), DNA Methyltransferase, and SIRTs activators.



Targets include:

HDAC	Pim	EGFR	MAO	HAT	DNA Methyltransferase
JAK	HIF	FLT3	Aurora Kinase	Histone Demethylase	DNA Demethylase
PARP	Sirt	CDK	Epigenetic Reader domain	Histone Methyltransferase	...

Cat. No. L8000 Stem Cell Differentiation Compound Library

- A collection of **340** small molecule inhibitors with verified biological activity, to be used in stem cell regulatory and signaling pathway research.
- Compounds in this library are well characterized and have demonstrated biological and pharmaceutical activity.
- A powerful tool for researching stem cells, regenerative therapies, and drug screening based on tumor stem cells, as well as other pharmaceutical and biological applications.
- The Stem Cell Library contains small molecules associated with signaling pathways that modulate the function of stem cells such as Wnt, Notch, SMAD, and Hedgehog signaling



Targets include:

JAK	GSK-3	PKC	EGFR	TGF-beta/Smad	Gamma-secretase	iPCS
STAT	ROCK	Bcr-Abl	BACE	Wnt/beta-catenin	Hedgehog/Smoothened	others

Customize your library

You can select compounds, quantities, format (dry/solid or DMSO), plate map, and concentration to meet your specific requirement.



Please contact us at info@targetmol.com to customize your library.

Our libraries :



- Approved Drug Library(1818 compounds)
- Inhibitor Library(3010compounds)
- Natural Compound Library(1500 compounds)
- CADD Target Library(1.5 million)
- Clinical Compound Library(856 compounds)
- Anti-cancer Library(2723 compounds)
- Bioactive Compounds(4413 compounds)
- Bioactive Lipid Library(213 compounds)
- Stem Cell Differentiation Compound Library(340 compounds)
- Apoptosis Compound Library(191 compounds)
- Polyphenolic Natural compound Library(367 compounds)
- Epigenetics Inhibitor Library(305 compounds)
- PI3K/Akt/mTOR Library(190 compounds)
- MAPK Inhibitor Library(140 compounds)
- GPCR Compound Library(711 compounds)
- Kinase Inhibitors Library(773 compounds)
- HTS Library(5 million)
- Anti-virus Compound Library(157 compounds)
- Anti-infection Compound Library(605 compounds)
- Anti-diabetic Library(179 compounds)
- Tyrosine Kinase Inhibitors Library(339 compounds)
- Ion Channel Inhibitor Library(362 compounds)
- Endocrinology-Hormones Library(297 compounds)
- Human Endogenous Metabolism Compound Library(138 compounds)
- Neuronal Signaling Compound Library(840 compounds)
- Adrenergic Library(117 compounds)
- Oxidation-Reduction Library(118 compounds)
- The Hematopoietic Toxicity Library(104 compounds)
- Autophagy Library(623 compounds)
- Histamine & melatonin Library(99 compounds)
- FDA-appraised library(1124 compounds)
- More.....

Table of Contents:

Proteases/Proteasome

Cysteine protease.....	1
DPP-4.....	1
HIV Protease.....	2
MMP.....	3
p97.....	4
PAI.....	4
Protease.....	4
Protease-Activated Receptor.....	4
Proteasome.....	5
Serine Protease.....	5

Tyrosine Kinase/Adaptors

ALK.....	19
c-Fms.....	22
c-kit.....	22
c-Met.....	23
EGFR.....	23
FGFR.....	26
VEGFR.....	27
PDGFR.....	29
FLT3.....	29
HER2.....	30
IGF-1R.....	30
IRAK.....	30
TAM Receptor.....	30
Trk receptor.....	31

Chromatin/Epigenetic

Epigenetic Reader Domain.....	6
HDAC.....	8
HIF.....	10
Pim.....	10
JAK.....	10
Aurora Kinase.....	11
Histone Acetyltransferase.....	11
Histone Demethylase.....	11
Histone Methyltransferase.....	11
PARP.....	13
Sirtuin.....	14

PI3K/Akt/mTOR Signaling

Akt.....	32
GSK-3.....	33
mTOR.....	34
PI3K.....	36
PDK.....	39
AMPK.....	39
ATM/ATR.....	39
S6 Kinase.....	40
EGFR.....	40

JAK/STAT Signaling

JAK.....	15
STAT.....	17
EGFR.....	18
Pim.....	18

MAPK Signaling

MEK.....	41
Ras.....	42
Raf.....	42
cAMP.....	43
ERK.....	43
JNK.....	44
NO.....	44
MAPK.....	44
p38 MAPK.....	44

Cell Cycle/Checkpoint

CDK.....	46
Rho	48
ChK.....	49
HSP	49
PKC.....	50
PLK.....	50
Mps1.....	50
ROCK.....	50
Wee 1	51
RAD51	51
c-myC.....	51
Integrin.....	51
Kinesin	52
Dynamin.....	52
N-WASP	52
Aurora Kinase.....	52
Microtubule Associated	53

Stem Cell

GSK-3.....	56
JAK	56
STAT	56
iPSCs	56
TGF-beta/Smad.....	56
ROCK.....	57
Wnt/beta-catenin.....	57
Gamma-secretase	59
Hedgehog/Smoothened.....	59

Apoptosis

Bcl-2	60
IAP	61
p53.....	61
PKD.....	62
Mdm2	62
PERK	62
Survivin	63
Caspase.....	63
TNF-alpha	63
Apoptosis inducer.....	63

Ubiquitination

DUB	64
E3 ligase.....	65
Autophagy.....	65
Pannexin.....	65
Proteasome	65

Angiogenesis

VEGFR.....	66
JAK	66
EGFR.....	66
PDGFR.....	66
HER2.....	66
FLT3	66
FGFR.....	66
BTK	66
Bcr-Abl	67
FAK	68
RAAS	68
Src.....	68
Syk	69
Egr-1.....	69
TXA2.....	69
AGTR	70
Thrombin.....	70
Plasminogen	70
Prothrombin	70
Thrombopoiesis.....	70
Thrombopoietin receptor	70
Antiplatelet aggregation.....	70

Immunology/Inflammation

CCR	71
NF- κ B.....	71
I κ B/IKK.....	72
ROS	73
TLR	74
Thioredoxin-1	74
CysLTR.....	74
NOS	74
eIF-2 α	75
eIF4E/eIF4G	75
iNOS	75

MRP75
HNF.....	.76
PIKfyve76
IL receptor76
PGE76
PGE receptor.....	.77
PGE Synthase.....	.77
Protein S100.....	.77
TGF-beta/Smad.....	.77
Anti-inflammation.....	.78
Immunologic Factors.....	.78

Membrane Transporter/Ion Channel

ATPase.....	.79
CFTR.....	.81
CRM1.....	.81
NPR181
P-gp.....	.82
SGLT.....	.82
TRPV82
TRP Channel.....	.82
Proton Pump83
Taste receptor83
Sodium Channel.....	.84
Calcium Channel.....	.87
Potassium Channel.....	.89
Translocator protein.....	.91
NKCC cotransporter91
Adiponectin receptor91

DNA Damage/DNA Repair

Rac192
DNA-PK92
Mutagens.....	.92
Telomerase92
DNA gyrase.....	.93
DNA Alkylating.....	.93
Topoisomerase.....	.94
DNA interaction.....	.97
DNA/RNA Synthesis97
Reverse Transcriptase102
Nucleoside Antimetabolite/Analogue.....	.103
DNA Methyltransferase104

Neuroscience

5-HT Receptor.....	.105
Dopamine Receptor111
Gamma-secretase114
Beta Amyloid114
AChE114
BDNF115
CaMK115
ChE116
COX117
CerK123
GluR124
AChR124
AMPAR130
GABAR131
LRRK2133
GluCl channel.....	.133
Histamine Receptor134
Dopa decarboxylase139
Melatonin receptor139
NMDA Receptor139
NPY Receptor140
Opioid Receptor140
P2 Receptor141
Substance P142
Phosphatidylcholine142

Microbiology & Virology

Antibiotic143
Antibacterial154
Antifungal158
Antiparasitic160
Antiprotozoal161
Antiviral161
CMV162
HCV162
HCMV162
HIV162
HSV162
Rhinovirus163
Tuberculosis163
Influenza virus163
Integrase163
DHFR164
DHPS164
DNA/RNA Synthesis164

GPCR/G Protein

5-HT Receptor.....	165
Histamine Receptor	165
Dopamine Receptor	165
Opioid Receptor.....	165
Melatonin receptor.....	165
Hedgehog/Smoothened.....	165
CaSR.....	165
CXCR.....	166
Adenosine Receptor.....	166
Adrenergic Receptor.....	167
Cannabinoid Receptor.....	173
Endothelin Receptor	174
LPA receptor.....	174
OX Receptor.....	174
S1P receptor	175
Sigma receptor.....	175
TGR5 Receptor.....	175

Metabolism

MAO.....	191
CYP.....	192
PDE	193
PPAR.....	195
RXR/RAR	197
Factor Xa	197
Casein Kinase	198
Dehydrogenase	199
Farnesoid X receptor	201
HMG-CoA Reductase	201
Xanthine oxidase	202
AhR	203
Bilirubin	203
CCK	204
CETP	204
DHFR	204
EP4	205
FAAH	205
EPAC	205
Ferroptosis	205
Fatty acid synthase	205
Farnesylyltransferase	206
Farnesyl pyrophosphate synthase	206
Phospholipase	206
ULK1 kinase	206
Transferase	206
Thiamine	206
GLUT	207
HAP	207
IDO	207
Lipid	207
MFO.....	208
MGA.....	208
PDHK	208

Endocrinology/ Hormones


GPR.....	176
RAAS	177
Annexin A.....	179
Antithyroid.....	179
Aromatase.....	179
Noradrenaline	180
Estrogen Receptor	180
Androgen Receptor	182
Progesterone receptor	184
Corticosteroid Receptor	184
Estrogen/progestogen Receptor.....	184
Glucocorticoid Receptor	186
Mineralocorticoid Receptor	189
Prostaglandin Receptor	189
Somatostatin receptor	189
Thyroid hormone receptor.....	189
Vasopressin Receptor.....	190
Thyroid peroxidase.....	190

Enzyme

Carbonic anhydrase	209
NADPH.....	210
Cathepsin K	210
LXR.....	210
CzcO-like	210
DHPS.....	210
Endopeptidase.....	212
Hexokinase.....	212
Hydrogenase.....	212
Hydrolase.....	212
Hydroxylase.....	212
MPO	213
sGC.....	213
SMO.....	213
Oxidosqualene cyclase	213
Peroxiredoxin-5	214
Phosphorylase.....	214
PP2A.....	214
Reductase.....	214
Squalene epoxidase.....	215
Tyrosinase.....	215
VKOR.....	215

Others..... 216**Natural Compounds 241**

Proteases/Proteasome



Cysteine protease

Cysteine Protease inhibitor

PMFS

ID: T0789




PMFS (Phenylmethanesulfonyl fluoride) is an irreversible inhibitor of serine proteinases.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

PD 151746

ID: T2493




PD 151746 is a selective, cell-permeable calpain inhibitor with K_i of 0.26 μM for μ -Calpain, about 20-fold selectivity over m-calpain.

Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	73	133	231	390	84

Calpain Inhibitor III

ID: T2470



Calpain Inhibitor III is a Cysteine protease.


Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	85	133	244	402	99

DPP-4

DPP-4 inhibitor

Glimepiride

ID: T0127



Glimepiride is the first III generation sulphonyl urea it is a very potent sulphonyl urea with long duration of action.

Size	5mg	10mg	20mg	50mg	1ml/10mM
Price(\$)	24	42	78	133	39

DPP-4/HIV protease

Saxagliptin hydrate

ID: T0178

Saxagliptin is a selective and reversible DPP4 inhibitor.




Size	2mg	10mg	50mg	1ml/10mM
Price(\$)	39	108	317	99

SYR472

NEW

ID: T2296




Trelagliptin (SYR-472) is a long acting dipeptidyl peptidase-4 (DPP-4) inhibitor that is being developed for the treatment of type 2 diabetes (T2D).

Size	5mg	10mg	50mg	1ml/10mM
Price(\$)	55	82	180	55

Alogliptin Benzoate

ID: T2401




Alogliptin is a potent, selective inhibitor of DPP-4 with IC₅₀ of <10 nM, exhibits greater than 10,000-fold selectivity over DPP-8 and DPP-9.

Size	5mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	105	145	477	731	112

Sitagliptin

ID: T0242




Sitagliptin is a new oral hypoglycemic (anti-diabetic drug) of the new dipeptidyl peptidase-4 (DPP-4) inhibitor class of drugs. This enzyme-inhibiting drug is to be used either alone or in combination with metformin or a thiazolidinedione for control of type 2 diabetes mellitus.

Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	13	24	42	78	27

MK3102

NEW

ID: T2316




Omarigliptin (MK-3102) is a potent, selective and long-acting DPP-4 inhibitor with IC₅₀ of 1.6 nM; highly selective over all proteases tested (IC₅₀ > 67 μM).

Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	148	222	333	567	998	387

Cilastatin

ID: T2583


A renal dehydropeptidase-I and leukotriene D4 dipeptidase inhibitor.



Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	49	97	377	568	84

Linagliptin

ID: T0191



Linagliptin is a DPP-4 inhibitor developed by Boehringer Ingelheim for the treatment of type II diabetes.

Size	2mg	5mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	73	133	207	484	847	167

Vildagliptin (LAF-237)

ID: T1502



Vildagliptin (LAF-237) inhibits DPP-4 with IC₅₀ of 2.3 nM.

Size	2mg	10mg	25mg	1ml/10mM
Price(\$)	46	118	207	80

Picolamine

ID: T1581



It acts as potential inhibitors of DPP-4

Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

HIV Protease

HIV Protease inhibitor

Lopinavir

ID: T1623




Lopinavir (also known as ABT-378) is a highly potent inhibitor of human immunodeficiency virus (HIV) protease that potently inhibits wild-type and mutant HIV protease.

Size	2mg	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	28	73	123	209	357	69

Ritonavir

ID: T1525



Ritonavir is an antiretroviral (HIV) drug which inhibits a particular liver enzyme that normally metabolizes protease inhibitors, cytochrome P450-3A4 (CYP3A4).

Size	2mg	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	28	73	123	209	357	69

Des(benzylpyridyl) Atazanavi

NEW

ID: T1883




Atazanavir is a highly potent HIV-1 protease inhibitor.

Size	5mg	10mg	50mg	1ml/10mM
Price(\$)	60	84	316	101

Atazanavir sulfate

ID: T0100




Atazanavir (formerly known as BMS-232632) is an antiretroviral drug of the protease inhibitor (PI) class.

Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	88	133	234	417	99

Darunavir Ethanolate

ID: T2324



Darunavir Ethanolate (DRV) is a nonpeptidic HIV protease inhibitor, used to treat HIV infection.

Size	2mg	5mg	10mg	50mg	1ml/10mM
Price(\$)	96	133	225	704	272

MMP**MMP antagonist****Glucosamine**

ID: T0429



Glucosamine is an amino sugar and a prominent precursor in the biochemical synthesis of glycosylated proteins and lipids, is used as a dietary supplement.

Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

MMP inhibitor**Fenofibric acid**

ID: T1402



An antilipemic agent which reduces both cholesterol and triglycerides in the blood.

Size	10mg	50mg	250mg	1g	1ml/10mM
Price(\$)	13	27	58	90	27

Doxycycline HCl

ID: T1140



Doxycycline Hydrochloride is a synthetic tetracycline derivative with similar antimicrobial activity.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Fenofibrate

ID: T1149



Fenofibrate is a Peroxisome Proliferator Receptor alpha Agonist.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Acetohydroxamic acid

ID: T1592



Acetohydroxamic Acid, a synthetic drug derived from hydroxylamine and ethyl acetate, is similar in structure to urea.

Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

SB-3CT

ID: T2009



SB-3CT is an effective and selective gelatinase inhibitor with K_i of 13.9 nM and 600 nM for MMP-2 and MMP-9, respectively.

Size	1mg	5mg	50mg	100mg	1ml/10mM
Price(\$)	55	137	499	877	134

NSC 405020

ID: T1891



NSC 405020 is a noncatalytic inhibitor of MT1-MMP, directly interacts with PEX domain of MT1-MMP, affects PEX homodimerization but not catalytic activity of MT1-MMP.

Size	5mg	10mg	50mg	1ml/10mM
Price(\$)	60	84	316	101

p97**p97 inhibitor****DBeQ****NEW**

DBeQ is a selective, potent, reversible, and ATP-competitive p97 inhibitor with IC₅₀ of 1.5 μM.

Size	5mg	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	66	122	268	413	542	66

NMS 873**NEW**

NMS-873 is a potent, selective allosteric VCP/p97 inhibitor with IC₅₀ value of 20 nM (Wild Type, 1 mM ATP).

Size	5mg	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	84	202	517	786	83	

PAI**PAI inhibitor****Tiplaxtinin(PAI-039)****NEW**

Tiplaxtinin(PAI-039) is a selective and orally efficacious inhibitor of plasminogen activator inhibitor-1 (PAI-1) with IC₅₀ of 2.7 uM.

Size	1mg	5mg	25mg	1ml/10mM
Price(\$)	82	183	378	180


Protease**Protease inhibitor****Bortezomib (PS-341)****NEW**

Bortezomib (PS-341) is a potent 20S proteasome inhibitor with Ki of 0.6 nM in a cell-free assay.

Size	5mg	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	57	76	207	306	511	133

Carfilzomib (PR-171)**NEW**

ID: T1795




Carfilzomib (PR-171) is an irreversible proteasome inhibitor with IC₅₀ of <5 nM in ANBL-6 cells, displayed preferential in vitro inhibitory potency against the ChT-L activity in the β 5 subunit, but little or no effect on the PGPH and T-L activities.

Size	5mg	20mg	50mg	100mg	1ml/10mM
Price(\$)	91	137	274	422	115

Protease-Activated Receptor**Protease-Activated Receptor agonist****AOB2796****NEW**

ID: T2370




AC-55541 is a novel small-molecule protease-activated receptor 2(PAR2) agonist; activated PAR2 signaling in cellular proliferation assays, phosphatidylinositol hydrolysis assays, and Ca(2+) mobilization assays, with potencies ranging from 200 to 1000 nM.

Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	137	190	417	790	204

Atopaxar**NEW**

ID: T1986




Atopaxar is a reversible protease activated receptor (PAR)-1 thrombin receptor antagonist that interferes with platelet signaling.

Size	2mg	5mg	10mg	50mg	1ml/10mM
Price(\$)	59	88	113	432	99

ML 161**NEW**

ID: T1893



Inhibitor of protease-activated receptor 1 (PAR1)-mediated platelet activation (IC₅₀ = 0.26 μ M for the inhibition of platelet P-selectin expression on human platelets). Thought to act allosterically. Also inhibits thrombin-induced platelet activation.

Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	87	137	248	427	104

Proteasome

Proteasome inhibitor

MLN9708

NEW

ID: T2016



MLN9708 immediately hydrolyzed to MLN2238, the biologically active form, on exposure to aqueous solutions or plasma. MLN2238 inhibits the chymotrypsin-like proteolytic (β 5) site of the 20S proteasome with IC₅₀/Ki of 3.4 nM/0.93 nM in cell-free assays, less potent to β 1 and little activity to β 2. Phase 3.

Size	5mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	82	272	443	614	82

MLN2238(Ixazomib)

NEW

ID: T2122

MLN2238 inhibits the chymotrypsin-like proteolytic (β 5) site of the 20S proteasome with IC₅₀ and Ki of 3.4 nM and 0.93 nM in cell-free assays, respectively, also inhibits the caspase-like (β 1) and trypsin-like (β 2) proteolytic sites, with IC₅₀ of 31 and 3500 nM. Phase 3.


Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	144	293	394	618	143

MG-132

NEW

ID:T2154

MG-132 is an inhibitor of proteasome with IC₅₀ of 100 nM, and also inhibits calpain with IC₅₀ of 1.2 μ M.




Size	5mg	25mg	50mg	1ml/10mM
Price(\$)	50	156	284	50

Serine Protease

Serine Protease inhibitor

Gabexate mesylate

ID: T0372




A serine proteinase inhibitor used therapeutically in the treatment of pancreatitis, disseminated intravascular coagulation (DIC), and as a regional anticoagulant for hemodialysis.

Size	5mg	10mg	50mg	1ml/10mM
Price(\$)	45	79	202	69

Nafamostat mesylate


ID: T2392



Nafamostat mesilate is a synthetic serine protease inhibitor, used as an anticoagulant during hemodialysis.

Size	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	68	112	194	283	59

Chromatin/Epigenetic




Epigenetic Reader Domain

Epigenetic Reader Domain antagonist

UNC1215

NEW

ID: T2379



UNC1215 is a potent and selective MBT (malignant brain tumor) antagonist, which binds L3MBTL3 with IC50 of 40 nM and Kd of 120 nM, 50-fold selective versus other members of the human MBT family.

Size	2mg	25mg	100mg	1ml/10mM
Price(\$)	76	272	950	136

UNC669

NEW

ID: T2252

UNC669 is a potent and selective MBT (malignant brain tumor) inhibitor with IC50 of 6 μM for L3MBTL1, 5- and 11-fold selective over L3MBTL3 and L3MBTL4.


Size	10mg	25mg	100mg	1ml/10mM
Price(\$)	87	146	465	89

Epigenetic Reader Domain inhibitor

OF-1

NEW

ID: T2127




OF-1 is a selective BRPF1B and BRPF2 bromodomain inhibitor with Kd values of 100 nM/500 nM for BRPF1B/BRPF2; 39-fold selectivity over BRD4.

Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	47	76	123	285	480	82

CPI-203

NEW

ID: T2442



CPI-203 is a potent BET bromodomain inhibitor with IC50 of 37 nM for BRD4.

Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	52	92	146	268	99

PFI-3

NEW


ID: T2478

PFI-3 is a selective chemical probe for SMARCA bromodomains, including SMARCA2, SMARCA4 and PBRM1(5) bromodomains.

Size	2mg	5mg	10mg	25mg	1ml/10mM
Price(\$)	52	77	133	244	112

RVX-208

NEW

ID: T2480

RVX-208 is a potent BET bromodomain inhibitor with IC50 of 0.510 μ M for BD2 in a cell-free assay, about 170-fold selectivity over BD1. Phase 2.

Size	5mg	20mg	50mg	1ml/10mM
Price(\$)	73	195	389	99

BET bromodomain inhibitor

NEW

ID: T2072

It is a BET bromodomain inhibitor.

Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	80	123	230	456	802	174

BET bromodomain inhibitor

NEW


ID: T2091

It is a BET bromodomain inhibitor.

Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	109	197	357	628	109

GSK2801

NEW


ID: T2436

GSK2801 is a potent, selective and cell active acetyl-lysine competitive inhibitor of BAZ2A(Kd=136 nM) and BAZ2B(Kd=257 nM) bromodomains.

Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	85	122	231	402	99

MS436

NEW

ID: T1854

MS436 is a diazobenzene-based small-molecule inhibitor for the BRD4 bromodomains with a Ki value of 30-50 nM.


Size	5mg	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	118	209	499	850	1081	118

GSK-525762A(I-BET-762)

NEW

ID: T1906

I-BET-762 is an inhibitor for BET proteins with IC50 of ~35 nM in a cell-free assay, suppresses the production of proinflammatory proteins by macrophages and blocks acute inflammation, highly selective over other bromodomain-containing proteins.




Size	2mg	5mg	10mg	50mg	1ml/10mM
Price(\$)	81	119	428	840	118

GSK 5959

NEW

ID: T1972


GSK-5959 is a potent, selective and cell permeable BRPF1 bromodomain inhibitor with IC50 ~ 80 nM. Exhibits >100-fold selectivity for BRPF1 over a panel of 35 other bromodomains, including BRPF2/3 and BET family bromodomains.



Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	148	234	506	947	158

I-BET151 (GSK1210151A)

NEW

ID: T2120

I-BET151 (GSK1210151A) is a novel selective BET inhibitor for BRD2, BRD3 and BRD4 with IC50 of 0.5 μ M, 0.25 μ M, and 0.79 μ M in cell-free assays, respectively.


Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	143	223	394	709	142

PFI-4

NEW

ID: T1973

PFI-4 is a potent and selective and cell permeable BRPF1 bromodomain inhibitor (IC50 = 80 nM). Exhibits >100-fold selectivity for BRPF1 over a panel of other bromodomains including BRPF2 (BRD1), BRPF3 and BRD4.




Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	126	234	456	773	125

(+)-JQ-1


NEW

ID: T2110

(+)-JQ1 is a BET bromodomain inhibitor, with IC50 of 77 nM/33 nM for BRD4(1/2) in cell-free assays, binding to all bromodomains of the BET family, but not to bromodomains outside the BET family.



Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	80	248	517	905	79

HDAC**HDAC activator****Resveratrol****ID: T1558**

Resveratrol is a phytoalexin produced naturally by several plants with anti-cancer, anti-inflammatory, blood-sugar-lowering and other beneficial cardiovascular effects.

Size	5mg	25mg	100mg	200mg	1ml/10mM
Price(\$)	24	42	78	133	39

HDAC inhibitor**Valerin****ID: T1602**

Valproic acid is a HDAC inhibitor by selectively inducing proteasomal degradation of HDAC2, used in the treatment of epilepsy, bipolar disorder and prevention of migraine headaches.



Size	5mg	25mg	100mg	200mg	1ml/10mM
Price(\$)	13	27	66	91	27

Sodium Phenylbutyrate**ID: T1535**


Sodium Phenylbutyrate is a transcriptional regulators that act by altering chromatin structure via the modulation of HDAC activity.




Size	2mg	10mg	25mg	100mg	1ml/10mM
Price(\$)	13	27	66	91	39

Scriptaid**ID: T2321**

Scriptaid is an inhibitor of HDAC. It shows a greater effect on acetylated H4 than H3.



Size	1mg	5mg
Price(\$)	14	29


Vorinostat (SAHA, MK0683)**ID: T1583**

Vorinostat (rINN) or suberoylanilide hydroxamic acid (SAHA) the first in a new class of agents known as histone deacetylase inhibitors. A

Size	5mg	25mg	100mg	250mg	500mg	1ml/10mM
Price(\$)	25	45	79	115	170	112

Tubastatin A BASE**NEW****ID: T1966**


Tubastatin A is a potent and selective HDAC6 inhibitor with IC50 of 15 nM in a cell-free assay. It is selective against all the other isoforms (1000-fold) except HDAC8.




Size	5mg	10mg	50mg	1ml/10mM
Price(\$)	31	45	92	31

MC1568**NEW**

MC1568 is a selective HDAC inhibitor for maize HD1-A with IC50 of 100 nM in a cell-free assay. It is 34-fold more selective for HD1-A than HD1-B.




Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	36	57	100	185	99

CI-994 (Tacedinaline)**NEW****ID: T1888**


CI-994 (Tacedinaline) is an anti-cancer drug which inhibits HDAC1 with IC50 of 0.57 μM and causes G1 cell cycle arrest.

Size	5mg	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	40	62	123	226	362	47

Chidamide**NEW****ID: T2025**


Chidamide(CS055; HBI-8000) is a class I HDAC inhibitor with IC50s of 95/160/67/733 nM for HDAC1/2/3/8; also inhibits HDAC10/11(IC50=78/432 μM); no inhibition on HDAC4/5/7/9/6(IC50>30 μM).

Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	42	66	113	209	84

CAY10683 (SantaCruzMate A)**NEW****ID: T2266**

SantaCruzamate A (CAY10683) is a potent and selective HDAC inhibitor with IC50 of 119 pM for HDAC2, >3600-fold selectivity over other HDACs.

Size	2mg	5mg	10mg	50mg	1ml/10mM
Price(\$)	44	59	88	291	70

Panobinostat (LBH589)**ID: T2383****NEW**

Panobinostat (LBH589) is a novel broad-spectrum HDAC inhibitor with IC50 of 5 nM in a cell-free assay. Phase 3.

Size	5mg	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	52	76	155	248	403	99

RGFP 966**NEW****ID: T1762**


RGFP966 is an HDAC3 inhibitor with IC50 of 0.08 μ M in cell-free assay, exhibits > 200-fold selectivity over other HDACs.



Size	5mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	91	137	517	752	115

Histone Deacetylase Inhibitor III**NEW****ID: T2157**

M344 is a potent HDAC inhibitor with IC50 of 100 nM and able to induce cell differentiation.



Size	1mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	56	89	133	282	480	92

CUDC-907**NEW****ID: T2078**


CUDC-907 potently inhibits class I PI3Ks as well as classes I and II HDAC enzymes.



Size	5mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	57	96	213	354	57

PHOB**NEW****ID: T2430**

HPOB is a potent, selective HDAC6 inhibitor with IC50 of 56 nM, >30-fold selectivity over other HDACs.




Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	61	92	185	303	84

BG45**NEW****ID: T2294**

BG45 is a class I HDAC inhibitor with IC50 of 289 nM, 2.0 μ M, 2.2 μ M and >20 μ M for HDAC3, HDAC1, HDAC2, and HDAC6 in cell-free assays, respectively.



Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	64	84	172	283	70


Belinostat (PXD101)**NEW****ID: T1852**

Belinostat is a novel hydroxamic acid-type histone deacetylase (HDAC) inhibitor with antineoplastic activity.

Size	10mg	20mg	100mg	1ml/10mM
Price(\$)	78	113	422	59

Nexturnastat A**NEW****ID: T1819**


Nexturnastat A is a potent and selective HDAC6 inhibitor with IC50 of 5 nM, >190-fold selectivity over other HDACs.




Size	1mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	91	431	755	1320	424	

PCI-24781 (Abexinostat)**ID: T0431**

PCI-24781 (Abexinostat) is a novel pan-HDAC inhibitor mostly targeting HDAC1 with Ki of 7nM, modest potent to HDACs 2, 3, 6, and 10 and greater than 40-fold selectivity against HDAC8. Phase 1/2.



Size	1mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	49	137	246	468	776	194


Rocilinostat (ACY-1215)**NEW****ID: T2489**

Rocilinostat (ACY-1215) is a selective HDAC6 inhibitor with IC50 of 5 nM in a cell-free assay. It is >10-fold more selective for HDAC6 than HDAC1/2/3 (class I HDACs) with slight activity against HDAC8, minimal activity against HDAC4/5/7/9/11, Sirtuin1, and Sirtuin2. Phase 2.


Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	92	158	302	499	99

TMP269**NEW****ID: T1857**

TM269 is a potent, selective class IIa HDAC inhibitor with IC50 of 157 nM, 97 nM, 43 nM and 23 nM for HDAC4, HDAC5, HDAC7 and HDAC9, respectively.



Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	92	158	302	499	99


Mocetinostat (MGCD0103)**NEW****ID: T2512**

Mocetinostat (MGCD0103) is a potent HDAC inhibitor with most potency for HDAC1 with IC50 of 0.15 μ M in a cell-free assay, 2- to 10-fold selectivity against HDAC2, 3, and 11, and no activity to HDAC4, 5, 6, 7, and 8. Phase 2.


Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	133	231	402	610	145

LAQ824 (Dacinostat)**NEW****ID: T2454**

LAQ824 (Dacinostat) is a novel HDAC inhibitor with IC₅₀ of 32 nM and is known to activate the p21 promoter.



Size	5mg	10mg	50mg	1ml/10mM
Price(\$)	133	255	694	169


CAY10603**NEW****ID: T1983**

CAY10603 is a potent and selective inhibitor of HDAC6 with IC₅₀ of 2 pM, as compared with 271, 252, 0.42, 6851, and 90.7 nM for HDAC1, 2, 3, 8, and 10, respectively.

Size	1mg	10mg	50mg	1ml/10mM
Price(\$)	172	354	768	261

Pracinostat (SB939)**NEW****ID: T1890**


Pracinostat(SB939) is a potent pan-HDAC inhibitor with IC₅₀ of 40-140 nM with exception for HDAC6; has no activity against the class III isoenzyme SIRT 1.




Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	175	259	456	709	174

HIF**HIF inhibitor****2-Methoxyestradiol****ID: T2220**

2-Methoxyestradiol (2ME2) is a drug that prevents the formation of new blood vessels that tumors need in order to grow (angiogenesis).



Size	2mg	10mg	50mg	1ml/10mM
Price(\$)	24	43	133	44


Roxadustat (FG-4592)**NEW****ID: T2515**

Roxadustat (FG-4592) is an HIF α prolyl hydroxylase inhibitor in a cell-free assay, stabilizes HIF-2 and induces EPO production. Phase 3.

Size	10mg	25mg	50mg	1ml/10mM
Price(\$)	57	100	175	59

IOX 2**NEW****ID: T1823**


IOX 2 is a selective inhibitor of the Hypoxia Inducible Factor (HIF) Prolyl-Hydroxylases (PHD); active in cells with IC₅₀ value of 21 nM for PHD2/ELGN-1 and no inhibition at FIH (20uM).



Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	83	137	259	466	82

BAY 87-2243


BAY 87-2243 is a potent and selective hypoxia-inducible factor-1 (HIF-1) inhibitor. Phase 1.



Size	5mg	10mg	50mg	1ml/10mM
Price(\$)	88	158	597	112

BAY85-3934;Molidustat**NEW****ID: T2652**

Molidustat(BAY-85-3934) is a novel inhibitor of hypoxia-inducible factor (HIF) prolyl hydroxylase (PH) which stimulates erythropoietin (EPO) production and the formation of red blood cells; HIF-stabilizer.



Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	93	148	246	517	887	177

FG-2216**NEW****ID: T2445**

FG-2216 is a potent HIF-prolyl hydroxylase inhibitor with IC₅₀ of 3.9 μ M for PDH2 enzyme; orally bioavailable and induced significant and reversible Epo induction in vivo.



Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	183	317	555	840	194	

Pim**Detailed product information is on page 18****JAK****Detailed product information is on page 15**

Aurora Kinase

Detailed product information is on page 52

Histone Acetyltransferase


Histone Acetyltransferase inhibitor

C646

NEW

ID: T2452

C646 is an inhibitor for histone acetyltransferase, and inhibits p300 with a Ki of 400 nM in a cell-free assay. Preferentially selective for p300 versus other acetyltransferases.



Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	85	133	244	402	99

Histone Demethylase

Histone Demethylase inhibitor

Tranylcypromine (2-PCPA) HCl

ID: T1025

Tranylcypromine is a drug of the substituted phenethylamine and amphetamine classes which acts as a monoamine oxidase inhibitor (MAOI)—it is a nonselective and irreversible inhibitor of the enzyme monoamine oxidase (MAO).




Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

GSK-LSD1 2HCl

NEW

ID: T2315




GSK-LSD1 2HCl is an irreversible, and selective LSD1 inhibitor with IC50 of 16 nM, > 1000 fold selective over other closely related FAD utilizing enzymes (i.e. LSD2, MAO-A, MAO-B).

Size	5mg	25mg	50mg	1ml/10mM
Price(\$)	84	230	597	99

SGC0946

ID: T3082

SGC0946 is a highly potent and selective DOT1L methyltransferase inhibitor with IC50 of 0.3 nM; selectively kill mixed lineage leukaemia cells.




Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	48	102	154	320	596	107

Histone Methyltransferase

Histone Methyltransferase inhibitor

Entacapone

ID: T2216



Entacapone is a selective, reversible catechol-O-methyl transferase (COMT) inhibitor for the treatment of Parkinson's disease.


Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	20	36	62	96	39

UNC1999

NEW

ID: T3057

UNC1999 is a potent, orally bioavailable and selective inhibitor of EZH2 and EZH1 with IC50 of 2 nM and 45 nM in cell-free assays, respectively, showing >1000-fold selectivity over a broad range of epigenetic and non-epigenetic targets.




Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	40	78	119	221	357	89

SP2509

NEW

ID: T2304

SP2509 is a selective histone demethylase LSD1 inhibitor with IC50 of 13 nM, showing no activity against MAO-A, MAO-B, lactate dehydrogenase and glucose oxidase.




Size	5mg	10mg	100mg	1ml/10mM
Price(\$)	114	195	768	113

C7280948

NEW

ID: T2097

C-7280948 is a PRMT1 inhibitor.



Size	1mg	10mg	50mg	1ml/10mM
Price(\$)	60	126	427	93

RG108

NEW

ID: T2038


RG108 is an inhibitor of DNA methyltransferase with IC50 of 115 nM in a cell-free assay, does not cause trapping of covalent enzymes.



Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	61	94	209	385	87

Histone Methyltransferase**AMI-1****NEW****ID: T2352**


AMI-1 is a potent and specific Histone Methyltransferase (HMT) inhibitor with IC₅₀ of 3.0 μ M and 8.8 μ M for yeast Hmt1p and human PRMT1, respectively.



Size	5mg	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	76	127	238	361	542	133

BIX 01294**NEW****ID: T1959**


BIX01294 is an inhibitor of G9a histone methyltransferase with IC₅₀ of 2.7 μ M in a cell-free assay, reduces H3K9me2 of bulk histones, also weakly inhibits GLP (primarily H3K9me3), no significant activity observed at other histone methyltransferases.



Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	86	133	248	439	104

JIB-04 (NSC 693627)(E)**NEW****ID: T1868**


JIB-04 is a pan-selective Jumonji histone demethylase inhibitor with IC₅₀ of 230, 340, 855, 445, 435, 1100, and 290 nM for JARID1A, JMJD2E, JMJD3, JMJD2A, JMJD2B, JMJD2C, and JMJD2D in cell-free assays, respectively.



Size	10mg	20mg	50mg	1ml/10mM
Price(\$)	113	182	307	85

BRD4770**NEW****ID: T1923**


BRD4770 is a histone methyltransferase G9a inhibitor with IC₅₀ of 6.3 μ M, and induces cell senescence.




Size	5mg	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	89	148	259	456	719	92

UNC0379**NEW****ID: T1841**

UNC0379 is a selective, substrate competitive inhibitor of N-lysine methyltransferase SETD8 with IC₅₀ of 7.9 μ M, high selectivity over 15 other methyltransferases.




Size	5mg	10mg	25mg	100mg	1ml/10mM
Price(\$)	92	170	357	647	91

EPZ004777**NEW****ID: T3081**


EPZ004777 is a potent, selective DOT1L inhibitor with IC₅₀ of 0.4 nM in a cell-free assay.

Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	74	172	283	461	690	146

GSK503**NEW****ID: T1775**


Increased activity of the epigenetic modifier EZH2 has been associated with different cancers.

Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	77	119	362	971	118	

MI-3 (Menin-MLL Inhibitor)**NEW****ID: T2643**


MI-3 (Menin-MLL Inhibitor) is a potent menin-MLL interaction inhibitor with IC₅₀ of 648 nM.

Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	93	170	295	444	752	177

PFI-2**NEW****ID: T1987**

PFI-2 is a potent, selective, and cell-active lysine methyltransferase SETD7 inhibitor with Ki (app) and IC₅₀ of 0.33 nM and 2 nM, 1000-fold selectivity over other methyltransferases and other non-epigenetic targets.

Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	101	159	308	543	120

EPZ6438**NEW****ID: T1788**

EPZ6438 is a potent, and selective EZH2 inhibitor with Ki and IC₅₀ of 2.5 nM and 11 nM in cell-free assays, exhibiting a 35-fold selectivity versus EZH1 and >4,500-fold selectivity relative to 14 other HMTs.

Size	5mg	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	109	182	281	400	630	109

MI-2 (Menin-MLL Inhibitor)**NEW****ID: T2649**


MI-2 (Menin-MLL Inhibitor) is a potent menin-MLL interaction inhibitor with IC50 of 446 nM.



Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	93	170	295	517	887	177

EPZ011989**NEW****ID: T2435**


EPZ011989 is a potent, selective orally bioavailable EZH2 inhibitor with Ki < 3 nM for EZH2 wt and EZH2 Y646; 15-fold selectivity over EZH1 and >3000-fold selectivity over other HMTase.



Size	5mg	10mg	50mg	1ml/10mM
Price(\$)	122	207	657	133

EPZ005687**NEW****ID: T1905**


EPZ005687 is a potent and selective inhibitor of EZH2 with Ki of 24 nM in a cell-free assay, 50-fold selectivity against EZH1 and 500-fold selectivity against 15 other protein methyltransferases.



Size	2mg	5mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	151	248	877	1164	1444	244

GSK126**NEW****ID: T2079**


GSK126 is a potent, highly selective EZH2 methyltransferase inhibitor with IC50 of 9.9 nM, >1000-fold selective for EZH2 over 20 other human methyltransferases.




Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	223	338	532	871	222

UNC0631**NEW****ID: T2354**

UNC0631 is a potent histone methyltransferase G9a inhibitor with IC50 of 4 nM.



Size	5mg	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	110	209	344	698	1023	110


PARP**PARP inhibitor****NEW****PJ34 HCl**

PJ34 HCl is the hydrochloride salt of PJ34, which is a PARP inhibitor with EC50 of 20 nM and is equally potent to PARP1/2.

Size	2mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	39	63	123	179	50

EPZ011989**NEW****ID: T2435**


EPZ011989 is a potent, selective orally bioavailable EZH2 inhibitor with Ki < 3 nM for EZH2 wt and EZH2 Y646; 15-fold selectivity over EZH1 and >3000-fold selectivity over other HMTase.



Size	5mg	10mg	50mg	1ml/10mM
Price(\$)	122	207	657	133

EPZ005687**NEW****ID: T1905**


EPZ005687 is a potent and selective inhibitor of EZH2 with Ki of 24 nM in a cell-free assay, 50-fold selectivity against EZH1 and 500-fold selectivity against 15 other protein methyltransferases.



Size	2mg	5mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	151	248	877	1164	1444	244

GSK126**NEW****ID: T2079**


GSK126 is a potent, highly selective EZH2 methyltransferase inhibitor with IC50 of 9.9 nM, >1000-fold selective for EZH2 over 20 other human methyltransferases.



Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	223	338	532	871	222

UNC0631**NEW****ID: T2354**


UNC0631 is a potent histone methyltransferase G9a inhibitor with IC50 of 4 nM.




Size	5mg	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	110	209	344	698	1023	110

JW55**NEW****ID: T1807**

JW 55 is an inhibitor of the PARP domain of tankyrase 1 and 2 (TNKS1/2). JW55 decreased auto-PARylation of TNKS1/2 in vitro with IC50 values of 1.9 uM and 830 nM respectively.



Size	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	97	188	323	536	73

AZD2461**NEW****ID: T2484**

AZD2461 is a novel PARP inhibitor with low affinity for Pgp than Olaparib. Phase 1.


Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	133	231	402	610	194

Sirtuin

Sirtuin inhibitor

Quercetin

ID: T2174




Quercetin, a natural flavonoid present in vegetables, fruit and wine, is a stimulator of recombinant SIRT1 and also a PI3K inhibitor with IC₅₀ of 2.4-5.4 μM. Phase 4.

Size	2mg	5mg	10mg	1ml/10mM
Price(\$)	27	49	85	86

Tenovin-3

NEW

ID: T1873




Tenovin-3 is a p53 activator, K40Ac Tubulin activator and SirT2 inhibitor.

Size	2mg	5mg	10mg	50mg	1ml/10mM
Price(\$)	59	88	113	432	99

Inauhzin

ID: T1887




Inauhzin(INZ) is a novel small molecule that effectively reactivates p53 by inhibiting SIRT1 activity, promotes p53-dependent apoptosis of human cancer cells without causing apparently genotoxic stress(IC₅₀=3 μM, in A549 cell).

Size	5mg	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	115	202	381	709	718	114

SRT1720

NEW


ID: T2412



SRT1720 is a selective SIRT1 activator with EC₅₀ of 0.16 μM in a cell-free assay, but is >230-fold less potent for SIRT2 and SIRT3.

Size	5mg	10mg	50mg	1ml/10mM
Price(\$)	133	255	694	169

JAK/STAT Signaling



JAK

JAK inhibitor

WHI-P154

NEW

ID: T1985


WHI-P154 is a potent JAK3 inhibitor with IC₅₀ of 1.8 μM, no activity against JAK1 or JAK2, also inhibits EGFR, Src, Abl, VEGFR and MAPK, prevents Stat3, but not Stat5 phosphorylation.

Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	56	95	197	389	56

AZD1480

NEW

ID: T3069



AZD1480 is a novel ATP-competitive JAK2 inhibitor with IC₅₀ of 0.26 nM in a cell-free assay, selectivity against JAK3 and Tyk2, and to a smaller extent against JAK1. Phase 1.

Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	39	88	132	276	402	118

CEP-33779

NEW

ID: T2426

CEP-33779 is a novel selective JAK2 inhibitor.


Size	2mg	10mg	50mg	1ml/10mM
Price(\$)	61	115	401	112

Ruxolitinib (INCBO18424)

NEW

ID: T1829

Ruxolitinib(INCBO18424) is the first potent, selective, JAK1/2 inhibitor to enter the clinic with IC₅₀ of 3.3 nM/2.8 nM, >130-fold selectivity for JAK1/2 versus JAK3.




Size	1mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	56	113	185	271	456	134

Ruxolitinib

NEW

ID: T3066

Ruxolitinib (INCBO18424) is the first potent, selective, JAK1/2 inhibitor to enter the clinic with IC₅₀ of 3.3 nM/2.8 nM in cell-free assays, >130-fold selectivity for JAK1/2 versus JAK3.



Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	61	123	185	276	383	118

JAK

AT9283

NEW

ID: T3068



AT9283 is a potent JAK2/3 inhibitor with IC₅₀ of 1.2 nM/1.1 nM in cell-free assays; also potent to Aurora A/B, Abl(T315). Phase 2.

Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	61	132	205	370	610	137

Tofacitinib (CP-690550) Citrate

ID: T2398


Tofacitinib citrate (CP-690550 citrate) is a novel inhibitor of JAK3 with IC₅₀ of 1 nM, 20- to 100-fold less potent against JAK2 and JAK1.

Size	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	77	123	211	310	59

Cerdulatinib

NEW

ID: T2487



Cerdulatinib(PRT-062070; PRT2070) is an novel oral dual Syk/JAK inhibitor.


Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	61	133	401	579	112

GLPG0634 analogue

NEW

ID: T3076

GLPG0634 analogue is a selective JAK1 inhibitor with IC₅₀ of 10 nM, 28 nM, 810 nM, and 116 nM for JAK1, JAK2, JAK3, and TYK2, respectively. Phase 2.




Size	1mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	71	195	329	585	927	141

Filgotinib (GLPG0634)

NEW

ID: T1929




GLPG0634(filgotinib) is a selective JAK1 inhibitor with IC₅₀ of 10 nM, 28 nM, 810 nM, and 116 nM for JAK1, JAK2, JAK3, and TYK2, respectively.

Size	5mg	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	84	112	197	431	698	99

ZM 39923 HCl

NEW

ID: T2460



ZM 39923 HCl is an JAK1/3 inhibitor with pIC₅₀ of 4.4/7.1, almost no activity to JAK2 and modestly potent to EGFR; also found to be sensitive to transglutaminase.

Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	75	133	244	402	99

Pyridone 6

NEW

ID: T3080




Pyridone 6(CMP 6) is a potent and selective inhibitor of JAK1 (IC₅₀=15 nM, murine JAK1), JAK2 (IC₅₀=1 nM), JAK3 (Ki=5 nM), and Tyk2 (IC₅₀=1 nM); displaying significantly weaker affinities (130 nM to 10 mM) for other protein tyrosine kinases.

Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	100	173	276	440	768	141

Baricitinib (LY3009104, INCB028050)

NEW

ID: T2360




Baricitinib (LY3009104, INCB028050) is a selective JAK1 and JAK2 inhibitor with IC₅₀ of 5.9 nM and 5.7 nM in cell-free assays, ~70 and ~10-fold selective versus JAK3 and Tyk2, no inhibition to c-Met and Chk2. Phase 3.

Size	5mg	10mg	50mg	1ml/10mM
Price(\$)	209	302	790	237

Ruxolitinib (INCB-18424) phosphate

NEW

ID: T3043



Ruxolitinib phosphate(INCB018424 phosphate) is the first potent, selective, JAK1/2 inhibitor to enter the clinic with IC₅₀ of 3.3 nM/2.8 nM, >130-fold selectivity for JAK1/2 versus JAK3.

Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	82	142	231	349	82

WHI-P131

NEW

ID: T2045



Janex-1 is a cell-permeable, reversible, potent, ATP-competitive, and specific inhibitor of JAK3 (IC₅₀ = 78 _mu_M); has no effect on JAK1, JAK2, or Zap/Syk or SRC tyrosine kinases.

Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	91	148	308	554	91

NSC 42834

NEW

ID: T3042




NSC 42834(JAK2 Inhibitor V, Z3), a novel specific inhibitor of Jak2, inhibits Jak2-V617F and Jak2-WT autoprophosphorylation in a dose-dependent manner but was not cytotoxic to cells at concentrations that inhibited kinase activity.

Size	1mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	94	234	397	669	1096	244

WP1066

ID: T2156




WP1066 is a novel inhibitor of JAK2 and STAT3 with IC50 of 2.30 μ M and 2.43 μ M in HEL cells; shows activity to JAK2, STAT3, STAT5, and ERK1/2 not JAK1 and JAK3. Phase 1.

Size	10mg	25mg	50mg	1ml/10mM
Price(\$)	94	213	345	71

Momelotinib (CYT387)

ID: T1849




CYT387 (momelotinib) is an ATP-competitive inhibitor of JAK1/JAK2 with IC50 of 11 nM/18 nM, ~10-fold selectivity versus JAK3.

Size	5mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	98	158	428	596	98

Gandotinib (LY2784544)

ID: T2638




Gandotinib (LY2784544) is a potent JAK2 inhibitor with IC50 of 3 nM, effective in JAK2V617F, 8- and 20-fold selective versus JAK1 and JAK3. Phase 2.

Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	80	148	283	490	837	148

XL019

ID: T3072




XL019 is a potent and selective JAK2 inhibitor with IC50 of 2.2 nM, exhibiting >50-fold selectivity over JAK1, JAK3 and TYK2. Phase 1.

Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	100	173	288	522	905	141

Decernotinib(VX-509)

ID: T2636




Decernotinib(VX-509; VRT-831509) is a potent and selective Janus kinase 3 (JAK3) inhibitor with Ki of 2.5 nM; IC50 is 50-170 nM in cellular assays.

Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	122	222	393	714	1233	246

Oclacitinib

ID: T2012




Oclacitinib(PF03394197) is a potent and selective JAKs inhibitor with IC50 of 10-99 nM; not inhibit a panel of 38 non-JAK kinases (IC50's > 1000 nM).

Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	126	234	394	690	1092	256

Baricitinib (LY3009104, INCB028050)

NEW

ID: T2485




Baricitinib (LY3009104, INCB028050) is a selective JAK1 and JAK2 inhibitor with IC50 of 5.9 nM and 5.7 nM in cell-free assays, ~70 and ~10-fold selective versus JAK3 and Tyk2, no inhibition to c-Met and Chk2. Phase 3.

Size	5mg	10mg	25mg	1ml/10mM
Price(\$)	189	311	597	194

Fedratinib (SAR302503, TG101348)

NEW

ID: T199




Fedratinib (SAR302503, TG101348) is a selective inhibitor of JAK2 with IC50 of 3 nM in cell-free assays, 35- and 334-fold more selective for JAK2 versus JAK1 and JAK3. Phase 2.

Size	5mg	10mg	25mg	100mg	1ml/10mM
Price(\$)	104	142	476	699	103

TG101209

NEW

ID: T3065



TG101209 is a selective JAK2 inhibitor with IC50 of 6 nM, less potent to Flt3 and RET with IC50 of 25 nM and 17 nM in cell-free assays, ~30-fold selective for JAK2 than JAK3, sensitive to JAK2V617F and MPLW515L/K mutations.

Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	61	132	241	427	768	137

STAT**STAT activator****2-NP**

ID: T2168




2-NP increased the duration of STAT1 tyrosine phosphorylation in response to IFN-gamma, and this may underlie its enhancement of STAT1-dependent transcription.

Size	2mg	5mg	10mg	50mg	1ml/10mM
Price(\$)	59	88	113	432	99

STAT inhibitor**Niclosamide**

ID: T0711




An antihelmintic that is active against most tapeworms.

Size	2mg	10mg	50mg	200mg	1g	1ml/10mM
Price(\$)	13	30	78	122	357	27

Nifuroxazole

ID: T1563




Nifuroxazole is a cell-permeable and orally available nitrofuran-based antidiarrheal agent that effectively suppresses the activation of cellular STAT1/3/5 transcription activity.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

S3I-201;NSC 74859

NEW

ID: T2505



S3I-201 shows potent inhibition of STAT3 DNA-binding activity with IC50 of 86 μ M in cell-free assays, and low activity towards STAT1 and STAT5.

Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	52	92	146	268	99

EGFR


Detailed product information is on page 23

Pim**Pim inhibitor**

SMI-4a

NEW

ID: T3058



SMI-4a is a potent inhibitor of Pim1 with IC50 of 17 nM, modestly potent to Pim-2, does not significantly inhibit any other serine/threonine- or tyrosine-kinases.


Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	29	63	82	174	296	76

AZD1208

NEW

ID: T2300

AZD1208 is a novel, orally bioavailable, highly selective PIM kinase inhibitor with single nanomolar potency against all three PIM kinases and is currently undergoing Phase I testing and dose escalation studies in AML.




Size	5mg	10mg	50mg	1ml/10mM
Price(\$)	55	80	280	55

SGI-1776 free base

NEW

ID: T3078




SGI-1776 free base is a novel ATP competitive inhibitor of Pim1 with IC50 of 7 nM in a cell-free assay, 50- and 10-fold selective versus Pim2 and Pim3, also potent to Flt3 and haspin. Phase 1.

Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	59	117	207	378	545	118

TCS PIM-1 1

NEW

ID: T2253




TCS PIM-1 1(sc-204330) is a potent and selective ATP-competitive Pim-1 kinase inhibitor with IC50 of 50 nM, displays good selectivity over Pim-2 and MEK1/MEK2(IC50s >20,000 nM).

Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	69	108	234	431	133

CX-6258

NEW


ID: T1834



CX-6258 is a potent, orally efficacious Pim 1/2/3 kinase(IC50= 5 nM/25 nM/16 nM) inhibitor with excellent biochemical potency and kinase selectivity

Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	137	259	456	762	136

Tyrosine Kinase/Adaptors




ALK

ALK inhibitor

CEP-28122

ID: T2612




A selective ALK inhibitor (CEP28122) resulted in a significant clinical response of hPDT mice.

Size	1mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	35	88	135	284	523	99

NEW

SB525334

ID: T1763



SB525334 is a potent and selective inhibitor of TGF β receptor I (ALK5) with IC50 of 14.3 nM in a cell-free assay, is 4-fold less potent to ALK4 than ALK5 and inactive to ALK2, 3, and 6.

Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	38	68	97	185	333	67

ALK

A77-01

NEW

ID: T2098

A 77-01 is a potent inhibitor of TGF-(beta) type I receptor superfamily activin-like kinase ALK5 with IC50 of 25 nM.




Size	2mg	10mg	50mg	1ml/10mM
Price(\$)	40	82	235	62

TAE684 (NVP-TAE684)

NEW

ID: T2251

TAE684 (NVP-TAE684) is a potent and selective ALK inhibitor with IC50 of 3 nM in a cell-free assay, 100-fold more sensitive for ALK than InsR.



Size	5mg	10mg	50mg	1ml/10mM
Price(\$)	48	82	177	47

A-83-01

NEW

ID: T3031


A-83-01 is a selective inhibitor of TGF-β type I receptor ALK5 kinase, type I activin/nodal receptor ALK4 and type I nodal receptor ALK7 with IC50 values of 12 nM, 45 nM and 7.5 nM, respectively.



Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	50	83	127	247	394	112

Alectinib (CH5424802)

ID: T1936




CH5424802(AF 802; Alectinib) is a potent ALK inhibitor with IC50 of 1.9 nM, sensitive to L1196M mutation.

Size	2mg	5mg	10mg	50mg	1ml/10mM
Price(\$)	61	93	148	422	92

PF06463922

NEW

ID: T3061



PF-06463922 is a potent, dual ALK/ROS1 inhibitor with Ki of <0.02 nM, <0.07 nM, and 0.7 nM for ROS1, ALK (WT), and ALK (L1196M), respectively. Phase 1.

Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	61	117	195	378	606	118

SD-208

NEW

ID: T2109

SD-208 is a selective TGF-β RI (ALK5) inhibitor with IC50 of 48 nM, >100-fold selectivity over TGF-β RII.




Size	2mg	5mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	66	92	132	476	735	91

ASP 3026

NEW

ID: T1962


ASP3026 is a novel and selective inhibitor for ALK with IC50 of 3.5 nM. Phase 1.



Size	5mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	97	137	428	618	96

AP26113

ID: T3059




AP26113 is a potent ALK inhibitor with IC50 of 0.62 nM in a cell-free assay, demonstrated ability overcome Crizotinib resistance mediated by a L1196M mutation. Phase 2.

Size	1mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	61	160	291	466	702	176

ML347

NEW

ID: T1943




ML347(DN193719) is a highly selective ALK1/ALK2 inhibitor with IC50s of 46/32 nM; shows >300-fold selectivity for ALK2 vs. ALK3.

Size	5mg	10mg	50mg	1ml/10mM
Price(\$)	108	209	689	108

DMH1

NEW

ID: T1942




DMH-1 is a potent and selective BMP inhibitor with IC50s of 27/107.9/<5 nM for ALK1/2/3 respectively; inactive on ALK5, BMPR2, AMPK and VEGFR2.

Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	71	101	209	453	70

KRCA-0008

NEW

ID: T2641




KRCA-0008 is a potent and selective ALK/Ack1 inhibitor with IC50 of 12 nM/4 nM for ALK and Ack1 respectively; displays drug-like properties without hERG liability.

Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	74	122	185	400	714	133

SB 431542

ID: T1726



SB431542 is a potent and selective inhibitor of ALK5 with IC50 of 94 nM in a cell-free assay, 100-fold more selective for ALK5 than p38 MAPK and other kinases.

Size	10mg	50mg	100mg	1ml/10mM
Price(\$)	80	288	696	60

SB-505124

NEW

ID:T2462

SB505124 is a selective inhibitor of TGF β R for ALK4, ALK5 with IC50 of 129 nM and 47 nM in cell-free assays, respectively, also inhibits ALK7, but does not inhibit ALK1, 2, 3, or 6.



Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	75	133	244	402	99

GSK1838705A

NEW

ID:T3079


GSK1838705A is a potent IGF-1R inhibitor with IC50 of 2.0 nM, modestly potent to IR and ALK with IC50 of 1.6 nM and 0.5 nM, respectively, and little activity to other protein kinases.



Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	61	132	241	427	768	137

GW788388

NEW

ID:T1800

GW788388 is a potent and selective inhibitor of ALK5 with IC50 of 18 nM, also inhibits TGF-(beta) type II receptor and activin type II receptor activities, but does not inhibit BMP type II receptor.


Size	5mg	20mg	50mg	100mg	100mg	1ml/10mM
Price(\$)	69	172	333	579	735	134

LDN-212854

NEW

ID:T1900


LDN-212854 is a novel BMP inhibitor that exhibits substantially greater selectivity for BMP versus the TGF- β type I receptors; possesses a bias towards ALK2(IC50=1.3 nM) versus ALK1 and ALK3 compared to other inhibitors.



Size	5mg	10mg	50mg	1ml/10mM
Price(\$)	117	230	903	116

LDN-193189

NEW


ID:T1935

LDN193189(DM 3189) is a selective BMP signaling inhibitor, inhibits the transcriptional activity of the BMP type I receptors ALK2 and ALK3 with IC50 of 5 nM and 30 nM, respectively, exhibits 20-fold selectivity for BMP versus TGF- β .

Size	2mg	5mg	25mg	50mg	1ml/10mM
Price(\$)	104	143	382	668	141

K 02288

NEW


ID:T1914

K02288 is a novel small molecule inhibitor of ALK1/2/3/6 with IC50s of 1.8/1.1/34.4/6.3 nM; specific for ALK1,2,3,6 over ALK4; inhibitor of BMP signaling.

Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	98	153	270	499	116

LDK378(Ceritinib)**ID:T1791**

Ceritinib (LDK378) is potent inhibitor against ALK with IC50 of 0.2 nM in cell-free assays, shows 40- and 35-fold selectivity against IGF-1R and InsR, respectively. Phase 3.



Size	5mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	86	123	333	456	84


LDN-214117

NEW

ID:T1944

LDN-214117 is a potent and selective ALK2 inhibitor with IC50 of 22 nM; > 100 fold selectivity for ALK5; also inhibits BMP6(IC50=100 nM).

Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	86	148	296	517	157


Crizotinib (PF-02341066)**ID:T1661**

Crizotinib (PF-02341066) is a potent inhibitor of c-Met and ALK with IC50 of 11 nM and 24 nM in cell-based assays, respectively.

Size	5mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	88	133	377	568	84

ALK inhibitor 2

NEW

ID:T3041


ALK inhibitor 2 is a novel and selective inhibitor for the ALK kinase.

Size	1mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	94	234	397	669	1096	244

ALK/c-Fms/c-kit

CEP37440**NEW**

ID:T2655




CEP-37440 is a novel potent and selective dual FAK/ALK inhibitor with IC₅₀ s of 2.3 nM (FAK) and 120 nM(ALK cellular IC₅₀ in 75% human plasma).

Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	120	183	272	517	739	246

AZD3463**NEW**

ID:T1967




AZD3463 is a novel orally bioavailable ALK inhibitor with Ki of 0.75 nM, which also inhibits IGF1R with equivalent potency.

Size	5mg	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	124	222	443	787	1037	123

c-Fms**c-Fms inhibitor****GW2580****NEW**

ID:T2659




GW2580 is an orally bioavailable inhibitor of c-FMS kinase; completely inhibited human cFMS kinase in vitro at 0.06 microM and was inactive against 26 other kinases.

Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	44	83	133	234	350	84

PLX647**NEW**

ID:T1925




PLX647 is a highly specific dual FMS/KIT kinase inhibitor with IC₅₀ of 28/16 nM respectively.

Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	98	185	357	653	98

c-kit**c-Kit inhibitor****Axitinib**

ID:T1452




Axitinib is an oral, potent, and selective inhibitor of vascular endothelial growth factor receptors (VEGFR) 1, 2, and 3.

Size	10mg	50mg	100mg	1ml/10mM
Price(\$)	34	58	95	27

Masitinib (AB1010)**NEW**

ID:T2609


Masinib is a novel inhibitor for Kit and PDGFR α / β , with IC₅₀ of 200 nM and 540 nM/800 nM, weak inhibition to ABL and c-Fms. Phase 3.



Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	27	43	78	148	259	71

OSI 930

ID:T2624




OSI-930 is a potent inhibitor of Kit, KDR and CSF-1R with IC₅₀ of 50 nM, 9 nM and 15 nM, respectively; also potent to Flt-1, c-Raf and Lck and low activity against PDGFR α / β , Flt-3 and Abl. Phase 1.

Size	1mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	32	133	234	393	687	148

PLX-3397**NEW**

ID:T2115




Pexidartinib (PLX3397) is an oral, potent multi-targeted receptor tyrosine kinase inhibitor of CSF-1R, Kit, and Flt3 with IC₅₀ of 20 nM, 10 nM and 160 nM, respectively. Phase 3.

Size	5mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	61	101	317	642	92

Sunitinib Malate

ID:T0374

Potent, ATP-competitive VEGFR, PDGFR β and KIT inhibitor. Also inhibits cellular receptor phosphorylation of FLT3, RET and CSF-1R. Exhibits antiangiogenic and antitumor activity in multiple xenograft models.




Size	10mg	50mg	100mg	1ml/10mM
Price(\$)	24	52	69	47

Amuvatinib(MP470)**NEW**

ID:T2516

Amuvatinib (MP-470) is a potent and multi-targeted inhibitor of c-Kit, PDGFR α and Flt3 with IC₅₀ of 10 nM, 40 nM and 81 nM, respectively. Phase 2.



Size	2mg	5mg	10mg	50mg	1ml/10mM
Price(\$)	97	195	341	719	194


c-Met

c-Met inhibitor

PF-04217903

NEW

ID: T2676




PF-04217903 is a selective ATP-competitive c-Met inhibitor with IC₅₀ of 4.8 nM in A549 cell line, susceptible to oncogenic mutations (no activity to Y1230C mutant). Phase 1.

Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	47	92	137	246	421	99

SGX-523

NEW

ID: T2293




SGX-523 is a selective Met inhibitor with IC₅₀ of 4 nM, no activity to BRAFV599E, c-Raf, Abl and p38 α . Phase 1.

Size	1mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	50	123	197	345	554	134

BMS-777607

NEW

ID: T2658




BMS-777607 is a Met-related inhibitor for c-Met, Axl, Ron and Tyro3 with IC₅₀ of 3.9 nM, 1.1 nM, 1.8 nM and 4.3 nM in cell-free assays, 40-fold more selective for Met-related targets versus Lck, VEGFR-2, and TrkA/B, and more than 500-fold greater selectivity versus all other receptor and non receptor kinases. Phase 1/2.

Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	52	107	178	311	569	112

INCIB28060(Capmatinib)

NEW

ID: T1963




Capmatinib (INCIB28060) is a novel, ATP-competitive inhibitor of c-MET with IC₅₀ of 0.13 nM in a cell-free assay, inactive against RON β , as well as EGFR and HER-3. Phase 1.

Size	5mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	74	113	312	699	91

RPI-1

NEW

ID: T2282




RPI-1 reduced the phosphorylation of RET, MET, DCDB2, CTND1, and PLC γ

Size	5mg	10mg	25mg	1ml/10mM
Price(\$)	92	169	328	133

Tivozanib (AV-951)

NEW

ID: T2456




Tivozanib (AV-951) is a potent and selective VEGFR inhibitor for VEGFR1/2/3 with IC₅₀ of 30 nM/6.5 nM/15 nM, and also inhibits PDGFR and c-Kit, low activity observed against FGFR-1, Flt3, c-Met, EGFR and IGF-1R. Phase 3.

Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	99	145	279	488	169

BMS794833

NEW

ID: T2419




BMS-794833 is a potent ATP competitive inhibitor of Met/VEGFR2 with IC₅₀ of 1.7 nM/15 nM, also inhibits Ron, Axl and Flt3 with IC₅₀ of <3 nM; a prodrug of BMS-817378. Phase 1.

Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	106	181	370	669	112

NVP-BVU972

NEW

ID: T2680




NVP-BVU972 is a selective and potent Met inhibitor with IC₅₀ of 14 nM.

Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	122	222	345	579	877	234

Altiratinib(DCC2701)

NEW

ID: T2054



Altiratinib(DCC-2701) is a novel c-MET/TIE-2/VEGFR inhibitor; effectively reduce tumor burden in vivo and block c-MET pTyr1349-mediated signaling, cell growth and migration as compared with a HGF antagonist in vitro.


Size	5mg	10mg	50mg	1ml/10mM
Price(\$)	181	338	938	180

EGFR

EGFR antagonist

Erlotinib

ID: T0373



Erlotinib is a directly acting inhibitor of human EGFR tyrosine kinase with an IC₅₀ of 2 nM.


Size	10mg	50mg	100mg	1ml/10mM
Price(\$)	13	36	54	27

Gefitinib (ZD1839)

ID: T1181

Gefitinib (originally coded ZD1839) is a drug used in the treatment of certain types of cancer.

Size	10mg	50mg	100mg	250mg	1ml/10mM
Price(\$)	37	75	115	207	27

**EGFR inhibitor****Xylocaine**

ID: T0468



A local anesthetic and cardiac depressant used as an antiarrhythmic agent.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27


Tyrphostin 9

NEW


ID: T2479

Tyrphostin 9 is firstly designed as an EGFR inhibitor with IC50 of 460 μ M, but is also found to be more potent to PDGFR with IC50 of 0.5 μ M.

Size	5mg	10mg	50mg	1ml/10mM
Price(\$)	24	36	61	59

**Lapatinib**

ID: T0078



Lapatinib, used in the form of Lapatinib Ditosylate, is a potent EGFR and ErbB2 inhibitor with IC50 of 10.8 and 9.2 nM in cell-free assays, respectively.

Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	33	49	88	133	56

AG-490 (Tyrphostin B42)

NEW

ID: T2600

AG-490 (Tyrphostin AG 490) is an inhibitor of EGFR with IC50 of 0.1 μ M, 135-fold more selective for EGFR versus ErbB2, also inhibits JAK2 with no activity to Lck, Lyn, Btk, Syk and Src.

Size	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	39	85	133	234	59

**AG18**

NEW

ID: T2063


AG-18(RG-50810; Tyrphostin A23) inhibits EGFR with IC50 of 35 μ M.

Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	41	64	113	209	124

**Afatinib (BIBW2992)**

NEW

ID: T2303




Afatinib (BIBW2992) irreversibly inhibits EGFR/HER2 including EGFR(wt), EGFR(L858R), EGFR(L858R/T790M) and HER2 with IC50 of 0.5 nM, 0.4 nM, 10 nM and 14 nM, respectively; 100-fold more active against Gefitinib-resistant L858R-T790M EGFR mutant.

Size	5mg	10mg	50mg	1ml/10mM
Price(\$)	93	160	431	112

Icotinib

NEW

ID: T2307




Icotinib HCl(BPI-2009H) is a potent and specific epidermal growth factor receptor (EGFR) tyrosine kinase inhibitor (TKI) with an IC50 of 5 nM, including it's mutants of EGFR(L858R), EGFR(L861Q), EGFR(T790M) and EGFR(T790M, L858R).

Size	1mg	5mg	10mg	50mg	1ml/10mM
Price(\$)	89	197	272	788	222

AZ5104

NEW

ID: T2491




AZ5104, the demethylated metabolite of AZD-9291, is a potent EGFR inhibitor with IC50 of <1 nM, 6 nM, 1 nM, and 25 nM for EGFR (L858R/T790M), EGFR (L858R), EGFR (L861Q), and EGFR (wildtype), respectively. Phase 1.

Size	5mg	10mg	50mg	1ml/10mM
Price(\$)	61	122	341	84

Afatinib (BIBW2992) Dimaleate

NEW

ID: T1773




Afatinib (BIBW2992) irreversibly inhibits EGFR/HER2 including EGFR(wt), EGFR(L858R), EGFR(L858R/T790M) and HER2 with IC50 of 0.5 nM, 0.4 nM, 10 nM and 14 nM, respectively; 100-fold more active against Gefitinib-resistant L858R-T790M EGFR mutant.

Size	10mg	20mg	50mg	100mg	1ml/10mM
Price(\$)	72	98	113	145	30

PD153035

NEW

ID: T1761



PD153035 HCl (ZM 252868; AG 1517) is a potent and specific inhibitor of EGFR with Ki and IC50 of 5.2 pM and 29 pM; little effect against PGDFR, FGFR, CSF-1, InsR and Src.

Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	42	78	133	232	59

Canertinib 2HCl

NEW

ID: T2501


Canertinib (CI-1033) is a pan-ErbB inhibitor for EGFR and ErbB2 with IC₅₀ of 1.5 nM and 9.0 nM, no activity to PDGFR, FGFR, InsR, PKC, or CDK1/2/4. Phase 3.



Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	42	57	122	225	84

AZD9291

ID: T2490




AZD9291 is an oral, irreversible, and mutant-selective EGFR inhibitor with IC₅₀ of 12.92, 11.44 and 493.8 nM for Exon 19 deletion EGFR, L858R/T790M EGFR, and WT EGFR in LoVo cells, respectively. Phase 3.

Size	5mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	73	106	183	305	77

AG-1478

NEW

ID: T2047



AG-1478 (Tyrphostin AG-1478) is a selective EGFR inhibitor with IC₅₀ of 3 nM in cell-free assays, almost no activity on HER2-Neu, PDGF_R, Trk, Bcr-Abl and InsR.

Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	61	94	209	385	84

WHI-P258

NEW

ID: T2035




PD153035 HCl (ZM 252868; AG 1517) is a potent and specific inhibitor of EGFR with Ki and IC₅₀ of 5.2 pM and 29 pM; little effect against PGDFR, FGFR, CSF-1, InsR and Src.

Size	2mg	5mg	10mg	50mg	1ml/10mM
Price(\$)	59	88	113	432	99

Pelitinib (EKB-569)

ID: T2327

Pelitinib (EKB-569) is a potent irreversible EGFR inhibitor with IC₅₀ of 38.5 nM. Phase2.




Size	2mg	5mg	10mg	50mg	1ml/10mM
Price(\$)	96	133	225	704	218

WHI-P180

NEW

ID: T2023

WHI-P180 is a potent EGFR and Cdk2 inhibitors with IC₅₀ of 4.0 and 1.0 uM, respectively.



Size	1mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	112	259	408	581	889	387

AG-1517;PD153035 HCl

NEW

ID: T2041


PD153035 HCl is a potent and specific inhibitor of EGFR with Ki and IC₅₀ of 5.2 pM and 29 pM in cell-free assays; little effect noted against PGDFR, FGFR, CSF-1, InsR and Src.



Size	10mg	25mg	50mg	1ml/10mM
Price(\$)	126	201	427	95

Neratinib(HKI-272)

ID: T2325



Neratinib (HKI-272) is a highly selective HER2 and EGFR inhibitor with IC₅₀ of 59 nM and 92 nM in cell-free assays; weakly inhibits KDR and Src, no significant inhibition to Akt, CDK1/2/4, IKK-2, MK-2, PDK1, c-Raf and c-Met. Phase 3.

Size	2mg	5mg	10mg	50mg	1ml/10mM
Price(\$)	96	133	225	704	272

CL-387785 (EKI-785)

NEW

ID: T2245

CL-387785 (EKI-785; WAY-EKI 785) is an irreversible inhibitor of EGFR with IC₅₀ of 370+-120 pM; is able to overcome resistance caused by the T790M mutation on a functional level.



Size	1mg	5mg	50mg	1ml/10mM
Price(\$)	131	218	718	215

ARRY380

NEW

ID: T2518

ARRY-380 is a potent and selective HER2 inhibitor with IC₅₀ of 8 nM, equipotent against truncated p95-HER2, 500-fold more selective for HER2 versus EGFR.



Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	133	231	402	610	194

Dacomitinib (PF299804, PF299)

ID: T2483

Dacomitinib(PF299804; PF-00299804) is a potent, orally available, irreversible tyrosine kinase HER 1 (EGFR), HER2 and HER4 inhibitor with IC₅₀ of 6, 45.7 and 73.7 nM for EGFR, ERBB2 and ERBB4, respectively.




Size	5mg	10mg	50mg	1ml/10mM
Price(\$)	133	255	694	169

EGFR/FGFR

Rociletinib (CO-1686, AVL-301)

ID: T2369




CO-1686 is a novel, irreversible and orally delivered kinase inhibitor that specifically targets the mutant forms of EGFR including T790M(IC50=21 nM).

Size	5mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	137	214	697	1072	136

AAE788

NEW

ID: T2116



AAE788 (NVP-AAE788) is a potent inhibitor of EGFR and HER2/ErbB2 with IC50 of 2 nM and 6 nM, less potent to VEGFR2/KDR, c-Abl, c-Src, and Flt-1, does not inhibit Ins-R, IGF-1R, PKC α and CDK1. Phase 1/2.

Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	142	246	419	628	142

Mutant EGFR inhibitor

NEW

ID: T2705



Mutant EGFR inhibitor is a selective and potent Mutated EGFR inhibitor(L858R activating mutant, the Exon9 deletion activating mutant and the T790M resistance mutant).

Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	234	354	524	950	1457	394

Irbinitinib(ARRY-380; ONT-380)

NEW

ID: T2364



Irbinitinib(ARRY-380; ONT-380) is a potent and selective HER2 inhibitor with IC50 of 8 nM, equipotent against truncated p95-HER2, 500-fold more selective for HER2 versus EGFR

Size	5mg	10mg	50mg	1ml/10mM
Price(\$)	302	542	1146	272

FGFR**FGFR inhibitor****Ferulic Acid**

ID: T2215




Ferulic Acid is a hydroxycinnamic acid and a type of organic compound found in the *Ferula assafoetida* L. or *Ligusticum chuanxiong*.

Size	10mg	50mg	100mg	500mg	1ml/10mM
Price(\$)	24	64	92	145	56

PD173074

NEW

ID: T2642




PD173074 is a potent FGFR1 inhibitor with IC50 of ~25 nM and also inhibits VEGFR2 with IC50 of 100-200 nM in cell-free assays, ~1000-fold selective for FGFR1 than PDGFR and c-Src.

Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	42	64	110	222	400	133

AZD4547

ID: T1948



AZD4547 is a novel selective FGFR inhibitor targeting FGFR1/2/3 with IC50 of 0.2 nM/2.5 nM/1.8 nM in cell-free assays, weaker activity against FGFR4, VEGFR2(KDR), and little activity observed against IGFR, CDK2, and p38. Phase 2/3.

Size	5mg	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	44	78	123	185	244	44

BGJ398 (NVP-BGJ398)

NEW

ID: T1975




BGJ398 (NVP-BGJ398) is a potent and selective FGFR inhibitor for FGFR1/2/3 with IC50 of 0.9 nM/1.4 nM/1 nM in cell-free assays, >40-fold selective for FGFR versus FGFR4 and VEGFR2, and little activity to Abl, Fyn, Kit, Lck, Lyn and Yes. Phase 2.

Size	5mg	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	80	133	234	357	422	79

BLU9931

NEW

ID: T2347




BLU9931 is the first selective small molecule inhibitor of FGFR4 with IC50 of 3 nM; less potent for FGFR1/2/3 (IC50= 150 nM).

Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	118	182	292	542	812	168

LY-2874455

NEW

ID: T2361



LY2874455 is a pan-FGFR inhibitor with IC50 of 2.8 nM, 2.6 nM, 6.4 nM, and 6 nM for FGFR1, FGFR2, FGFR3, and FGFR4, respectively, and also inhibits VEGFR2 activity with IC50 of 7 nM. Phase 1.

Size	5mg	25mg	100mg	1ml/10mM
Price(\$)	182	542	901	181

VEGFR

VEGFR inhibitor

SKLB1002

NEW

ID: T2421

SKLB1002 is a potent and ATP-competitive VEGFR2 inhibitor with IC₅₀ of 32 nM.



Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	75	133	244	402	99

Semaxinib(SU 5416)

NEW

ID: T2064




Semaxinib (SU5416) is a potent and selective VEGFR(Flk-1/KDR) inhibitor with IC₅₀ of 1.23 μM, 20-fold more selective for VEGFR than PDGFR_beta_, lack of activity against EGFR, InsR and FGFR.

Size	5mg	10mg	50mg	1ml/10mM
Price(\$)	40	66	223	52

Lenvatinib (E7080)

ID: T0520



Lenvatinib (E7080) is a multi-target inhibitor, mostly for VEGFR2(KDR)/VEGFR3(Flt-4) with IC₅₀ of 4 nM/5.2 nM, less potent against VEGFR1(Flt-1, ~10-fold more selective for VEGFR2/3 against FGFR1, PDGFR α / β in cell-free assays. Phase 3.


Size	2mg	5mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	46	72	113	256	422	71

KI8751

NEW

ID:T2446

KI8751 is a potent and selective inhibitor of VEGFR2 with IC₅₀ of 0.9 nM, >40-fold selective for VEGFR2 than c-Kit, PDGFR α and FGFR-2, little activity to EGFR, HGFR and InsR.




Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	49	85	170	267	84

Regorafenib (BAY 73-4506)

NEW

ID: T1792



Regorafenib (BAY 73-4506) is a multi-target inhibitor for VEGFR1, VEGFR2, VEGFR3, PDGFR β , Kit, RET and Raf-1 with IC₅₀ of 13 nM/4.2 nM/46 nM, 22 nM, 7 nM, 1.5 nM and 2.5 nM in cell-free assays, respectively.


Size	5mg	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	51	92	133	231	415	45

ZM306416

NEW

ID: T1754

ZM 306416 is a VEGFR (Flt and KDR) inhibitor for VEGFR1 with IC₅₀ of 0.33 μ M, but also found to inhibit EGFR with IC₅₀ of <10 nM.




Size	2mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	59	119	246	464	90

XL184(Cabozantinib malate)

NEW

ID: T1797

Cabozantinib malate (XL184) is the malate of Cabozantinib, a potent VEGFR2 inhibitor with IC₅₀ of 0.033 nM and also inhibits c-Met, Ret, Kit, Flt-1/3/4, Tie2, and AXL with IC₅₀ of 1.3 nM, 4 nM, 4.6 nM, 12 nM/11.3 nM/6 nM, 14.3 nM and 7 nM in cell-free assays, respectively.




Size	5mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	40	66	95	152	52

AP24534 Ponatinib

NEW

ID: T2372

Ponatinib (AP24534) is a novel, potent multi-target inhibitor of Abl, PDGFR α , VEGFR2, FGFR1 and Src with IC₅₀ of 0.37 nM, 1.1 nM, 1.5 nM, 2.2 nM and 5.4 nM in cell-free assays, respectively.




Size	10mg	50mg	100mg	1ml/10mM
Price(\$)	80	246	356	60

AZD2932

NEW

ID: T1836




AZD2932 is a new series of quinazoline ether inhibitor which potently inhibits VEGFR-2 and PDGFR with IC₅₀s of 4 nM/8 nM/ 7 nM for PDGFR β /VEGFR-2/Flt-3.

Size	5mg	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	83	123	259	431	718	91

Cediranib (AZD2171)


NEW

ID: T2500




Cediranib (AZD2171) is a highly potent VEGFR(KDR) inhibitor with IC₅₀ of <1 nM, also inhibits Flt1/4 with IC₅₀ of 5 nM/ ≤ 3 nM, similar activity against c-Kit and PDGFR β , 36-, 110-fold and >1000-fold selective more for VEGFR than PDGFR -α , CSF-1R and Flt3 in HUVEC cells. Phase 3.

Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	85	133	244	366	99

UNC0064-12**NEW****ID: T2056**

2,4-Pyrimidinediamine with linker is a patent compound in WO2013055780A1, Page 71; multikinase inhibitor and has a -NH₂ terminal linker for further synthesis.

Size	5mg	10mg	50mg	1ml/10mM
Price(\$)	70	92	326	69

Brivanib Alaninate (BMS-582664)**NEW****ID: T2576**


Brivanib alaninate (BMS-582664) is the prodrug of BMS-540215, an ATP-competitive inhibitor against VEGFR2 with IC50 of 25 nM.

Size	1mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	85	194	316	515	803	316

SKLB 610**NEW****ID: T1895**


SKLB610, a novel multi-targeted inhibitor, inhibits angiogenesis-related tyrosine kinase VEGFR2, FGFR2 and PDGFR at rate of 97%, 65% and 55%, respectively, at concentration of 10 μ M in biochemical kinase assays.

Size	5mg	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	87	133	248	418	567	86

Cabozantinib (XL184, BMS-907351)**NEW****ID: T2586**

Cabozantinib (XL184, BMS-907351) is a potent VEGFR2 inhibitor with IC50 of 0.035 nM and also inhibits c-Met, Ret, Kit, Flt-1/3/4, Tie2, and AXL with IC50 of 1.3 nM, 4 nM, 4.6 nM, 12 nM/11.3 nM/6 nM, 14.3 nM and 7 nM in cell-free assays, respectively.

Size	5mg	10mg	50mg	1ml/10mM
Price(\$)	88	128	341	145


Motesanib**NEW****ID: T2288**

Motesanib is an orally bioavailable receptor tyrosine kinase inhibitor with potential antineoplastic activity. AMG 706 selectively targets and inhibits vascular endothelial growth factor (VEGFR), platelet-derived growth factor (PDGFR), Kit, and Ret receptors, thereby inhibiting angiogenesis and cellular proliferation.

Size	1mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	87	133	255	419	694	291

Nintedanib (BIBF 1120)**NEW****ID: T1777**


Nintedanib (BIBF 1120) is a potent triple angiokinase inhibitor for VEGFR1/2/3, FGFR1/2/3 and PDGFR α / β with IC50 of 34 nM/13 nM/13 nM, 69 nM/37 nM/108 nM and 59 nM/65 nM in cell-free assays. Phase 3.



Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	93	160	308	554	112

ZM 323881 HCl**NEW****ID: T1991**

ZZZM 323881 HCl is a potent and selective VEGFR2 inhibitor with IC50 of <2 nM, almost no activity on VEGFR1, PDGFR β , FGFR1, EGFR and ErbB2.



Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	111	160	308	466	152

Semaxanib (SU5416)**NEW****ID: T2496**

Semaxanib (SU5416) is a potent and selective VEGFR(Flk-1/KDR) inhibitor with IC50 of 1.23 μ M, 20-fold more selective for VEGFR than PDGFR β , lack of activity against EGFR, InsR and FGF. Phase 3.



Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	133	231	402	610	145

Linifanib (ABT-869)**NEW****ID: T2514**


Linifanib (ABT-869) is a novel, potent ATP-competitive VEGFR/PDGFR inhibitor for KDR, CSF-1R, Flt-1/3 and PDGFR β with IC50 of 4 nM, 3 nM, 3 nM/4 nM and 66 nM respectively, mostly effective in mutant kinase-dependent cancer cells (i.e. FLT3). Phase 3.



Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	92	158	278	474	99

Apatinib**NEW****ID: T2582**


Apatinib is an orally bioavailable, selective VEGFR2 inhibitor with IC50 of 1 nM.



Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	133	219	549	145	

Fruquintinib;HMPL-013**NEW**

ID: T2656



Fruquintinib (HMPL-013) is a small molecule vascular endothelial growth factor receptors inhibitor.

Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	74	122	185	400	714	133

Vandetanib (ZD6474)

ID: T1656

Vandetanib (ZD6474) is a potent inhibitor of VEGFR2 with IC50 of 40 nM in a cell-free assay.




Size	2mg	10mg	25mg	1ml/10mM
Price(\$)	43	78	115	112

PDGFR**PDGFR inhibitor****Tandutinib (MLN518)**

ID: T1667

Tandutinib (MLN518, CT53518) is a potent FLT3 antagonist with IC50 of 0.22 μ M, also inhibits PDGFR and c-Kit, 15 to 20-fold higher potency for FLT3 versus CSF-1R and >100-fold selectivity for the same target versus FGFR, EGFR and KDR. Phase 2.



Size	2mg	5mg
Price(\$)	20	29

Crenolanib (CP-868596)**NEW**

ID: T2677




Crenolanib (CP-868596) is a potent and selective inhibitor of PDGFR α/β with K_d of 2.1 nM/3.2 nM in CHO cells, also potently inhibits FLT3, sensitive to D842V mutation not V561D mutation, >100-fold more selective for PDGFR than c-Kit, VEGFR-2, Tie-2, FGFR-2, EGFR, erbB2, and Src.

Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	93	148	246	517	887	177

Sorafenib tosylate

ID: T0093



Sorafenib Tosylate is a multikinase inhibitor of Raf-1, B-Raf and VEGFR-2 with IC50 of 6 nM, 22 nM and 90 nM in cell-free assays, respectively.

Size	1mg	5mg	10mg	1ml/10mM
Price(\$)	42	115	170	112

PP121**NEW**

ID: T2415



PP-121 is a multi-targeted inhibitor of PDGFR, Hck, mTOR, VEGFR2, Src and Abi with IC50 of 2 nM, 8 nM, 10 nM, 12 nM, 14 nM and 18 nM, also inhibits DNA-PK with IC50 of 60 nM.

Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	61	92	185	303	84

Imatinib Mesylate (ST1571)

ID: T1621


Imatinib mesylate is a tyrosine kinase inhibitor IC50 value of 100 nM, 100 nM, 600 nM for v-Abl, c-kit, PDGFR, respectively [1].

Size	5mg	25mg	100mg	250mg	1ml/10mM
Price(\$)	36	64	116	170	44

FLT3**FLT3 inhibitor****KW2449****NEW**

ID: T2341

KW-2449 is a multiple-targeted inhibitor, mostly for Flt3 with IC50 of 6.6 nM, modestly potent to FGFR1, Bcr-Abl and Aurora A; little effect on PDGFR β , IGF-1R, EGFR.




Size	2mg	5mg	10mg	50mg	1ml/10mM
Price(\$)	33	56	72	272	76

G-749**NEW**

ID: T2620


G-749 is a novel and potent FLT3 inhibitor with IC50 of 0.4 nM, 0.6 nM and 1 nM for FLT3 (WT), FLT3 (D835Y), and Mer, respectively, showing lower potency against other tyrosine kinases.



Size	1mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	64	160	282	544	883	194

Quizartinib (AC220)**NEW**

ID: T2066



Quizartinib (AC220) is a second-generation FLT3 inhibitor for FLT3(ITT/WT) with IC50 of 1.1 nM/4.2 nM in MV4-11 and RS4;11 cells, respectively, 10-fold more selective for Flt3 than KIT, PDGFR α , PDGFR β , RET, and CSF-1R. Phase 3.

Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	91	123	209	334	628	101

FLT3/HER2/IGF-1R/IRAK/TAM Receptor

FLT3-IN-1

NEW

ID: T2051

FLT3-IN-1 is a novel potent and selective FLT3 inhibitor with IC₅₀ of 10 nM; against FLT3-ITD-expressing MV4-11 cells with IC₅₀ of 6 nM.




Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	76	127	283	455	76

BPR1J-097

NEW

ID: T2272



BPR1J-097 is a novel small molecule FLT-3 inhibitor (IC₅₀=11 ± 7 nM) with promising *in vivo* anti-tumour activities; inhibits FLT-3 D835Y with an IC₅₀ of 3 nM.

Size	2mg	5mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	100	145	244	559	860	157

HER2**HER2 inhibitor****BMS 599626**

NEW

ID: T2610

AC480 (BMS-599626) is a selective and efficacious inhibitor of HER1 and HER2 with IC₅₀ of 20 nM and 30 nM, ~8-fold less potent to HER4, >100-fold to VEGFR2, c-Kit, Lck, MET etc. Phase 1.



Size	1mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	49	137	259	505	776	148

Poziotinib (HM781-36B)

NEW

ID: T2630

Poziotinib (NOV120101; HM781-36B) is an irreversible Pan-HER inhibitor with IC₅₀s of 3/5/23 nM for HER1/HER2/HER4 respectively.



Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	74	122	185	388	661	133

IGF-1R**IGF-1R inhibitor****PQ401**

NEW

ID: T2085

PQ401 inhibits autophosphorylation of IGF-1R domain with IC₅₀ of <1 μM.




Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	76	98	178	308	127

BMS-754807

NEW

ID: T2349




BMS-754807 is a potent and reversible inhibitor of IGF-1R/InsR with IC₅₀ of 1.8 nM/1.7 nM in cell-free assays, less potent to Met, Aurora A/B, TrkA/B and Ron, and shows little activity to Flt3, Lck, MK2, PKA, PKC etc. Phase 2.

Size	5mg	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	151	223	628	935	150	

NVP-ADW742

NEW

ID: T2107




NVP-ADW742 is an IGF-1R inhibitor with IC₅₀ of 0.17 μ M, >16-fold more potent against IGF-1R than InsR; little activity to HER2, PDGFR, VEGFR-2, Bcr-Abl and c-Kit.

Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	158	259	456	877	157

IRAK**IRAK inhibitor****IRAK-1/4 Inhibitor**

NEW

ID: T2457




IRAK-1-4 Inhibitor I is an inhibitor of both IRAK-1 and IRAK-4 with IC₅₀ values of 0.3 μ M and 0.2 μ M, respectively

Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	85	133	244	402	99

TAM Receptor**TAM Receptor inhibitor****BMS-777607**

NEW

ID: T2699




BMS-777607 is a Met-related inhibitor for c-Met, Axl, Ron and Tyro3 with IC₅₀ of 3.9 nM, 1.1 nM, 1.8 nM and 4.3 nM in cell-free assays, 40-fold more selective for Met-related targets versus Lck, VEGFR-2, and TrkA/B, and more than 500-fold greater selectivity versus all other receptor and non receptor kinases. Phase 1/2.

Size	1mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	42	99	173	333	493	148

UNC2881

ID: T2629




UNC2881 is a specific Mer tyrosine kinase inhibitor with IC₅₀ of 4.3 nM, about 83- and 58-fold selectivity over Axl and Tyro3, respectively.

Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	74	122	185	388	713	157

LDC1267

ID: T2311




LDC1267 is a highly selective TAM kinase inhibitor with IC₅₀ of <5 nM, 8 nM, and 29 nM for Mer, Tyro3, and Axl, respectively. Displays lower activity against Met, Aurora B, Lck, Src, and CDK8.

Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	76	113	205	645	142	

UNC2250

ID: T1968




UNC2250 is a potent and selective Mer inhibitor with IC₅₀ of 1.7 nM, about 160- and 60-fold selectivity over the closely related kinases Axl/Tyro3.

Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	85	148	259	471	84

TP0903

ID: T2005




TP-0903 is a potent and selective Axl kinase inhibitor with IC₅₀ of 27 nM.

Size	5mg	25mg	100mg	1ml/10mM
Price(\$)	137	452	1183	136

Trk receptor**Trk receptor agonist****Diosmetin**

ID: T1704




Diosmetin is an O-methylated flavone, a chemical compound that can be found in the Caucasian vetch[1]. It has been found to act as a weak TrkB receptor agonist.

Size	2mg	5mg	10mg	1ml/10mM
Price(\$)	24	43	74	84

Trk receptor inhibitor**ANA-12**


ID: T2359



ANA-12 is a selective TrkB antagonist with Kd of 10 nM and 12 μ M for the high and low affinity sites, respectively.

Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	76	127	238	361	99

PI3K/Akt/mTOR Signaling




Akt

Akt inhibitor

Methyl hesperidin

ID: T0228




Methyl Hesperidin is a flavonone glycoside (flavonoid) ($C_{28}H_{34}O_5$) found abundantly in citrus fruits. Its aglycone form is called hesperitin.

Size	10mg	50mg	100mg	500mg	1ml/10mM
Price(\$)	13	24	39	104	84

Miltefosine

ID: T0033

Miltefosine inhibits PI3K/Akt activity with ED50 of 17.2 μM and 8.1 μM in carcinoma cell lines A431 and HeLa, first oral drug for Visceral leishmaniasis, effective against both promastigotes and amastigotes.



PHT-427

NEW

ID: T2420


PHT-427 is a dual Akt and PDPK1 inhibitor (high affinity binding for the PH domains of Akt and PDPK1) with Ki of 2.7 μM and 5.2 μM, respectively.



Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	42	57	122	225	84

AZD-5363

ID: T1920




PI4K/Akt/mTOR Signaling Akt inhibitor

Size	5mg	25mg	100mg	1ml/10mM
Price(\$)	124	428	1011	123

SC 79

ID: T2274



SC 79 is a unique specific Akt activator that may be used to enhance Akt activity in various physiological and pathological conditions.

Size	5mg	10mg	50mg	1ml/10mM
Price(\$)	68	97	291	99

Perifosine (KRX-0401)

NEW

ID: T2492




Perifosine (KRX-0401) is a novel Akt inhibitor with IC50 of 4.7 μM in MM.1S cells, targets pleckstrin homology domain of Akt, Phase 3.

Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	133	231	402	610	145

2,3-Butanedione 2-Monoxime

ID: T2176



Perifosine (KRX-0401; D-21266; NSC 639966) is a novel Akt inhibitor with IC50 of 4.7 μM, targets pleckstrin homology domain of Akt.


Size	2mg	5mg	10mg	50mg	1ml/10mM
Price(\$)	84	115	205	647	133

Afuresertib

NEW

ID: T1911


Afuresertib (GSK2110183) is a potent pan-AKT inhibitor that demonstrated synergy with bortezomib in preclinical models of multiple myeloma (MM).



Size	2mg	5mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	87	133	197	591	895	135

AT13148

NEW

ID: T2482

AT13148 is an oral, ATP-competitive, multi-AGC kinase inhibitor with IC50 of 38 nM/402 nM/50 nM, 8 nM, 3 nM, and 6 nM/4 nM for Akt1/2/3, p70S6K, PKA, and ROCKI/II, respectively. Phase 1.


Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	122	222	353	597	133

MK-2206 2HCl

NEW

ID: T1952


MK-2206 2HCl is a highly selective inhibitor of Akt1/2/3 with IC50 of 8 nM/12 nM/65 nM in cell-free assays, respectively; no inhibitory activities against 250 other protein kinases observed. Phase 2



Size	5mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	80	134	395	659	103

PI3K-IN-2

NEW


ID: T2265

PI3K-IN-2 is a PI3K inhibitor, inhibits pPKB and p56 with "+++/+++(+)" in A2058 melanoma cell.

Size	2mg	5mg	10mg	50mg	1ml/10mM
Price(\$)	223	351	498	1577	386

GSK-3**GSK-3 inhibitor****ID: T0256**


Citric acid trilithium salt tetrahydrate is a pharmaceutical and construction material, used in HPLC gradient elution for quantitative amino acid analysis.



Size	10mg	50mg	100mg	250mg	1ml/10mM
Price(\$)	13	33	52	92	27

AR-A014418

NEW

ID: T1881

AR-A014418 is an ATP-competitive, and selective GSK3 β inhibitor with IC50 and Ki of 104 nM and 38 nM in cell-free assays, without significant inhibition on 26 other kinases tested.

Size	5m	10mg	50mg	1ml/10mM
Price(\$)	52	92	235	52

6-BIO

NEW

ID: T1917

BIO is a specific inhibitor of GSK-3 with IC50 of 5 nM for GSK-3 α / β in a cell-free assay, shows >16-fold selectivity over CDK5, also a pan-JAK inhibitor.

Size	1mg	5mg	10mg	50mg	1ml/10mM
Price(\$)	27	66	137	517	65

CHIR-99021

NEW

ID: T2310

CHIR-99021 (CT99021) is a GSK-3 α and GSK-3 β inhibitor with IC50 of 10 nM and 6.7 nM, respectively.


Size	1mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	58	112	197	394	690	169

SB216763

NEW

ID: T3077


SB216763 is a potent and selective GSK-3 inhibitor with IC50 of 34.3 nM for GSK-3 α and equally effective at inhibiting human GSK-3 β .



Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	39	83	123	276	512	118

AZD2858**ID: T1957**

AZD2858 is a selective GSK-3 inhibitor with an IC50 of 68 nM, inhibits tau phosphorylation at the S396 site, activates Wnt signaling pathway.




Size	5mg	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	86	127	248	464	901	97

IM-12

NEW

ID: T2261

IM-12 is a potent GSK-3 β inhibitor with IC50 of 53 nM; shows a significant activity in several biological tests which was comparable or even outplayed the effects of the known SB-216763.




Size	2mg	10mg	50mg	1ml/10mM
Price(\$)	59	80	291	70

CHIR98014

NEW

ID: T3074



CHIR-98014 is a potent GSK-3 α / β inhibitor with IC50 of 0.65 nM/0.58 nM in cell-free assays, with the ability to distinguish GSK-3 from its closest homologs Cdc2 and ERK2.

Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	55	120	215	427	756	137

TWS119

ID: T2166

TWS119 is a GSK-3 β inhibitor with IC50 of 30 nM in a cell-free assay; capable of inducing neuronal differentiation and may be useful to stem cell biology.

Size	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	102	248	385	617	77

CHIR-98014

NEW

ID: T2608


CHIR-98014 is a potent GSK-3 α / β inhibitor with IC50 of 0.65 nM/0.58 nM in cell-free assays, with the ability to distinguish GSK-3 from its closest homologs Cdc2 and ERK2.

Size	1mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	49	137	259	505	776	148

Bikinin

NEW

ID: T1965



Bikinin(Abrasin) is a potent inhibitor of plant GSK-3/Shaggy-like kinase; activates BR signaling downstream of the BR receptor.

Size	5mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	58	101	150	290	57

LY2090314

NEW

ID: T1755

LY2090314 is a potent GSK-3 inhibitor for GSK-3 α / β with IC50 of 1.5 nM/0.9 nM; may improve the efficacy of platinum-based chemotherapy regimens. Phase 2.

Size	5mg	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	123	197	333	554	901	136

Cyanoacetohydrazide

ID: T0704




Inhibitors of GSK-3 and crystal structures of GSK-3beta protein and protein complexes.

Size	5mg	10mg	25mg	200mg	1ml/10mM
Price(\$)	24	42	83	244	56

AZD1080

NEW

ID: T1741



AZD1080 is a selective, orally active, brain permeable GSK3 inhibitor, inhibits human GSK3 α and GSK3 β with Ki of 6.9 nM and 31 nM, respectively, shows >14-fold selectivity against CDK2, CDK5, CDK1 and Erk2.

Size	2mg	5mg	25mg	100mg	1ml/10mM
Price(\$)	155	248	787	1363	244

Tideglusib

NEW

ID: T3067

Tideglusib is an irreversible, non ATP-competitive GSK-3 β inhibitor with IC50 of 60 nM in a cell-free assay; fails to inhibit kinases with a Cys homologous to Cys-199 located in the active site. Phase 2.

Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	27	48	84	109	137	64

mTOR**mTOR activator**

MHY1485

ID: T1908


MHY1485 is a mTOR activator; inhibits the autophagic process by inhibition of fusion between autophagosomes and lysosomes leading to the accumulation of LC3II protein and enlarged autophagosomes.

Size	5mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	49	92	317	444	49

**mTOR inhibitor****BEZ235 (NVP-BEZ235, Dactolisib)**

NEW

ID: T2235




BEZ235 (NVP-BEZ235, Dactolisib) is a dual ATP-competitive PI3K and mTOR inhibitor for p110 α / β and mTOR(p70S6K) with IC50 of 4 nM / 5 nM / 7 nM / 25 nM / 6 nM in cell-free assays, respectively. Inhibits ATR with IC50 of 21 nM in 3T3TopBP1-ER cell.

Size	1mg	10mg	50mg	1ml/10mM
Price(\$)	22	34	93	25

Everolimus (RAD001)**ID: T1784**

Everolimus is a derivative of the natural macrocyclic lactone sirolimus with immunosuppressant and anti-angiogenic properties.




Size	5mg	10mg	20mg	100mg	1ml/10mM
Price(\$)	33	55	80	203	33

AZD8055

NEW

ID: T1859

AZD8055 is a novel ATP-competitive mTOR inhibitor with IC₅₀ of 0.8 nM in MDA-MB-468 cells with excellent selectivity (~1,000-fold) against PI3K isoforms and ATM/DNA-PK. Phase 1.




Size	5mg	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	44	69	120	190	329	52

Palomid 529 (P529)

NEW

ID: T2706

Palomid 529 (P529) inhibits both the mTORC1 and mTORC2 complexes, reduces phosphorylation of pAktS473, pGSK3 β S9, and pS6 but no effect observed on pMAPK or pAktT308. Phase 1.




Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	47	80	137	278	517	133

Temsirolimus (CCI-779, NSC 683864)

NEW

ID: T2145


Temsirolimus is an intravenous drug for the treatment of renal cell carcinoma (RCC).



Size	1mg	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	47	89	146	209	357	56

Rapamycin (Sirolimus)**ID: T1537**

Sirolimus is a mTOR Inhibitor
Immunosuppressant.




Size	5mg	25mg	100mg	1ml/10mM
Price(\$)	58	207	480	80

Torkinib (PP242)

NEW

ID: T2414

Torkinib (PP242) is a selective mTOR inhibitor with IC₅₀ of 8 nM in cell-free assays; targets both mTOR complexes with >10- and 100-fold selectivity for mTOR than PI3K δ or PI3K α / β / γ , respectively.



Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	61	107	202	347	84

Tacrolimus (FK506)**ID: T2144**

Tacrolimus is a macrolide isolated from the culture broth of a strain of *Streptomyces tsukubaensis* that has strong immunosuppressive activity in vivo and prevents the activation of T-lymphocytes in response to antigenic or mitogenic stimulation in vitro.



Size	1mg	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	47	89	146	209	357	56

INK 128 (MLN0128)

NEW

ID: T1838

INK 128 is a potent and selective mTOR inhibitor with IC₅₀ of 1 nM; >200-fold less potent to class I PI3K isoforms.




Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	74	123	197	419	633	142

KU0063794

NEW

ID: T2475

KU-0063794 is a potent and highly specific dual-mTOR inhibitor of mTORC1 and mTORC2 with IC₅₀ of ~10 nM in cell-free assays; no effect on PI3Ks.




Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	75	133	244	402	99

LY 303511

NEW

ID: T2434

LY303511, an inactive analogue of LY294002, is a mTOR inhibitor that did not inhibit PI3-K.




Size	5mg	10mg	50mg	1ml/10mM
Price(\$)	101	145	511	112

AZD2014

NEW

ID: T1961

AZD2014 is a novel mTOR inhibitor with IC₅₀ of 2.8 nM in a cell-free assay; highly selective against multiple PI3K isoforms (α / β / γ / δ). Phase 2.




Size	5mg	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	123	197	431	751	1396	142

GSK2126458(Omipalisib)

NEW

ID: T1861

GSK2126458 is a highly selective and potent inhibitor of PI3K with Ki of 0.019 nM/0.13 nM/0.024 nM/0.06 nM and 0.18 nM/0.3 nM for p110 α / β / δ / γ , mTORC1/2 , respectively.




Size	2mg	5mg	10mg	50mg	1ml/10mM
Price(\$)	158	223	338	871	220

PI3K**PI3K inhibitor****3-Methyladenine (3-MA)****NEW****ID: T1879**


3-Methyladenine (3-MA) is a selective PI3K inhibitor for Vps34 and PI3K γ with IC50 of 25 μ M and 60 μ M in HeLa cells; blocks class I PI3K consistently, whereas suppression of class III PI3K is transient, and also blocks autophagosome formation.

Size	2mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	20	29	44	68	39

PIK75**NEW****ID: T2667**

PIK-75 is a p110 α inhibitor with IC50 of 5.8 nM (200-fold more potently than p110 β), isoform-specific mutants at Ser773, and also potently inhibits DNA-PK with IC50 of 2 nM in cell-free assays.

Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	24	41	63	137	243	84

PIK-75**NEW****ID: T2287**


PIK-75 is a p110 α inhibitor with IC50 of 5.8 nM (200-fold more potently than p110 β), isoform-specific mutants at Ser773, and also potently inhibits DNA-PK with IC50 of 2 nM in cell-free assays.

Size	2mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	26	56	112	222	99

LY294002**NEW****ID: T2008**

LY294002 is the first synthetic molecule known to inhibit PI3K α / δ / β with IC50 of 0.5 μ M/0.57 μ M/0.97 μ M in cell-free assays, respectively; more stable in solution than Wortmannin, and also blocks autophagosome formation.

Size	5mg	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	45	80	159	256	455	45


IC-87114 (IC87114)**NEW****ID: T2660**

IC-87114 is a selective PI3K δ inhibitor with IC50 of 0.5 μ M in a cell-free assay, 58-fold more selective for PI3K δ than PI3K γ , and over 100-fold more selective than PI3K α / β .

Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	47	80	137	278	517	133

TGX-221**NEW****ID: T2661**


TGX-221 is a p110 β -specific inhibitor with IC50 of 5 nM in a cell-free assay, 1000-fold more selective for p110 β than p110 α .



Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	47	92	160	323	555	99

Acalisib (GS-9820)**NEW****ID: T2682**


Acalisib (GS-9820) is a potent and selective inhibitor of PI3K δ with IC50 value of 12.7 nM




Size	1mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	49	112	205	355	621	157

PIK-93**NEW****ID: T2616**

PIK-93 is the first potent, synthetic PI4K (PI4KIII β) inhibitor with IC50 of 19 nM; shown to inhibit PI3K α with IC50 of 39 nM.



Size	1mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	49	137	259	505	776	189


AS-605240**NEW****ID: T2248**

AS-605240 is a potent and selective inhibitor of PI 3-kinase γ (PI3K γ) (IC50 = 8 nM). AS-605240 displays 30-fold selectivity over PI3K δ and PI3K β and 7.5-fold selectivity over PI3K α .

Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	50	78	160	246	50

GSK-2636771**NEW****ID: T2073**

GSK2636771 is a potent, orally bioavailable, PI3K β -selective inhibitor, sensitive to PTEN null cell lines. Phase 1/2a.



Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	59	88	113	432	99	

PIK-90**NEW****ID: T2461**

PIK-90 is a PI3K α / γ / δ inhibitor with IC50 of 11 nM/18 nM/58 nM, respectively, less potent to PI3K β .


Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	61	107	202	347	84

CAL-101 (Idelalisib, GS-1101)

NEW

ID: T1984


CAL-101 (Idelalisib, GS-1101) is a selective p110 δ inhibitor with IC₅₀ of 2.5 nM; shown to have 40- to 300-fold greater selectivity for p110 δ than p110 $\alpha/\beta/\gamma$, and 400- to 4000-fold more selectivity to p110 δ than C2 β , hVPS34, DNA-PK and mTOR.



Size	5mg	10mg	20mg	50mg	100mg	1ml/10mM
Price(\$)	62	86	148	249	408	64

GDC-0941**ID: T1994**

Pictilisib (GDC-0941) is a potent inhibitor of PI3K α/β with IC₅₀ of 3 nM in cell-free assays, with modest selectivity against p110 β (11-fold) and p110 γ (25-fold). Phase 2.




Size	5mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	71	113	225	354	70

PI3065

NEW

ID: T2033

PI-3065 is a novel potent and selective PI3K p110 δ inhibitor with IC₅₀ of 15 nM; exhibits > 100 fold selectivity against p110 α , p110 β , p110 γ , DNA-PK and mTOR.




Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	91	123	209	395	628	194

CZC24832

NEW

ID: T1949

CZC24832 is a selective inhibitor of PI 3-kinase γ (IC₅₀ = 1.0 μ M in a PI 3-K γ -dependent fMLP-induced neutrophil migration assay); exhibits limited off-target effects in kinase profiling of 154 identified lipid and protein kinases and 922 other proteins.




Size	5mg	10mg	50mg	1ml/10mM
Price(\$)	109	164	607	109

Duvelisib (IPI-145, INK1197)

NEW

ID: T1988

Duvelisib (IPI-145, INK1197) is a novel and selective PI3K δ/γ inhibitor with Ki and IC₅₀ of 23 pM/243 pM and 1 nM/50 nM in cell-free assays, highly selective for PI3K δ/γ than other protein kinases. Phase 3.



Size	5mg	10mg	50mg	1ml/10mM
Price(\$)	95	146	554	95

TG100-115

NEW

ID: T2672

TG100-115 is a PI3K γ/δ inhibitor with IC₅₀ of 83 nM/235 nM, with little effect on PI3K α/β . Phase 1/2.



Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	80	123	222	408	714	148

HS-173

NEW

ID: T2308

HS-173 is a potent inhibitor of PI3K α with IC₅₀ value of 0.8 nM.




Size	5mg	10mg	25mg	1ml/10mM
Price(\$)	81	145	259	99

CH5132799

NEW

ID: T2619

CH5132799 inhibits class I PI3Ks, particularly PI3K α with IC₅₀ of 14 nM; less potent to PI3K $\beta/\delta/\gamma$, while sensitive in PIK3CA mutations cell lines. Phase 1.




Size	1mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	74	185	284	505	776	197

Pilaralisib (XL147)

NEW

ID: T2365

Pilaralisib (XL147) is a selective and reversible class I PI3K inhibitor for PI3K $\alpha/\delta/\gamma$ with IC₅₀ of 39 nM/36 nM/23 nM in cell-free assays, less potent to PI3K β . Phase 1/2.




Size	5mg	25mg	100mg	1ml/10mM
Price(\$)	91	238	582	110

HTH-01-015

NEW

ID: T2374

HTH-01-015 is a potent and selective NUAK1 inhibitor with IC₅₀ of 100 nM, >100-fold selectivity over NUAK2.




Size	10mg	50mg	100mg	1ml/10mM
Price(\$)	108	361	608	133

SAR245409 (XL765)

NEW

ID: T1826

Voxatalisib (SAR245409, XL765) is a dual inhibitor of mTOR/PI3K, mostly for p110 γ with IC₅₀ of 9 nM; also inhibits DNA-PK and mTOR. Phase 1/2.




Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	113	197	431	751	193

Apitolisib (GDC-0980, RG7422)

NEW

ID: T1916

Apitolisib (GDC-0980, RG7422) is a potent, class I PI3K inhibitor for PI3K α / β / δ / γ with IC50 of 5 nM/27 nM/17 nM/14 nM in cell-free assays, respectively. Also a mTOR inhibitor with Ki of 17 nM in a cell-free assay, and highly selective versus other PIKK family kinases. Phase 2.



Size	5mg	10mg	50mg	1ml/10mM
Price(\$)	158	223	732	157

XL147 analogue

NEW

ID: T2377


XL147 analogue is a selective and reversible class I PI3K inhibitor for PI3K α / δ / γ with IC50 of 39 nM/36 nM/23 nM in cell-free assays, less potent to PI3K β . Phase 1/2



Size	5mg	50mg	100mg	1ml/10mM
Price(\$)	137	357	645	136

A66

NEW


ID: T2418

A66 is a potent and specific p110 α inhibitor with IC50 of 32 nM in a cell-free assay, >100 fold selectivity for p110 α over other class-I PI3K isoforms.

Size	5mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	122	207	657	1096	133

CNX-1351

NEW


ID: T2256

CNX-1351 is a potent and isoform-selective targeted covalent inhibitor of the lipid kinase PI3K α with IC50 of 6.8 nM; 20-400 times less potent against β , γ , and δ .

Size	2mg	5mg	10mg	50mg	1ml/10mM
Price(\$)	75	112	209	653	123

BYL-719(Alpelisib)**ID: T1921**

Alpelisib (BYL719) is a potent and selective PI3K α inhibitor with IC50 of 5 nM in a cell-free assay, and minimal effect on PI3K β / γ / δ . Phase 2.




Size	5mg	20mg	100mg	1ml/10mM
Price(\$)	137	427	1081	136

BKM120 (NVP-BKM120, Buparlisib)

NEW

ID: T1827

BKM120 (NVP-BKM120, Buparlisib) is a selective PI3K inhibitor of p110 α / β / δ / γ with IC50 of 52 nM/166 nM/116 nM/262 nM in cell-free assays, respectively. Reduced potency against VPS34, mTOR, DNAPK, with little activity to PI4K β . Phase 2.




Size	5mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	124	182	598	780	123

PIK-294

NEW

ID: T2297

PIK-294 is a highly selective p110 δ inhibitor with IC50 of 10 nM, 1000-, 49- and 16-fold less potent to PI3K α / β / γ , respectively.




Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	113	246	432	739	157

Gedatolisib (PF-05212384, PKI-587)

NEW

ID: T1970

Gedatolisib (PF-05212384, PKI-587) is a highly potent dual inhibitor of PI3K α , PI3K γ and mTOR with IC50 of 0.4 nM, 5.4 nM and 1.6 nM in cell-free assays, respectively. Phase 2.



Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	112	185	357	600	150

GSK-1059615

NEW

ID: T2357

GSK1059615 is a dual inhibitor of PI3K α / β / δ / γ (reversible) and mTOR with IC50 of 0.4 nM/0.6 nM/2 nM/5 nM and 12 nM, respectively.




Size	2mg	10mg	50mg	1ml/10mM
Price(\$)	157	312	757	237

GDC-0032

NEW

ID: T1999

GDC-0032 is a potent, next-generation β isoform-sparing PI3K inhibitor targeting PI3K α / δ / γ with IC50 of 0.29 nM/0.12 nM/0.97nM, >10 fold selective over PI3K β .



Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	120	209	357	567	120

PDK

PDK inhibitor

GSK2334470

NEW

ID: T2348

GSK2334470 is a novel PDK1 inhibitor with IC50 of ~10 nM in a cell-free assay, with no activity at other close related AGC-kinases.



Size	2mg	5mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	59	88	128	385	618	99

Osu-03012

NEW

ID: T2466

OSU-03012 (AR-12) is a potent inhibitor of recombinant PDK-1 with IC50 of 5 μ M in a cell-free assay and 2-fold increase in potency over OSU-02067.




Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	61	107	202	347	84

BX795

NEW

ID: T1830



BX795 is a potent and specific PDK1 inhibitor with IC50 of 6 nM, 140- and 1600-fold more selective for PDK1 than PKA and PKC in cell-free assays, respectively. Meanwhile, in comparison to GSK3 β more than 100-fold selectivity observed for PDK1.

Size	5mg	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	71	132	234	419	776	71

BX912

NEW

ID: T1837

BX-912 is a selective inhibitor of 3-Phosphoinositide-dependent Kinase-1 (PDK1) with IC50 of 12 nM; >10 fold selectivity over PKA, PKC, C-Kit, EGFR etc.



Size	2mg	5mg	50mg	100mg	1ml/10mM
Price(\$)	86	143	506	832	141

AMPK

AMPK activator

Antrapurol

ID: T0800




Dantron (INN), also known as chrysazin or 1,8-dihydroxyanthraquinone, is used in some countries as a stimulant laxative. Withdrawn from the Canadian, US, and UK markets in 1998 due to genotoxicity.

Size	10mg	50mg	100mg	500mg	1ml/10mM
Price(\$)	13	30	48	107	27

Phenformin HCl

ID: T1453




Phenformin, an anti-diabetic drug, has demonstrated antitumor activity both in vitro and in vivo.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

AICAR (Acadesine)

ID: T1477




Acadesine (AICA-riboside) is a purine nucleoside analog with anti-ischemic properties that is currently being studied (Phase 3) for the prevention of adverse cardiovascular outcomes in patients undergoing coronary artery bypass graft (CABG) surgery.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	24	49	80	133	41

A 769662

ID: T2468



A-769662 is a potent, reversible AMPK activator with EC50 of 0.8 μ M in cell-free assays, little effect on GPPase/FBPase activity.

Size	5mg	10mg	50mg	1ml/10mM
Price(\$)	122	207	657	133

AMPK inhibitor

BML-275

NEW

ID: T1977

Dorsomorphin(Compound C; BML-275) has been shown to act as a potent and selective inhibitor of AMPK (AMP-activated protein kinase; Ki = 109 nM), induced by AICAR and metformin; also inhibits the bone morphogenetic protein type 1 receptors ACTR-I (ALK2).


Size	5mg	10mg	50mg	1ml/10mM
Price(\$)	84	121	407	133

ATM/ATR

ATM/ATR activator

Chloroquine diphosphate

ID: T0194



Chloroquine phosphate is a 4-aminoquinoline anti-malarial and anti-rheumatoid agent, also acting as an ATM activator.


Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

ATM/ATR inhibitor

KU-60019

NEW

ID: T2474



KU-60019 is an improved analogue of KU-55933, with IC₅₀ of 6.3 nM for ATM in cell-free assays, 270- and 1600-fold more selective for ATM than DNA-PK and ATR, and is a highly effective radiosensitizer.

Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	92	133	244	402	99

VE822

NEW

ID: T2669



VE-822 is an ATR inhibitor with IC₅₀ of 19 nM in HT29 cells

Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	44	83	133	270	405	84

VE-821

NEW

ID: T3032




VE-821 is a potent and selective ATP competitive inhibitor of ATR with Ki/IC₅₀ of 13 nM/26 nM.

Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	50	83	127	247	394	112

CGK 733

NEW

ID: T1821



CGK 733 is a potent and selective inhibitor of ATM/ATR with IC₅₀ of ~200 nM.

Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	69	113	222	385	227

ETP46464

NEW

ID: T2084



ETP-46464 is a potent and selective inhibitor of ATR with IC₅₀ of 25 nM.

Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	73	112	197	431	702	169

AZ20

NEW

ID: T1958



AZ20 is a novel potent and selective inhibitor of ATR kinase with IC₅₀ of 5 nM in a cell-free assay, 8-fold selectivity over mTOR.

Size	2mg	5mg	25mg	50mg	1ml/10mM
Price(\$)	111	182	517	746	180

KU55933

NEW

ID: T2685

KU-55933 (ATM Kinase Inhibitor) is a potent and specific ATM inhibitor with IC₅₀/Ki of 12.9 nM/2.2 nM in cell-free assays, and is highly selective for ATM as compared to DNA-PK, PI3K/PI4K, ATR and mTOR.



Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	42	64	99	205	357	84


S6 Kinase

S6 Kinase inhibitor

LY2584702 tosylate

NEW

ID: T1746



LY2584702 Tosylate is a selective, ATP-competitive p70S6K inhibitor with IC₅₀ of 4 nM. Phase 1.

Size	5mg	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	91	137	246	407	1059	104

PF-4708671

NEW

ID: T2002




PF-4708671 is a cell-permeable inhibitor of p70 ribosomal S6 kinase (S6K1 isoform) with Ki/IC₅₀ of 20 nM/160 nM in cell-free assays, 400-fold greater selectivity for S6K1 than S6K2, and 4- and >20-fold selectivity for S6K1 than MSK1 and RSK1/2, respectively. First S6K1-specific inhibitor to be reported.

Size	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	93	248	366	671	70

EGFR

Detailed product information is on page 23



MEK

MEK inhibitor

PD 98059

NEW

ID: T2348

PD98059 is a non-ATP competitive MEK inhibitor with IC50 of 2 μ M in a cell-free assay, specifically inhibits MEK-1-mediated activation of MAPK; does not directly inhibit ERK1 or ERK2.

Size	2mg	5mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	59	88	128	385	618	99

Trametinib (GSK1120212)

NEW

ID: T2125

Trametinib (GSK1120212) is a highly specific and potent MEK1/2 inhibitor with IC50 of 0.92 nM/1.8 nM in cell-free assays, no inhibition of the kinase activities of c-Raf, B-Raf, ERK1/2.




Size	5mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	32	52	96	156	32

SL-327

NEW

ID: T2708

SL327 is a selective inhibitor for MEK1/2 with IC50 of 0.18 μ M/ 0.22 μ M, no activity towards Erk1, MKK3, MKK4, c-JUN, PKC, PKA, or CamKII; capable of transport through the blood-brain barrier.



Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	42	64	110	222	400	133


Binimetinib

(MEK162, ARRY-162, ARRY-438162)

NEW

ID: T2508

Binimetinib (MEK162, ARRY-162, ARRY-438162) is a potent inhibitor of MEK1/2 with IC50 of 12 nM in a cell-free assay, Phase 3.



Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	52	73	146	268	99

PD184352 (CI-1040)

NEW

ID: T2443

PD184352 (CI-1040) is an ATP non-competitive MEK1/2 inhibitor with IC₅₀ of 17 nM in cell-based assays, 100-fold more selective for MEK1/2 than MEK5. Phase 2.




Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	61	107	202	347	84

BIX02188

NEW

ID: T1744

BIX02188 is a selective inhibitor of MEK5 with IC₅₀ of 4.3 nM, also inhibits ERK5 catalytic activity with IC₅₀ of 810 nM, and does not inhibit closely related kinases MEK1, MEK2, ERK2, and JNK2.



Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	128	222	299	407	212

BIX02189

NEW

ID: T2416

BIX02189 is a selective inhibitor of MEK5 with IC₅₀ of 1.5 nM, also inhibits ERK5 catalytic activity with IC₅₀ of 59 nM in cell-free assays, and does not inhibit closely related kinases MEK1, MEK2, ERK2, and JNK2.



Size	5mg	10mg	50mg	1ml/10mM
Price(\$)	133	255	694	169

Ras**Ras inhibitor****Kobe0065**

NEW

ID: T1876


Kobe0065 is a novel and effective small-molecule compound inhibiting Ras-Raf interaction by SBDD; exhibits potent activity to competitively inhibit the binding of H-Ras-GTP to c-Raf-1 RBD with a Ki value of 46 ± 13 μM.



Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	42	64	104	143	49

Kobe2602

NEW

ID: T1892

kobe2602 is a novel and effective small-molecule compound inhibiting Ras-Raf interaction by SBDD; exhibits potent activity to competitively inhibit the binding of H-Ras-GTP to c-Raf-1 RBD with a Ki value of 149 ± 55 μ M.

Size	5mg	10mg	100mg	1ml/10mM
Price(\$)	55	88	189	55

BQU57


NEW

ID: T2267

BQU57 shows selective inhibition for Ral relative to Ras or Rho and inhibit xenograft tumor growth similar to depletion of Ral by siRNA. The IC₅₀ for BQU57 of 2.0 μM in H2122 and 1.3 μM in H358.



Size	2mg	5mg	10mg	50mg	1ml/10mM
Price(\$)	75	100	127	498	99

Raf**Raf inhibitor****Vemurafenib (PLX4032, RG7204)****ID: T2382**

Vemurafenib (PLX4032, RG7204) is a novel and potent inhibitor of B-RafV600E with IC₅₀ of 31 nM in cell-free assay


Size	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	57	105	175	268	57

SB590885

NEW

ID: T2295


SB590885 is a potent B-Raf inhibitor with Ki of 0.16 nM in a cell-free assay, 11-fold greater selectivity for B-Raf over c-Raf, no inhibition to other human kinases.



Size	2mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	50	123	265	480	109

PLX4720

NEW

ID: T2473

PLX4720 is a potent and selective inhibitor of B-RafV600E with IC₅₀ of 13 nM in a cell-free assay, equally potent to c-Raf-1 (Y340D and Y341D mutations), 10-fold selectivity for B-RafV600E than wild-type B-Raf.


Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	61	107	202	347	84

TAK632

NEW

ID: T1886

TAK-632 is a potent pan-Raf inhibitor with IC₅₀ of 8.3 nM and 1.4 nM for B-Raf(wt) and C-Raf in cell-free assays, respectively, showing less or no inhibition against other tested kinases.



Size	5mg	20mg	100mg	1ml/10mM
Price(\$)	84	243	567	83

L-779,450

NEW

ID: T1953

L-779450 is a potent, ATP-competitive Raf kinase inhibitor ($IC_{50} = 10\text{ nM}$) that displays $> 7, > 30$ and > 70 -fold selectivity over p38 α , GSK3 β and Lck respectively.




Size	2mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	69	132	246	456	109

ZM 336372

NEW

ID: T1845




ZM 336372 is a potent and selective c-Raf inhibitor with IC_{50} of 70 nM , 10 -fold selectivity over B-RAF, no inhibition to PKA/B/C, AMPK, p70S6, etc.

Size	1mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	40	62	105	197	357	63

CEP-32496

NEW

ID: T2070



CEP-32496 is a highly potent inhibitor of BRAF(V600E/WT) and c-Raf with K_d of $14\text{ nM}/36\text{ nM}$ and 39 nM , also potent to Abl-1, c-Kit, Ret, PDGFR β and VEGFR2, respectively; insignificant affinity for MEK-1, MEK-2, ERK-1 and ERK-2. Phase 1/2.

Size	5mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	87	119	452	1048	87

B-Raf inhibitor 1

NEW

ID: T2074




B-Raf inhibitor 1 is a potent and selective B-Raf inhibitor with cell IC_{50} s of $0.31\text{ }\mu\text{M}$ and 2 nM for A375 proliferation and A375 p-ERK respectively.

Size	5mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	177	230	751	1115	176

Dabrafenib (GSK2118436)

NEW

ID: T1903




Dabrafenib (GSK2118436) is a mutant BRAFV600 specific inhibitor with IC_{50} of 0.8 nM in cell-free assays, with 4 - and 6 -fold less potency against B-Raf(wt) and c-Raf, respectively.

Size	5mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	43	69	157	250	42

B-Raf IN 1

NEW

ID: T1845




B-Raf IN 1 is a highly potent and selective B-Raf inhibitor with IC_{50} of 24 nM ; equipotent against c-Raf ($IC_{50}= 25\text{ nM}$).

Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	216	345	473	940	1503	293

cAMP**cAMP****Bucladesine**

ID: T1418



A cyclic nucleotide derivative that mimics the action of endogenous CYCLIC AMP and is capable of permeating the cell membrane.


Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

ERK**ERK inhibitor**

FR180204

NEW

ID: T1956




FR180204 is a potent and selective ATP-competitive inhibitor of ERK1 and ERK2 with K_i value of $0.31\text{ }\mu\text{M}$ and $0.14\text{ }\mu\text{M}$ respectively; has IC_{50} values of 0.51 and $0.33\text{ }\mu\text{M}$ in enzymatic assays against ERK1 and ERK2, respectively.

Size	1mg	5mg	25mg	50mg	1ml/10mM
Price(\$)	39	92	365	804	91

XMD8-92

NEW

ID: T1843




XMD8-92 is a potent and selective BMK1/ERK5 inhibitor with K_d of 80 nM .

Size	5mg	10mg	25mg	50mg	100mg
Price(\$)	64	101	234	390	728

XMD17-109

NEW

ID: T1842




ERK5-IN-1 is a potent, and selective ERK5 inhibitor with IC_{50} of 162 nM .

Size	2mg	5mg	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	89	123	222	616	901	135	

JNK**JNK inhibitor****AS 602801** NEW

ID: T2675

AS 602801(Bentamapimod) is a novel, orally active inhibitor of JNK.



Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	47	80	137	278	517	133

SC-202671 NEW

ID: T2234

JNK inhibitor IX is a selective and potent JNK inhibitor with pIC50 of 6.5 and 6.7 for JNK2 and JNK3, respectively.



Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	55	87	179	311	55

AS601245 NEW

ID: T2343

AS601245 is an inhibitor of the c-Jun NH2-terminal kinase (JNK) (hJNK1: IC50=150nM, hJNK2: IC50=220nM and hJNK3: IC50 = 70 nM), has neuroprotective properties.



Size	1mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	59	128	206	704	174	

JNK-IN-8 NEW


ID: T2668

JNK-IN-8 is the first irreversible JNK inhibitor for JNK1, JNK2 and JNK4 with IC50 of 4.7 nM, 18.7 nM and 1 nM, >10-fold selectivity against MNK2, Fms and no inhibition to c-Kit, Met, PDGF β in A375 cell line.

Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	74	122	185	388	661	133

NO**NO agonist****Molsidomine**

ID: T0109




A morpholinyl sulfone imine ethyl ester, having a nitrogen in place of the keto oxygen.

Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	24	42	78	133	228	84

MAPK**MAPK activator****Metformin HCl**

ID: T0740


Metformin HCl decreases hyperglycemia in hepatocytes primarily by suppressing glucose production by the liver (hepatic gluconeogenesis).



Size	2mg	10mg	50mg	200mg	1g	1ml/10mM
Price(\$)	13	30	78	122	357	27

p38 MAPK**p38 MAPK inhibitor****SB202190 (FHPI)** NEW

ID: T2301

SB202190 (FHPI) is a potent p38 MAPK inhibitor targeting p38 α / β with IC50 of 50 nM/100 nM in cell-free assays, sometimes used instead of SB 203580 to investigate potential roles for SAPK2a/p38 in vivo.

Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	30	49	74	114	39	

VX-702 NEW


ID: T2513

VX-702 is a highly selective inhibitor of p38 α MAPK, 14-fold higher potency against the p38 α versus p38 β . Phase 2.

Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	39	58	92	153	59

Losmapimod (GW856553X) NEW

ID: T2277


Losmapimod (GW856553X; SB856553; GSK-AHAB) is a selective, potent, and orally active p38 MAPK inhibitor with pKi of 8.1 and 7.6 for p38 α and p38 β , respectively.

Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	59	84	168	308	80

Pseudolaric Acid B

ID: T1922

Extracted from Pseudolarix kaempferi
Gord. dry root barks or barks near the
root; Store the product in sealed, cool
and dry condition




Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	71	112	209	370	70

SB203580

NEW

ID: T1764



SB203580 is a p38 MAP kinase inhibitor with IC50 of 0.3-0.5 μ M
in THP-1 cells, 10-fold less sensitive to SAPK3(106T) and
SAPK4(106T) and blocks PKB phosphorylation with IC50 of
3-5 μ M.

Size	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	71	100	148	304	54

SKF-86002

NEW

ID: T2367




SKF-86002 is a potent inhibitor of p38 MAP kinase with IC50
of 0.5-1 μ M; inhibits LPS-induced IL-1 and TNF-alpha
production in human monocytes (IC50 = 1 μ M).

Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	79	116	206	431	828	133

PH797804

NEW

ID: T1974




PH-797804 is a novel pyridinone inhibitor of p38 α with
IC50 of 26 nM in a cell-free assay; 4-fold more selective
versus p38 β and does not inhibit JNK2. Phase 2.

Size	5mg	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	158	312	566	841	1203	157

PD 169316

NEW


ID: T2432



PD 169316 is a potent, cell-permeable and selective p38
MAP kinase inhibitor (IC50 = 89 nM).

Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	85	133	244	402	99

Cell Cycle/Checkpoint



CDK

CDK inhibitor


Flavopiridol (Alvocidib) HCl

NEW

ID: T2615

As an inhibitor of cyclin-dependent kinase, alvocidib induces cell cycle arrest by preventing phosphorylation of cyclin-dependent kinases (CDKs) and by down-regulating cyclin D1 and D3 expression, resulting in G1 cell cycle arrest and apoptosis.

Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	39	60	92	185	333	84




ML167

NEW

ID: T2670

ML167 is a highly selective Cdc2-like kinase 4 (Clk4) inhibitor with IC₅₀ of 136 nM, >10-fold selectivity for closely related kinases Clk1-3 and Dyrk1A/1B.




Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	47	80	137	278	517	133

RGB-286638 free base

NEW

ID: T2378


RGB-286638 free base is a novel CDK inhibitor with IC₅₀s of 1 nM/2 nM/3 nM/4 nM/5 nM for cyclin T1-CDK9/ cyclin B1-CDK1/cyclin E-CDK2/cyclin D1-CDK4/cyclin E-CDK3/p35-CDK5 respectively; less potent against cyclin H-CDK7 and cyclin D3-CDK6.



Size	2mg	5mg	10mg	50mg	1ml/10mM
Price(\$)	116	169	271	1125	181

Ro-3306

NEW

ID: T2356

Ro-3306 is an ATP-competitive, and selective CDK1 inhibitor with Ki of 20 nM, >15-fold selectivity against a diverse panel of human kinases.

Size	2mg	10mg	50mg	1ml/10mM
Price(\$)	59	112	334	133

AZD5438

NEW

ID: T2050


AZD5438 is a potent inhibitor of CDK1/2/9 with IC₅₀ of 16 nM/6 nM/20 nM in cell-free assays. It is less potent to CDK5/6 and also inhibits GSK3 β . Phase 1.



Size	5mg	10mg	50mg	1ml/10mM
Price(\$)	73	133	408	133

Bohemine

NEW

ID: T2029

Bohemine is a cyclin-dependent kinase inhibitor.

Size	5mg	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	84	120	152	259	572	99

2-Chloropyrazine**ID: T2193**

2-Chloropyrazine is used in chemical industry.



Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

SB1317

NEW

ID: T2653

SB1317/TG02 is a potent inhibitor of cyclin dependant kinases (CDKs), Janus kinase 2 (JAK2), and Fms-like tyrosine kinase-3 (FLT3).

Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	93	148	246	517	887	177

KenPaullone

NEW

ID: T2247

Kenpaullone, a potent CDK1, CDK2 and CDK5 inhibitor, as new enhancer for iTreg cell differentiation. Kenpaullone promotes iTreg cell differentiation through increased and prolonged transcription of foxp3 gene by enhancing TGF β -Smad3 signaling pathway.



Size	1mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	44	77	112	222	382	206

BMS-265246

NEW

ID: T2679

BMS-265246 is a potent and selective CDK1/2 inhibitor with IC₅₀ of 6 nM/9 nM in a cell-free assay. It is 25-fold more selective for CDK1/2 than CDK4.


Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	122	222	345	579	877	234

NG-52

NEW

ID: T2028

NG 52 (Compound 52) is a potent, cell-permeable, reversible, selective, and ATP-compatible inhibitor of the cell cycle-regulating kinase, Cdc28p (IC₅₀ = 7 _mu_M), and the related Pho85p kinase (IC₅₀ = 2 _mu_M).




Size	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	124	287	400	718	94

Roscovitine (CYC202,Seliciclib)

NEW

ID: T2095


Roscovitine (Seliciclib, CYC202) is a potent and selective CDK inhibitor for Cdc2, CDK2 and CDK5 with IC₅₀ of 0.65 μ M, 0.7 μ M and 0.16 μ M; shows little effect on CDK4/6.



Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	130	234	467	824	142

Lee011

NEW

ID: T2082

CDK4 inhibitor is a novel and specific CDK4/Cyclin D1 inhibitor with an IC₅₀ of 10 nM; 1500 and 500 fold respectively than CDK1/Cyclin B (IC₅₀>15 μ M) and CDK2/Cyclin A (IC₅₀=5.265 μ M) respectively.

Size	5mg	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	137	222	394	690	1204	136

CDK/Rho

Dinaciclib (SCH727965)

NEW

ID: T1912

Dinaciclib (SCH727965) is a novel and potent CDK inhibitor for CDK2, CDK5, CDK1 and CDK9 with IC₅₀ of 1 nM, 1 nM, 3 nM and 4 nM, respectively.




Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	56	123	185	517	142

Purvalanol A

NEW

ID: T2059

Purvalanol A is a potent, and cell-permeable CDK inhibitor with IC₅₀ of 4 nM, 70 nM, 35 nM, and 850 nM for cdk2-cyclin B, cdk2-cyclin A, cdk2-cyclin E, and cdk4-cyclin D1, respectively.



Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	92	148	286	531	259

Triapine

NEW

ID: T1982


Triapine(NSC663249; OCX191; PAN-811) is a ribonucleotide reductase inhibitor, has been extensively evaluated in clinical trials in the last decade; CDK inhibitor.



Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	62	112	203	357	62

Palbociclib

NEW


ID: T1785

Palbociclib (PD-0332991) is an orally available pyridopyrimidine-derived cyclin-dependent kinase (CDK) inhibitor with potential antineoplastic activity.

Size	5mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	92	140	476	631	91

TG003

NEW

ID: T1901

TG003 is a potent and ATP-competitive Cdc2-like kinase (Clk) inhibitor with IC₅₀ of 20 nM, 200 nM, and 15 nM for Clk1, Clk2, and Clk4, respectively. No inhibitory effect on Clk3, SRPK1, SRPK2, or PKC.

Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	92	172	320	517	92

AT 7519 HCl salt

NEW

ID: T1778

AT7519 is a multi-CDK inhibitor for CDK1, 2, 4, 6 and 9 with IC₅₀ of 10-210 nM. It is less potent to CDK3 and little active to CDK7. Phase 2.




Size	5mg	20mg	50mg	100mg	1ml/10mM
Price(\$)	102	181	307	422	102

BS-181 HCl

NEW

ID: T1947


BS-181 is a highly selective CDK7 inhibitor with IC₅₀ of 21 nM.; >40-fold selective for CDK7 than CDK1, 2, 4, 5, 6, or 9.



Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	117	185	270	493	842	256


PHA-793887

NEW

ID: T2113

PHA-793887 is a novel and potent inhibitor of CDK2, CDK5 and CDK7 with IC₅₀ of 8 nM, 5 nM and 10 nM. It is greater than 6-fold more selective for CDK2, 5, and 7 than CDK1, 4, and 9. Phase 1.

Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	123	234	431	702	133

LY2835219**ID: T2381**

Abemaciclib is an orally available cyclin-dependent kinase (CDK) inhibitor that targets the CDK4 (cyclin D1) and CDK6 (cyclin D3) cell cycle pathway, with potential antineoplastic activity.


Size	5mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	117	158	362	515	117

Rho**Rho inhibitor**

NEW

EHop-016**ID: T2427**


EHop-016 is a specific Rac GTPase inhibitor with IC₅₀ of 1.1 μ M for Rac1 in MDA-MB-435 and MDA-MB-231 cells, equally potent inhibition for Rac3.



Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	49	85	170	267	84


ML141

NEW

ID: T2463

ML141 is a potent, selective and reversible non-competitive inhibitor of Rho family GTPase cdc42 with IC₅₀ of 200 nM.

Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	85	133	244	402	99

6H05**NEW****ID: T1931**

6H05 is a selective, and allosteric inhibitor of oncogenic K-Ras(G12C).

Size	2mg	5mg	10mg	25mg	1ml/10mM
Price(\$)	107	182	274	452	180

ZCL 278**NEW****ID: T1855**

ZCL278 is a selective Cdc42 GTPase inhibitor with Kd of 11.4 μ M.

Size	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	132	213	354	577	100

k-ras(g12c) inhibitor 6**NEW****ID: T1981**


K-Ras (G12C) inhibitor 6 is an allosterical inhibitor of oncogenic mutation K-Ras G12C

Size	5mg	10mg	25mg	1ml/10mM
Price(\$)	267	413	583	364

CCG-1423**NEW****ID: T2014**

CCG-1423 is a specific RhoA pathway inhibitor, which inhibits SRF-mediated transcription.

Size	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	76	177	227	510	58

ChK**ChK inhibitor****BML-277****NEW****ID: T2033**


BML-277 (C 3742) is a selective Chk2 (checkpoint kinase 2) inhibitor with an IC50 of 15 nM.

Size	1mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	118	279	431	640	993	275

MK-8776 (SCH 900776)**NEW****ID: T2517**


MK-8776 (SCH 900776) is a selective Chk1 inhibitor with IC50 of 3 nM in a cell-free assay. It shows 500-fold selectivity against Chk2. Phase 2.

Size	5mg	10mg	50mg	1ml/10mM
Price(\$)	157	279	706	157

HSP**HSP inhibitor****Chlorzoxazone**


BIIB021(CNF2024) is an orally available, fully synthetic small-molecule inhibitor of HSP90 with Ki and EC50 of 1.7 nM and 38 nM, respectively.

Size	5mg	25mg	50mg	100mg	1g	1ml/10mM
Price(\$)	13	38	60	80	402	47

Ganetespib (STA-9090)**NEW****ID: T2309**


Ganetespib(STA-9090) is a unique triazolone-containing Hsp90 inhibitor with an IC50 of 4 nM in OSA 8 cells.

Size	5mg	10mg	50mg	1ml/10mM
Price(\$)	160	257	751	222

KNK437**NEW****ID: T2444**


KNK437 is a pan-HSP inhibitor, which inhibits the synthesis of inducible HSPs, including HSP105, HSP72, and HSP40.

Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	61	92	185	303	84

VER-50589**NEW****ID: T2258**


VER-50589 is a potent HSP90 inhibitor with IC50 of 21 nM for HSP90 β .

Size	1mg	5mg	10mg	25mg	1ml/10mM
Price(\$)	91	259	456	850	304

BIIB-021**NEW****ID: T2286**

BIIB021(CNF2024) is an orally available, fully synthetic small-molecule inhibitor of HSP90 with Ki and EC50 of 1.7 nM and 38 nM, respectively.

Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	92	169	328	596	157

VER-49009**NEW****ID: T2268**


VER-49009 is a potent HSP90 inhibitor with IC50 of 47 nM for HSP90 β .

Size	1mg	5mg	10mg	50mg	1ml/10mM
Price(\$)	168	332	486	1118	304

Luminespib (AUY-922, NVP-AUY922) NEW

ID: T1989


AUY922 (NVP-AUY922) is a potent, novel synthetic resorcinyllic isoxazole amide inhibitor of heat shock protein 90 (HSP90).



Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	46	69	145	205	46

NVP-BEP800 NEW

ID: T2114




NVP-BEP800 is a novel, fully synthetic HSP90 β inhibitor with IC50 of 58 nM, exhibits >70-fold selectivity against Hsp90 family members Grp94 and Trap-1.

Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	130	234	467	824	142

PKC**PKC inhibitor****Dequalinium chloride**

ID: T0979




A topical bacteriostat that is available as various salts.

Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	13	30	78	122	27

TAS-301 NEW

ID: T2441


TAS-301 is an inhibitor of smooth muscle cell migration and proliferation, inhibits intimal thickening after balloon injury to rat carotid arteries



Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	92	133	244	402	99

PLK**PLK inhibitor****MLN0905** NEW

ID: T2704



MLN0905 is a potent inhibitor of PLK1 with IC50 of 2 nM.

Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	117	160	246	452	826	133

Pyridoxine

ID: T0973




Pyridoxine is the 4-methanol form of vitamin B6 and is converted to pyridoxal 5-phosphate in the body. Although pyridoxine and vitamin B6 are still frequently used as synonyms, especially by medical researchers, this practice is erroneous and sometimes misleading.

Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

SBE 13 HCl

ID: T2271




SBE13 HCl is a potent and selective PLK1 with IC50 of 0.2 nM; no inhibition on Aurora A kinase, Plk2 and Plk3.

Size	2mg	10mg	50mg	1ml/10mM
Price(\$)	75	100	244	70

Ro3280

ID: T2634




Ro3280 is a potent, highly selective inhibitor of Polo-like kinase 1 (PLK1) with IC50 of 3 nM.

Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	122	222	393	714	1233	246

HMN214

ID: T2438




HMN-214(IVX214) is a potent PLK1 inhibitor at an average IC50 of 0.12 μ M.

Size	5mg	10mg	50mg	1ml/10mM
Price(\$)	133	255	694	169

Mps1**Mps1**

ID: T1839



Mps1-IN-2 is a potent Mps1 kinase inhibitor with IC50 value of 145 nM.

Size	2mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	243	461	659	1183	341

ROCK**Detailed product information is on page 57**

Wee 1**Wee1 inhibitor****MK1775**

NEW

ID: T2077

MK-1775 is a potent and selective Wee1 inhibitor with IC₅₀ of 5.2 nM in a cell-free assay; hinders G2 DNA damage checkpoint. Phase 2.



Size	5mg	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	122	209	345	577	1010	38

RAD51**RAD51 inhibitor****RI-1**

NEW

ID: T2276

RI-1 is a RAD51 inhibitor with IC₅₀ ranging from 5 to 30 μM.




Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	112	169	462	133	

RI-2

NEW

ID: T2628

RI-2 is an optimized RAD51 inhibitor with an IC₅₀ of 44.17 μM in the standard DNA binding assay; specifically inhibits HR(Homologous recombination) repair in human cells.




Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	122	197	357	551	832	194

c-myc**c-myc inhibitor****Nicotinamide-N-oxide****ID: T0617**

Nicotinamide N - oxide is niacin related compounds, used in the study of nicotinic acid related granulocyte differentiation mechanism

Size	5mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	20	33	80	229	27

Integrin**Integrin antagonist****Tirofiban HCl monohydrate****ID: T2537**

Tirofiban hydrochloride monohydrate is a potent non-peptide, glycoprotein IIb/IIIa (integrins alphabbbeta1) antagonist


Size	5mg	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	30	57	194	291	84	

Integrin inhibitor**A-205804**

NEW

ID: T2254

A-205804 is a potent and selective inhibitor of E-selectin and ICAM-1 expression with IC₅₀ of 20 nM and 25 nM respectively.




Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	55	87	185	357	133

Cilengitide


NEW

ID: T2494

Cilengitide is a potent integrin inhibitor for α v β 3 receptor and α v β 5 receptor with IC₅₀ of 4.1 nM and 79 nM in cell-free assays, respectively; ~10-fold selectivity against gp130. Phase 2.



Size	2mg	5mg	10mg	50mg	1ml/10mM
Price(\$)	97	195	341	597	194

Carvedilol phosphate**ID: T0342**

Carvedilol blocks beta-1 and beta-2 adrenergic receptors as well as the alpha-1 adrenergic receptors.

Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56


Kinesin

Kinesin inhibitor

AZ 3146

ID: T2689

NEW




AZ3146 is a selective Mps1 inhibitor with IC₅₀ of ~35 nM, contributes to recruitment of CENP-E (kinesin-related motor protein), less potent to FAK, JNK1, JNK2, and Kit.

Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	42	80	123	272	423	148

SB715992(Ispinesib)

NEW

ID: T2103




Ispinesib (SB-715992) is a potent, specific and reversible inhibitor of kinesin spindle protein (KSP) with Ki app of 1.7 nM in a cell-free assay, no inhibition to CENP-E, RabK6, MCAK, MKLP1, KHC or Kif1A. Phase 2.

Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	86	133	219	443	801	204

MPI-0479605

NEW

ID: T2313




MPI-0479605 is an ATP competitive and selective inhibitor of mitotic kinase Mps1 with IC₅₀ of 1.8 nM, >40-fold selectivity over other kinases

Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	123	234	419	751	1306	232

SB743921

NEW

ID: T2255




SB743921 is a kinesin spindle protein (KSP) inhibitor with Ki of 0.1 nM, almost no affinity to MKLP1, Kin2, Kif1A, Kif15, KHC, Kif4 and CENP-E. Phase 1/2.

Size	5mg	10mg	50mg	1ml/10mM
Price(\$)	158	264	790	157

GSK923295

NEW

ID: T2039



GSK923295 is a first-in-class, specific allosteric inhibitor of CENP-E kinesin motor ATPase with Ki of 3.2 nM, and less potent to mutant I182 and T183. Phase 1.

Size	5mg	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	159	246	419	751	1212	133


Dynamin

Dynamin inhibitor

Mdivi 1

ID: T1907

NEW




Mdivi-1 is a selective cell-permeable inhibitor of mitochondrial division DRP1 (dynamin-related GTPase) and mitochondrial division Dynamin I (Dnm1) with IC₅₀ of 1-10 μM.

Size	5mg	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	49	108	137	272	366	49

Dynasore

ID: T1848

NEW



Dynasore is a cell-permeable, reversible non-competitive dynamin inhibitor of GTPase activity of dynamin 1/2, with IC₅₀ of 15 μM in a cell-free assay, also inhibits the mitochondrial dynamin Drp1, with no effect against other small GTPase.


Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	52	94	172	324	71

N-WASP

N-WASP inhibitor

Wiskostatin

ID: T2164



Wiskott-Aldrich syndrome protein (WASP) and WAVE stimulate actin-related protein (Arp)2/3-mediated actin polymerization, leading to diverse downstream effects.

Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	74	172	283	461	690	146


Aurora Kinase

Aurora Kinase inhibitor

CCT137690

NEW

ID: T2611




CCT137690 is a highly selective inhibitor of Aurora A, Aurora B and Aurora C with IC₅₀ of 15 nM, 25 nM and 19 nM. It has little effect on hERG ion-channel.

Size	1mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	35	88	135	284	523	99

SNS-314 Mesylate

NEW

ID: T2617



SNS-314 Mesylate is a potent and selective inhibitor of Aurora A, Aurora B and Aurora C with IC₅₀ of 9 nM, 31 nM, and 3 nM, respectively. It is less potent to Trk A/B, Flt4, Fms, Axl, c-Raf and DDR2. Phase 1.


Size	1mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	42	100	185	357	628	194

Danusertib (PHA-739358)

NEW

ID: T2094

Danusertib (PHA-739358) is an Aurora kinase inhibitor for Aurora A/B/C with IC₅₀ of 13 nM/79 nM/61 nM in cell-free assays, modestly potent to Abl, TrkA, c-RET and FGFR1, and less potent to Lck, VEGFR2/3, c-Kit, CDK2, etc. Phase 2.




Size	10mg	25mg	50mg	1ml/10mM
Price(\$)	104	286	427	79

ENMD-2076

NEW

ID: T2358




ENMD-2076 has selective activity against Aurora A and Flt3 with IC₅₀ of 14 nM and 1.86 nM, 25-fold selective for Aurora A than over Aurora B and less potent to VEGFR2/KDR and VEGFR3, FGFR1 and FGFR2 and PDGFR α . Phase 2.

Size	5mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	142	264	790	1115	142

VX-680 (Tozasertib, MK-0457)

NEW

ID: T2509




VX-680 (Tozasertib, MK-0457) is a pan-Aurora inhibitor, mostly against Aurora A with Kiapp of 0.6 nM in a cell-free assay, less potent towards Aurora B/Aurora C and 100-fold more selective for Aurora A than 55 other kinases. Phase 2.

Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	52	70	140	225	99

MLN8237(Alisertib)

NEW

ID: T2241



Alisertib is a second-generation, orally bioavailable, highly selective small molecule inhibitor of the serine/threonine protein kinase Aurora A kinase with potential antineoplastic activity.


Size	2mg	5mg	10mg	50mg	1ml/10mM
Price(\$)	64	102	160	530	102

TAK901

NEW

ID: T2709

TAK-901 is a novel inhibitor of Aurora A/B with IC₅₀ of 21 nM/15 nM. It is not a potent inhibitor of cellular JAK2, c-Src or Abl. Phase 1.



Size	1mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	49	137	259	505	776	148

MK8745

NEW

ID: T2471

MK-8745 is a potent and selective Aurora A inhibitor with IC₅₀ of 0.6 nM, more than 450-fold selectivity for Aurora A over Aurora B.




Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	49	85	170	267	84

Barasertib (AZD1152-HQPA)

NEW

ID: T2602


Barasertib (AZD1152-HQPA) is a highly selective Aurora B inhibitor with IC₅₀ of 0.37 nM in a cell-free assay, ~3700 fold more selective for Aurora B over Aurora A. Phase 1.



Size	1mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	51	133	231	402	610	145

Microtubule Associated**Microtubule Associated inhibitor****Albendazole**

ID: T1152



Albendazole(Albenza) is a member of the benzimidazole compounds used as a drug indicated for the treatment of a variety of worm infestations.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Vincristine sulfate

ID: T1270

Vincristine is an inhibitor of polymerization of microtubules by binding to tubulin.



Size	2mg	10mg	50mg	1ml/10mM
Price(\$)	24	58	197	59

Microtubule Associated

10-Deacetyl

ID: T2179

10-DAB (also known as 10-Deacetyl baccatin) is an intermediate used for the preparation of taxol, an anti-leukemic and tumor-inhibiting agent isolated from the inner bark of the Pacific yew tree Taxus brevifolia as well as other species of the genus *Taxus*.




Size	1mg	5mg	10mg	25mg	1ml/10mM
Price(\$)	44	110	209	419	133

ABT-751 (E7010)

NEW

ID: T1758




ABT-751(E 7010) is a novel bioavailable tubulin-binding and antimitotic sulfonamide agent with IC50 of about 1.5 and 3.4 μ M in neuroblastoma and non-neuroblastoma cell lines, respectively.

Size	2mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	45	99	197	345	77

CK-636

NEW

ID: T1820




CK-636 is an Arp2/3 complex inhibitor with IC50 of 4 μ M, 24 μ M and 32 μ M for inhibition of actin polymerization induced by human, fission yeast and bovine Arp2/3 complex, respectively.

Size	5mg	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	52	97	172	324	566	73

LR-510444

NEW

ID: T2060



LR510444 is a novel microtubule disruptor; inhibits MDA-MB-231 cell proliferation with IC50 of 30.9 nM; not a substrate for the P-glycoprotein drug transporter and retains activity in β III-tubulin-overexpressing cell lines.


Size	1mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	69	123	222	357	524	168

Ansamitocin P-3

NEW

ID: T1910


Ansamitocin P-3 is a maytansine analog which displays potent cytotoxicity against the human solid tumor cell lines A-549 and HT-29; Antibody drug conjugate cytotoxin.



Size	2mg	5mg	20mg	100mg	1ml/10mM
Price(\$)	62	112	334	663	111

CYT997 (Lexibulin)

ID: T2090




CYT997 (Lexibulin) is a potent microtubule polymerization inhibitor with IC50 of 10-100 nM in cancer cell lines. Phase 2.

Size	2mg	5mg	10mg	50mg	1ml/10mM
Price(\$)	59	88	113	432	99

INH1

NEW

ID: T2502




INH1 is a cell-permeable Hec1 inhibitor, which specifically disrupts the Hec1/Nek2 interaction.

Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	57	76	152	266	59

Cabazitaxel

NEW

ID: T2543




Cabazitaxel(XRP6258; RPR-116258A) is a semi-synthetic derivative of the natural taxoid 10-deacetyl baccatin III with potential antineoplastic activity.

Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	133	219	357	549	145

Mebendazole

ID: T1155



A benzimidazole that acts by interfering with carbohydrate metabolism and inhibiting polymerization of microtubules.

Size	10mg	50mg	100mg	500mg	1ml/10mM
Price(\$)	13	24	42	74	27

Podophyllotoxin

ID: T1121




Podophyllotoxin is a potent inhibitor of microtubule assembly and DNA topoisomerase II.

Size	10mg	50mg	100mg	500mg	1ml/10mM
Price(\$)	13	24	42	74	27

Colchicine

ID: T0320




A major alkaloid from *Colchicum autumnale* L. and found also in other *Colchicum* species.

Size	2mg	5mg	10mg	20mg	1ml/10mM
Price(\$)	13	24	42	78	84

Flubendazole

ID: T0009




Flubendazole is an anthelmintic that is used to treat worm infection in humans. It is available OTC in Europe.

Size	2mg	10mg	50mg	500mg	1ml/10mM
Price(\$)	13	30	78	122	27

Oxfendazole

ID: T0714



Oxfendazole is a broad spectrum benzimidazole anthelmintic. Its main use is for protecting livestock against roundworm, strongyles and pinworms. Oxfendazole is the sulfoxide metabolite of fenbendazole.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Thiabendazole

ID: T0938




Thiabendazole is an Antihelminthic. Hiabendazole is a benzimidazole compound that acts as a fungicide and is reported to have aneugenetic effects.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Triclabendazole

ID: T0838




Triclabendazole is a benzimidazole, it binds to tubulin impairing intracellular transport mechanisms and interferes with protein synthesis.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Griseofulvin

ID: T1382



Griseofulvin, a production from some strains of the mold Penicillium griseofulvum, is able to inhibit cell mitosis by interfering with microtubule function.

Size	2mg	10mg	25mg	100mg	1ml/10mM
Price(\$)	20	42	88	209	56

N-Phenylbenzylamine

ID: T0651




a series of benzylaniline hydrochlorides as potential cytotoxic and antimitotic agents acting by inhibition of tubulin polymerization

Size	5mg	10mg	25mg	50mg	200mg
Price(\$)	24	42	83	133	244

Plinabulin (NPI-2358)

NEW

ID: T2511




Plinabulin (NPI-2358) is a vascular disrupting agent (VDA) against tubulin-depolymerizing with IC50 of 9.8~18 nM in tumor cells. Phase 1/2.

Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	133	231	402	610	145

Vinblastine sulfate

ID: T1668




Vinblastine inhibits microtubule formation and suppresses nAChR activity in a cell-free assay, used to treat certain kinds of cancer.

Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	31	57	106	99	

D64131

NEW


ID: T1753



D-64131 is a tubulin polymerization inhibitor with an IC50 value of 0.53 μ M.

Size	2mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	59	95	209	398	72

Stem Cell



Stem cell

GSK-3

Detailed product information is on page 33

JAK

Detailed product information is on page 15

STAT

Detailed product information is on page 17

iPCs

HF1(BRD-K4477)

NEW

ID: T2102




HF1 (BRD-K4477) is a small molecule, which promotes differentiation of iPSC-derived hepatocytes.

Size	5mg	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	102	158	264	419	790	102

OAC1

ID: T2040




OAC1 is an Octamer-binding transcription factor 4 (Oct4)-activating compound; enhances the iPSC reprogramming efficiency and accelerated the reprogramming process.

Size	5mg	10mg	50mg	1ml/10mM
Price(\$)	173	320	877	172

NEW

OAC2

ID: T2019



OAC2 is an Oct4-activating compound which activates expression through the Oct4 gene promoter; enhances reprogramming efficiency by increasing the rate of production of induced pluripotent stem cells (iPCs) from embryonic fibroblasts; an analog of OAC1.

Size	5mg	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	45	71	123	222	429	66

TGF-beta/Smad

Detailed product information is on page 77


ROCK

ROCK inhibitor

Fasudil

ID: T1606

Fasudil hydrochloride (INN) is a potent Rho-kinase inhibitor and vasodilator. Since it was discovered, it has been used for the treatment of cerebral vasospasm, which is often due to subarachnoid hemorrhage, as well as to improve the cognitive decline seen in stroke victims. It has been found to be effective for the treatment of pulmonary hypertension.



Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Fasudil (HA-1077) HCl

ID: T3060


Fasudil HCl (HA-1077; AT-877) is a potent inhibitor of ROCK-II, PKA, PKG, PKC, and MLCK with Ki of 0.33 μ M, 1.6 μ M, 1.6 μ M, 3.3 μ M and 36 μ M, respectively.

Size	5mg	25mg	100mg	200mg	500mg	1ml/10mM
Price(\$)	19	33	54	83	139	76

Y27632

NEW

ID: T1870




Y-27632 2HCl is a selective ROCK1 (p160ROCK) inhibitor with Ki of 140 nM in a cell-free assay, exhibits >200-fold selectivity over other kinases, including PKC, cAMP-dependent protein kinase, MLCK and PAK.

Size	2mg	5mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	57	96	160	480	959	99

RKI-1313

NEW

ID: T2011



RKI-1313 was a selective inhibitor for ROCK-dependent signaling, cytoskeletal changes, anchorage-independent colony formation, migration, and invasion.

Size	2mg	5mg	10mg	50mg	1ml/10mM
Price(\$)	59	88	113	432	99

Y-27632 2HCl

ID: T1725

Y-27632 2HCl is a selective ROCK1 (p160ROCK) inhibitor with Ki of 140 nM in a cell-free assay, exhibits >200-fold selectivity over other kinases, including PKC, cAMP-dependent protein kinase, MLCK and PAK.

Size	2mg	5mg	10mg	50mg	1ml/10mM
Price(\$)	65	104	156	427	102

GSK429286A

NEW

ID: T2633

GSK429286A is a selective inhibitor of ROCK1 and ROCK2 with IC50 of 14 nM and 63 nM, respectively.



Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	93	153	234	395	569	160

RKI-1447

NEW

ID: T1898



RKI-1447 is a potent inhibitor of ROCK1 and ROCK2, with IC50 of 14.5 nM and 6.2 nM, respectively, has anti-invasive and antitumor activities.

Size	5mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	97	137	394	669	96

Thiazovivin

NEW

ID: T2155



Thiazovivin (Tzv) is a novel ROCK inhibitor with IC50 of 0.5 μ M, promotes hESC survival after single-cell dissociation.

Size	5mg	10mg	25mg	50m	1ml/10mM
Price(\$)	102	175	306	552	102

Wnt/beta-catenin

Wnt/beta-catenin agonist

MAY-262611

NEW

ID: T1971



WAY-262611 is a wingless (beta)-Catenin agonist that increases bone formation rate; with EC50 of 0.63 μ M in TCF-Luciferase assay.


Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	90	139	259	461	105

Wnt/beta-catenin inhibitor

IWR-1-endo

NEW

ID: T2651



IWR-1-endo is a Wnt pathway inhibitor with IC50 of 180 nM in L-cells expressing Wnt3A, induces Axin2 protein levels and promotes β -catenin phosphorylation by stabilizing Axin2 scaffolded destruction complexes.


Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	42	64	99	205	357	84

Wnt/beta-catenin

IWP-2

NEW

ID: T2702




IWP-2 is an inhibitor of Wnt processing and secretion with IC₅₀ of 27 nM in a cell-free assay, selective blockage of Porcn-mediated Wnt palmitoylation, does not affect Wnt/β-catenin in general and displays no effect against Wnt-stimulated cellular responses.

Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	32	54	83	145	255	63

ICG001

NEW

ID: T2237



ICG-001 antagonizes Wnt/β-catenin/TCF-mediated transcription and specifically binds to element-binding protein (CBP) with IC₅₀ of 3 μM, but is not the related transcriptional coactivator p300.

Size	5mg	10mg	25mg	1ml/10mM
Price(\$)	106	223	427	133

XAV939

NEW

ID: T1878




XAV-939 selectively inhibits Wnt/β-catenin-mediated transcription through tankyrase1/2 inhibition with IC₅₀ of 11 nM/4 nM in cell-free assays, regulates axin levels and does not affect CRE, NF-κB or TGF-β.

Size	5mg	10mg	50mg	1ml/10mM
Price(\$)	39	60	203	38

WIKI4

NEW

ID: T3062




WIKI4 is a novel Tankyrase inhibitor with IC₅₀ of 15 nM for TNKS2, and leads to inhibition of Wnt/beta-catenin signaling.

Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	35	68	100	190	354	76

IWP-L6

NEW

ID: T2683



IWP-L6 is a highly potent Porcn inhibitor with EC₅₀ of 0.5 nM.

Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	42	80	123	272	423	148

Isx 9

NEW

ID: T2003




ISX9 was necessary to activate neuron-specific genes as neurogenesis inducer.

Size	2mg	10mg	50mg	1ml/10mM
Price(\$)	68	190	402	141

Salinomycin

ID: T0906



Salinomycin, a polyether ionophore antibiotic isolated from Streptomyces albus, has been shown to kill CSCs in different types of human cancers, most likely by interfering with ABC drug transporters, the Wnt/β-catenin signaling pathway, and other CSC pathways

Size	5mg	10mg	25mg	100mg	1ml/10mM
Price(\$)	49	80	148	259	59

FH535

NEW

ID: T2413



FH535 is a Wnt/β-catenin signaling inhibitor and also a dual PPAR γ and PPAR δ antagonist.

Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	49	85	170	267	84

KY0211

NEW

ID: T2052



KY0211 promotes differentiation of hPSCs to cardiomyocytes by inhibiting Wnt signaling, may act downstream of APC and GSK3 β.

Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	61	94	209	385	71

Urea

ID: T0738



A compound formed in the liver from ammonia produced by the deamination of amino acids. It is the principal end product of protein catabolism and constitutes about one half of the total urinary solids.

Size	10mg	50mg	500mg	1g	1ml/10mM
Price(\$)	13	24	42	79	27

Wnt-C59

NEW

ID: T2242




Wnt-C59(C59) is a very potent and highly selective Wnt signaling antagonist with an IC₅₀ ~ 74 pM in the Wnt signaling reporter assay.

Size	2mg	5mg	10mg	50mg	1ml/10mM
Price(\$)	118	185	234	751	204

LGK-974

NEW

ID: T2618



LGK-974 is a potent and specific PORCN inhibitor, and inhibits Wnt signaling with IC₅₀ of 0.4 nM in TM3 cells. Phase 1.

Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	122	197	357	551	832	194

Gamma-secretase

Gamma-secretase inhibitor

FLI-06

NEW

ID: T3075

FLI-06 is a novel inhibitor of Notch signaling with EC₅₀ of 2.3 μM.



Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	39	88	144	276	512	118


Hedgehog/Smoothened

Hedgehog/Smoothened inhibitor

GANT61

NEW

ID: T3070



cas: GANT61 is an inhibitor for GLI1 as well as GLI2-induced transcription, inhibits hedgehog with IC₅₀ of 5 μM in GLI1 expressing HEK293T cell, displays selectivity over other pathways, such as TNF and glucocorticoid receptor gene transactivation.

Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	40	78	119	250	449	89

Hedgehog/Smoothened Receptor antagonist

BMS-833923

NEW

ID: T2299



BMS-833923 is an orally bioavailable Smoothened antagonist. Phase 2.

Size	2mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	31	84	148	248	84

Vismodegib (GDC-0449)

NEW

ID: T2590




Vismodegib(GDC-0449) is a more potent novel and specific synthetic oral hedgehog pathway inhibitor with an IC₅₀ of 3 nM; also inhibits P-gp with IC₅₀ of 3.0 μM.

Size	5mg	10mg	50mg	1ml/10mM
Price(\$)	79	113	269	99

SANT-1

NEW

ID: T2450



SANT-1 directly binds to Smoothened (Smo) receptor with Kd of 1.2 nM and inhibits Smo agonist effects with IC₅₀ of 20 nM.

Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	85	133	244	402	99

Smoothened Agonist (SAG) HCl

NEW

ID: T1779




SAG is a potent Smoothened (Smo) receptor agonist (Kd =59nM); potently activates the Hedgehog signaling pathway in Shh-light 2 cells (EC₅₀~3 nM).

Size	1mg	5mg	10mg	25mg	1ml/10mM
Price(\$)	89	234	394	676	327

LDE225 (NVP-LDE225,Erismodegib)

NEW

ID: T1926




LDE225 (NVP-LDE225; Erismodegib) is a Smoothened (Smo) antagonist, inhibiting Hedgehog (Hh) signaling with IC₅₀ of 1.3 nM (mouse) and 2.5 nM (human), respectively.

Size	5mg	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	117	197	414	598	924	126

Taladegib (LY2940680)

NEW

ID: T2666




Taladegib (LY2940680) binds to the Smoothened (Smo) receptor and potently inhibits Hedgehog (Hh) signaling. Phase 1/2.

Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	122	222	345	579	877	234

Purmorphamine

NEW


ID: T1810



Purmorphamine, which directly binds and activates Smoothened, blocks BODIPY-cyclospamine binding to Smo with IC₅₀ of ~ 1.5 μM in HEK293T cell and also is an inducer of osteoblast differentiation with EC₅₀ of 1 μ M.

Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	124	234	427	643	123

Apoptosis




Bcl-2

Bcl-2 activator

Rasagiline

ID: T1119

Rasagiline is an irreversible inhibitor of monoamine oxidase and is used as a monotherapy in early Parkinson's disease or as an adjunct therapy in more advanced cases.




Size	2mg	10mg	50mg	1ml/10mM
Price(\$)	13	24	48	59

BAM7

NEW

ID: T2453



BAM 7 is a direct and selective activator of proapoptotic Bax with EC50 of 3.3 μ M.


Size	2mg	10mg	50mg	1ml/10mM
Price(\$)	61	115	401	112

Bcl-2 inhibitor

Docetaxel

ID: T1034


Docetaxel binds to microtubules reversibly with high affinity and has a maximum stoichiometry of one mole docetaxel per mole tubulin in microtubules.



Size	2mg	10mg	50mg	1ml/10mM
Price(\$)	24	58	197	80

Paclitaxel

ID: T0968



Paclitaxel is a novel antineoplastic agent, which was discovered in a screen of extracts of thousands of plants and natural products for antineoplastic activity by a National Cancer Institute program.


Size	2mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	24	58	119	197	80

Docetaxel trihydrate

ID: T0168


Docetaxel, an analog of taxol, is an inhibitor of depolymerisation of microtubules by binding to stabilized microtubules.

Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	39	90	256	460	86

**ABT-263 (Navytoclax)**

NEW

ID: T2101



ABT-263 (Navytoclax) is a potent inhibitor of Bcl-xL, Bcl-2 and Bcl-w with Ki of ≤ 0.5 nM, ≤ 1 nM and ≤ 1 nM in cell-free assays, but binds more weakly to Mcl-1 and A1. Phase 2.


Size	2mg	5mg	10mg	50mg	1ml/10mM
Price(\$)	80	123	217	790	164

A-1210477

NEW

ID: T2632

A-1210477 is a potent and selective MCL-1 and Bcl-2 inhibitor with Ki and IC50 of 0.454 nM and 26.2 nM, respectively, >100-fold selectivity over other Bcl-2 family members.



Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	80	123	222	408	714	148

Sapatin-1

NEW

ID: T1937



Sapatin-1 is a novel autophagy inhibitor, IM inhibited the growth of K562 cells with IC50 of 1.03 μ M. In contrast, co-treatment with Sapatin-1 increased IM-induced inhibition of cell viability with IC50 of 0.45 μ M.


Size	1mg	10mg	50mg	1ml/10mM
Price(\$)	82	161	305	119

ABT-737

NEW

ID: T2099

ABT-737 is a BH3 mimetic inhibitor of Bcl-xL, Bcl-2 and Bcl-w with EC50 of 78.7 nM, 30.3 nM and 197.8 nM in cell-free assays, respectively; no inhibition observed against Mcl-1, Bcl-B or Bfl-1. Phase 2.




Size	5mg	10mg	25mg	1ml/10mM
Price(\$)	137	203	345	136

ABT-199 (GDC-0199)

NEW

ID: T2119

Venetoclax (ABT-199, GDC-0199) is a Bcl-2-selective inhibitor with Ki of <0.01 nM in cell-free assays, >4800-fold more selective versus Bcl-xL and Bcl-w, and no activity to Mcl-1. Phase 3.




Size	5mg	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	223	357	604	877	1250	222

HA14-1

NEW

ID: T1980




HA14-1 is a non-peptidic ligand of a Bcl-2 surface pocket with IC50 of ~ 9 μ M.

Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	32	49	94	142	37

IAP**IAP inhibitor**

ID: T2080



LCL161, a SMAC mimetic, potently binds to and inhibits multiple IAPs (i.e. XIAP, c-IAP). Phase 2.


Size	5mg	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	91	123	209	395	572	90

p53**p53 activator**

Tenovin-6

NEW

ID: T1818



Tenovin-6 is a small molecule activator of p53 transcriptional activity.

Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	181	280	394	604	927	277

p53 inhibitor**Pifithrin- α**

NEW

ID: T2707




Pifithrin- α is an inhibitor of p53, inhibiting p53-dependent transactivation of p53-responsive genes.

Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	44	83	133	234	350	112

RITA (NSC 652287)

NEW

ID: T1798




RITA(NSC 652287) induced both DNA-protein and DNA-DNA cross-links with no detectable DNA single-strand breaks. RITA, a drug that, like nutlin-3, can disrupt the p53/Mdm2 interaction.

Size	1mg	2mg	5mg	10mg	50mg	1ml/10mM
Price(\$)	56	93	158	248	825	155

Tenovin-1

ID: T1919



NEW


Tenovin-1 protects against MDM2-mediated p53 degradation, which involves ubiquitination, and acts through inhibition of protein-deacetylating activities of SirT1 and SirT2.

Size	10mg	50mg	100mg	1ml/10mM
Price(\$)	58	181	345	44

PKD**PKD inhibitor****CID-2011756**

NEW

ID: T1863




CID-2011756 is a cell-active ATP competitive and specific PKD1 inhibitor that inhibits phorbol ester-induced endogenous PKD1 activation in LNCaP prostate cancer cells.

Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	69	122	222	424	69

CID755673

NEW

ID: T2458




Selective protein kinase D (PKD) inhibitor (IC_{50} values are 0.182, 0.280, 0.227, >10, 15.3, 20.3, 40.5 and >50 μ M at PKD1, PKD2, PKD3, PKC, CAK, PLK1, CAMKII α and Akt respectively).

Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	85	133	244	402	99

kb NB 142-70

NEW

ID: T2062




kb NB 142-70 is a selective protein kinase D (PKD) inhibitor (IC_{50} values are 28.3, 58.7 and 53.2 nM for PKD1, 2 and 3 respectively).

Size	1mg	5mg	10mg	25mg	100mg	1ml/10mM
Price(\$)	91	348	549	1061	1829	342

kb-NB77-78

NEW

ID: T1808



kb-NB77-78 is an analog of CID797718, which is a by-product of the synthesis of the parental compound, CID755673(PKD1 inhibitor).

Size	2mg	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	177	286	665	1097	1306	410

Mdm2**Mdm2 inhibitor****Nutlin-3**

ID: T2158



Nutlin-3 is MDM2 antagonist. Nutlin-3 inhibits the MDM2-p53 interaction (IC_{50} = 0.09 μ M) and activates p53. Antiproliferative agent; chemotherapeutic agent; induces apoptosis in cancer cells

Size	2mg	5mg	10mg	50mg	1ml/10mM
Price(\$)	71	96	167	450	133

NSC319726

NEW

ID: T2464


NSC319726 is a mutant p53R175 reactivator; inhibits growth of fibroblasts expressing the p53R175 mutation (IC_{50} = 8 nM); shows no inhibition for p53 wild-type cells.

Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	85	133	244	402	99

PERK**PERK inhibitor**

NEW

ID: GSK2656157




GSK2656157 is an ATP-competitive and highly selective inhibitor of PERK with IC_{50} of 0.9 nM in a cell-free assay, 500-fold greater against a panel of 300 kinases.

Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	44	83	133	234	350	84

GSK2606414

NEW

ID: T2614



GSK2606414 is an orally available, potent, and selective PERK inhibitor with IC_{50} of 0.4 nM, displaying at least 100-fold selectivity over the other EIF2AKs assayed.

Size	1mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	64	160	282	544	883	194

ISRB

NEW

ID: T2027

ISRB (trans-isomer), the trans-isomer of ISRIB, is a potent and selective PERK inhibitor with IC_{50} of 5 nM.

Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	86	133	219	443	801	204

Survivin

Survivin

YM155

NEW

ID: T2111

YM155 (Sepantronium bromide) is a novel small molecule survivin suppressant with an IC50 of 0.54 nM for the inhibition of survivin promoter activity.



Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	60	96	173	320	61

Caspase

Caspase activator

Cisplatin

ID: T1564




Cisplatin is an inorganic platinum complex, which is able to inhibit DNA synthesis by conforming DNA adducts in tumor cells.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

PAC1

NEW

ID: T2503



PAC-1 is a potent procaspase-3 activator with EC50 of 0.22 μ M and the first small molecule known to directly activate procaspase-3 to caspase-3.

Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	52	70	140	225	59

Apoptosis Activator 2

NEW

ID: T1772

Apoptosis Activator 2 is a potent apoptosis activator; increases procaspase-9 processing and subsequent caspase-3 activation.



Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	56	98	137	189	34

TNF-alpha

TNF-alpha inhibitor

Pomalidomide

ID: T2384

Pomalidomide inhibits LPS-induced TNF- α release with IC50 of 13 nM in PBMCs.



Size	5mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	60	96	277	450	64

Luteolin

ID: T1027

Luteolin is a flavone, a type of flavonoid. Like all flavonoids, it has a yellow crystalline appearance.



Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	24	43	133	234	27

Necrostatin-1

NEW

ID: T1847

Necrostatin-1 is a specific RIP1 inhibitor and inhibits TNF- α -induced necroptosis with EC50 of 490 nM.



Size	5mg	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	48	68	122	154	202	47

Lenalidomide (CC-5013)

ID: T1642

Lenalidomide (Revlimid, CC-5013) is a TNF- α secretion inhibitor with IC50 of 13nM.



Size	2mg	10mg	50mg	100mg	500mg	1ml/10mM
Price(\$)	52	86	115	185	432	47

Amrinone

ID: T1265



A positive inotropic cardiotonic (CARDIOTONIC AGENTS) with vasodilator properties, phosphodiesterase 3 inhibitory activity, and the ability to stimulate calcium ion influx into the cardiac cell.

Size	10mg	50mg	100mg	500mg	1ml/10mM
Price(\$)	13	24	42	74	27


Apoptosis inducer

iPSCs

NEW

Biomyfii

ID: T2065



biomyfii can act as a single agent to induce DR5 clustering and aggregation, leading to apoptosis

Size	1mg	5mg	10mg	50mg	1ml/10mM
Price(\$)	39	86	148	333	155

Methylisoindigotin

NEW


ID: T1882

Meisoindigo(Natura- α ; N-Methylisoindigotin, Dian III), a derivative of Indigo naturalis, might induce apoptosis and myeloid differentiation of acute myeloid leukemia (AML).



Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	123	185	270	493	850	55

Ubiquitination




DUB

Bcl-2 activator

PR-619

ID: T1862



PR-619 is a non-selective, reversible inhibitor of the deubiquitinylating enzymes (DUBs) with EC₅₀ of 1-20 μ M in a cell-free assay.

Size	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	93	137	257	422	70

P22077

ID: T2424

P22077 is an inhibitor of ubiquitin-specific protease USP7 with EC₅₀ of 8.6 μ M, also inhibits the closely related USP47.


Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	75	133	244	402	99

DUB inhibitor

NEW

ID: T1932


b-AP15(NSC687852) is a specific inhibitor of the deubiquitinating enzymes UCHL5 and Usp14 of the 26S proteasome. It blocks the deubiquitinating activity of the 26S proteasome.



Size	5mg	10mg	50mg	1ml/10mM
Price(\$)	66	101	317	66

LDN-57444

ID: T1924




LDN-57444 is a reversible, competitive proteasome inhibitor for Uch-L1 with IC₅₀ of 0.88 μ M, 28-fold selectivity over isoform Uch-L3.

Size	10mg	25mg	100mg	1ml/10mM
Price(\$)	109	248	576	83

ML323

ID: T1757




ML323 is a reversible, potent USP1-UAF1 inhibitor with IC₅₀ of 76 nM in a Ub-Rho assay and 174 nM and 820 nM in orthogonal gel-based assays using K63-linked diubiquitin (di-Ub) and monoubiquitinated PCNA (Ub-PCNA) as substrates, respectively.

Size	2mg	5mg	25mg	100mg	1ml/10mM
Price(\$)	82	137	534	927	135

E3 ligase**E3 ligase inhibitor****JNJ-26854165 (Serdemetan)****NEW**

ID: T2243


JNJ-26854165 (Serdemetan) acts as a HDM2 ubiquitin ligase antagonist and also induces early apoptosis in p53 wild-type cells, inhibits cellular proliferation followed by delayed apoptosis in the absence of functional p53. Phase 1.



Size	5mg	10mg	50mg	1ml/10mM
Price(\$)	59	93	334	66

Autophagy**Autophagy activator****Gemcitabine**

ID: T0251




Gemcitabine is a very potent and specific deoxycytidine analogue, used as chemotherapy.

Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	13	30	78	133	27

Autophagy inhibitor**Hydroxychloroquine sulfate**

ID: T0951


Hydroxychloroquine Sulfate is an antimalarial agent, also acts as an inhibitor of autophagy and toll-like receptor (TLR) 7/9.



Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	52	115	168	259	80

Pannexin**Pannexin inhibitor****Probenecid**


ID: T0457



The prototypical uricosuric agent. It inhibits the renal excretion of organic anions and reduces tubular reabsorption of urate.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Proteasome**Detailed product information is on page 5**



VEGFR

Detailed product information is on page 27

JAK

Detailed product information is on page 15

EGFR

Detailed product information is on page 23

PDGFR

Detailed product information is on page 29

HER2

Detailed product information is on page 30

FLT3

Detailed product information is on page 29

FGFR

Detailed product information is on page 26


BTK

BTK inhibitor

CC-292 (AVL-292)

NEW

ID: T2603




CC-292 (AVL-292) is a covalent, orally active, and highly selective BTK inhibitor with IC₅₀ of <0.5 nM, displaying at least 1400-fold selectivity over the other kinases assayed. Phase 1.

Size	1mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	51	133	231	402	610	194

CNX-774

NEW

ID: T2302



CNX-774 is an irreversible, orally active, and highly selective BTK inhibitor with IC₅₀ of <1 nM.

Size	5mg	10mg	50mg	1ml/10mM
Price(\$)	142	272	857	142

RN486

NEW

ID: T1976



RN486 is a potent and selective BTK inhibitor with IC₅₀ of 4 nM.

Size	1mg	5mg	25mg	1ml/10mM
Price(\$)	104	197	751	193

Ibrutinib (PCI-32765)

NEW

ID: T1835



PCI-32765(Ibrutinib) is a potent and highly selective Btk inhibitor with IC50 of 0.5 nM, modestly potent to Bmx, CSK, FGR, BRK, HCK, less potent to EGFR, Yes, ErbB2, JAK3, etc.

Size	5mg	10mg	50mg	100mg	1ml/10mM
------	-----	------	------	-------	----------

Price(\$)	74	113	422	1115	74
-----------	----	-----	-----	------	----

CGI1746

NEW

ID: T2472



CGI1746 is a potent and highly selective small-molecule inhibitor of the Btk with IC50 of 1.9 nM.

Size	5mg	10mg	50mg	100mg	1ml/10mM
------	-----	------	------	-------	----------

Price(\$)	183	317	840	1427	207
-----------	-----	-----	-----	------	-----

Bcr-Abl**Bcr-Abl inhibitor****Bosutinib (SKI-606)**

ID:T0152



Bosutinib is a Bcr-Abl kinase inhibitor for the treatment of Philadelphia chromosome-positive (Ph+) chronic myelogenous leukemia (CML). Compared to other tyrosine kinase inhibitors, it has a more favourable hematologic toxicity profile. FDA approved on September 4, 2012.

Size	2mg	10mg	20mg	50mg	1ml/10mM
------	-----	------	------	------	----------

Price(\$)	24	58	103	207	59
-----------	----	----	-----	-----	----

GNF-5

NEW

ID: T1803



GNF-5, an analogue of GNF-2 with improved pharmacokinetic properties, is a selective non-ATP competitive inhibitor of Bcr-Abl with an IC50 value of 0.22 ± 0.1 uM (Wild type Abl).


Size	10mg	25mg	50mg	100mg	1ml/10mM
------	------	------	------	-------	----------

Price(\$)	60	92	133	235	45
-----------	----	----	-----	-----	----

DCC-2036 (Rebastinib)

NEW

ID: T2640



DCC-2036 (Rebastinib) is a conformational control Bcr-Abl inhibitor for Ab1(WT) and Ab1(T315I) with IC50 of 0.8 nM and 4 nM, also inhibits SRC, LYN, FGR, HCK, KDR, FLT3, and Tie-2, and low activity to seen towards c-KIT. Phase 1.

Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
------	-----	-----	------	------	------	----------

Price(\$)	80	148	283	490	837	160
-----------	----	-----	-----	-----	-----	-----

KPT-330, (E)-RIN


NEW

ID: T1844

KPT-330 inhibited proliferation and induced cell cycle arrest and apoptosis-related proteins in 11 NSCLC cell lines.


Size	2mg	5mg	10mg	50mg	1ml/10mM
------	-----	-----	------	------	----------

Price(\$)	59	88	113	432	99
-----------	----	----	-----	-----	----

**PD-173955**

NEW

ID: T3063




PD173955 is a potent Bcr-Abl inhibitor with IC50 of 1-2 nM, also inhibiting Src activity with IC50 of 22 nM.

Size	1mg	5mg	10mg	25mg	50mg	1ml/10mM
------	-----	-----	------	------	------	----------

Price(\$)	59	146	246	388	580	141
-----------	----	-----	-----	-----	-----	-----

Nilotinib (AMN-107)

ID:T1524



Nilotinib, also known as AMN107, is a tyrosine kinase inhibitor under investigation as a possible treatment for chronic myelogenous leukemia (CML).


Size	5mg	25mg	100mg	1ml/10mM
------	-----	------	-------	----------

Price(\$)	25	58	162	39
-----------	----	----	-----	----

GZD824

NEW

ID:T3071



GZD824 Dimesylate is a novel orally bioavailable Bcr-Abl inhibitor for Bcr-Abl(WT) and Bcr-Abl(T315I) with IC50 of 0.34 nM and 0.68 nM, respectively.

Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
------	-----	-----	------	------	------	----------

Price(\$)	49	123	220	341	494	118
-----------	----	-----	-----	-----	-----	-----

GNF-2

NEW

ID: T1817



GNF-2 is a highly selective non-ATP competitive inhibitor of Bcr-Abl, shows no activity to Flt3-ITD, Tel-PDGFR, TPR-MET and Tel-JAK1 transformed tumor cells.


Size	5mg	10mg	25mg	50mg	1ml/10mM
------	-----	------	------	------	----------

Price(\$)	127	234	345	470	127
-----------	-----	-----	-----	-----	-----

GZD824 Dimesylate

NEW

ID: T2429



GZD824 Dimesylate is a novel orally bioavailable Bcr-Abl inhibitor for Bcr-Abl(WT) and Bcr-Abl(T315I) with IC50 of 0.34 nM and 0.68 nM, respectively.


Size	5mg	10mg	25mg	50mg	1ml/10mM
------	-----	------	------	------	----------

Price(\$)	133	255	694	169	
-----------	-----	-----	-----	-----	--

Radotinib

NEW

ID: T2328



Radotinib, and sometimes referred to by its investigational name IY5511, is a drug for the treatment of different types of cancer, most notably Philadelphia chromosome-positive (Ph+) chronic myeloid leukemia (CML)[1] with resistance or intolerance of other tyrosine kinase Bcr-Abl inhibitors

Size	1mg	5mg	10mg	50mg	1ml/10mM
Price(\$)	96	225	361	813	272

FAK**FAK inhibitor**

PF 431396

NEW

ID: T2314



PF-431396 is a dual PYK2/FAK inhibitor with IC50 of 11 nM and 2 nM, respectively.

Size	2mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	44	89	176	308	99

PF 573228

NEW

ID: T2001



PF-573228 is an ATP-competitive inhibitor of FAK with IC50 of 4 nM in a cell-free assay, ~50- to 250-fold selective for FAK than Pyk2, CDK1/7 and GSK-3 β .

Size	2mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	53	117	246	443	89

PND-1186

NEW

ID: T1950




PND-1186 (VS-4718) is a reversible and selective FAK inhibitor with IC50 of 1.5 nM. Phase 1.

Size	2mg	5mg	25mg	100mg	1ml/10mM
Price(\$)	95	137	463	901	135

GSK-2256098

NEW

ID: T2281



A small molecule FAK kinase inhibitor, GSK2256098, inhibits growth and survival of pancreatic ductal adenocarcinoma cells.

Size	1mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	101	222	340	601	913	279

Defactinib(VS-6063, PF-04554878)

NEW

ID: T1996




Defactinib (VS-6063, PF-04554878) is a selective, and orally active FAK inhibitor. Phase 2.

Size	5mg	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	101	160	234	357	506	101

TAE226 (NVP-TAE226)

NEW

ID: T1918




NVP-TAE226 is a potent FAK inhibitor with IC50 of 5.5 nM and modestly potent to Pyk2(IC50=3.5 nM); 10- to 100-fold less potent against InsR, IGF-1R, ALK, and c-Met.

Size	5mg	10mg	25mg	50mg	100m	1ml/10mM
Price(\$)	123	197	431	751	1396	142

PF-562271

NEW

ID: T2465




PF-562271 is a potent, ATP-competitive, reversible inhibitor of FAK with IC50 of 1.5 nM in cell-free assays, ~10-fold less potent for Pyk2 than FAK and >100-fold selectivity against other protein kinases, except for some CDKs.

Size	5mg	10mg	50mg	1ml/10mM
Price(\$)	133	255	694	169

RAAS**RAAS inhibitor****Irbesartan**

ID: T1615



Irbesartan is an angiotensin receptor blocker (ARB) used mainly for the treatment of hypertension.


Size	2mg	10mg	50mg	1ml/10mM
Price(\$)	36	78	207	59

Src**Src inhibitor**

NEW

WH-4-023

ID: T1811




WH-4-023 is a potent and orally active Lck/Src inhibitor with IC50 of 2 nM and 6 nM in cell-free assays, respectively.

Size	2mg	5mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	67	106	160	456	776	135

Dasatinib

ID: T1448



Dasatinib is an oral dual BCR/ABL and Src family tyrosine kinase inhibitor approved for use in patients with chronic myelogenous leukemia (CML). The main targets of Dasatinib, are BCRABL, SRC, Ephrins and GFR.

Size	1mg	5mg	10mg	50mg	1ml/10mM
Price(\$)	24	80	133	333	84

1NM-PP1

NEW

ID:T2153



1NM-PP1(PP1 Analog II) is a cell-permeable PP1 analog that acts as a potent and selective inhibitor of mutant kinases over their wild-type progenitors(IC₅₀=28 uM vSrc; 4.2 nM v-Src-as1 I338G).

Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	71	96	145	432	133	

KX1-004

NEW

ID:T1812

KX1-004 is a potent small molecule inhibitor of Src-PTK as a potential protective drug for NIHIL.



Size	2mg	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	177	286	665	1097	1306	256

Syk**Syk inhibitor****PRT062607(P505-15, BIIB057) HCl**

NEW

ID:T2696

PRT062607 (P505-15, BIIB057) HCl is a novel, highly selective Syk inhibitor with IC₅₀ of 1 nM in cell-free assays, >80-fold selective for Syk than Fgr, Lyn, FAK, Pyk2 and Zap70.



Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	71	127	247	394	708	157

Piceatannol

ID:T0610



Anti-inflammatory, immunomodulatory and antiproliferative agent. Inhibits p56lck and syk protein tyrosine kinases and inhibits TNF-induced NF- κ B activation and gene expression.

Size	1mg	5mg	25mg
Price(\$)	59	117	220

R788 (Fostamatinib) Disodium

ID:T2605

R788 (Fostamatinib) disodium, a prodrug of the active metabolite R406, is a Syk inhibitor with IC₅₀ of 41 nM in a cell-free assay, strongly inhibits Syk but not Lyn, 5-fold less potent to Flt3. Phase 3.




Size	1mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	49	137	259	505	776	148

R406

NEW

ID: T2467



R406 (free base) is a potent Syk inhibitor with IC₅₀ of 41 nM in a cell-free assay, strongly inhibits Syk but not Lyn, 5-fold less potent to Flt3. Phase 1.

Size	5mg	10mg	50mg	1ml/10mM
Price(\$)	122	207	657	133

Egr-1**Egr-1 inhibitor****Sanguinarine chloride**

ID:T0129

Sanguinarine-containing mouthwashes are marketed as anti-plaque and anti-malodor.



Size	2mg	5mg	10mg	1ml/10mM
Price(\$)	49	84	145	99

TXA2**TXA2 receptor antagonist****Seratrodast**

ID:T0212

Seratrodast (INN) is a thromboxane A2 (TXA2) receptor (TP receptor) antagonist used primarily in the treatment of asthma.



Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	36	57	94	162	47

Ramatroban

ID:T2396

Ramatroban (BAY u 3405) is a thromboxane A2 (TxA2) antagonist marketed for allergic rhinitis.



Size	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	73	148	244	422	84

Triflusil

ID:T0705



Triflusil is a platelet aggregation inhibitor that was discovered and developed in the Uriach Laboratories, and commercialised in Spain since 1981. Currently, it is available in 25 countries in Europe, Asia, Africa and America. It is a drug of the salicylate family but it is not a derivative of ethylsalicylic acid (ASA).

Size	5mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	58	88	168	294	56

AGTR**AGTR antagonist****Losartan potassium****ID: T0215**

Losartan is an angiotensin II receptor antagonist, competes with the binding of angiotensin II to AT1 receptors with IC50 of 20 nM.




Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	13	30	78	133	27

Azilsartan**ID: T1057**

Azilsartan medoxomil is an angiotensin II receptor antagonist indicated for the treatment of mild to moderate essential hypertension.



Size	2mg	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	36	88	133	222	382	69

Thrombin**Thrombin inhibitor****Dabigatran etexilate****ID: T0389**


Dabigatran Etexilate is the prodrug of dabigatran, a potent, nonpeptidic small molecule that specifically and reversibly inhibits both free and clot-bound thrombin by binding to the active site of the thrombin molecule.

Size	2mg	5mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	70	123	208	416	708	56

Plasminogen**Amstat****ID: T0949**

Tranexamic acid is an Antifibrinolytic Agent. The physiologic effect of tranexamic acid is by means of Decreased Fibrinolysis.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Plasminogen activator**6-Aminocaproic acid****ID: T0881**

(6-) ε -Aminocaproic acid is a derivative and analogue of the amino acid lysine. Aminocaproic acid is an Antifibrinolytic Agent.

Size	2mg	10mg	50mg	1ml/10mM
Price(\$)	24	58	162	39

Prothrombin**Prothrombin inhibitor****Argatroban****ID: T0155**

Argatroban is a direct, selective thrombin inhibitor.




Size	2mg	10mg	20mg	50mg	1ml/10mM
Price(\$)	36	73	115	207	59

Thrombopoiesis**Etamsylate****ID: T0002**

Ethamsylate is a haemostatic drug, which inhibits biosynthesis and action of prostaglandins, and increases capillary endothelial resistance as and platelet adhesion.



Size	2mg	10mg	50mg	500mg	1ml/10mM
Price(\$)	13	30	78	122	27

Thrombopoietin receptor**Thrombopoietin receptor agonist****Eltrombopag****NEW****ID: T2562**

Eltrombopag is an orally active thrombopoietin receptor agonist with megakaryopoiesis stimulating activity.

Size	5mg	10mg	50mg	1ml/10mM
Price(\$)	49	80	231	84


Antiplatelet aggregation**Antiplatelet aggregation inhibitor****Sulcoxitil****ID: T0712**

A peripheral vasodilator that was formerly used in the management of peripheral and cerebral vascular disorders.



Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Immunology/Inflammation



CCR

CCR inhibitor

ZK-811752, BX-471

NEW

ID: T2375

BX471 is a potent, selective non-peptide CCR1 antagonist (Ki = 1 nM for human CCR1); exhibits 250-fold selectivity for CCR1 over CCR2, CCR5 and CXCR4.

Size	5mg	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	101	170	370	640	1121	136

NF- κ B

NF- κ B

Acetylcysteine

ID: T0875



Acetylcysteine is used mainly as a mucolytic, protects against acetaminophen overdose-induced hepatotoxicity by maintaining or restoring hepatic concentrations of glutathione.

Size	2mg	10mg	50mg	1ml/10mM
Price(\$)	24	58	162	39

NF- κ B antagonist

Acetylsalicylic acid

ID: T0005



Aspirin (Acetylsalicylic acid) is a potent and selective inhibitor of cyclooxygenase (COX) with a broad range of pharmacological activities including anti-inflammation and pain relief.


Size	10mg	50mg	200mg	1g	1ml/10mM
Price(\$)	42	78	157	357	30

NF- κ B inhibitor

Dimethyl fumarate

ID: T0492

Dimethyl fumarate is an anti-inflammatory drug.



Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Mesalamine

ID: T0646



An anti-inflammatory agent, structurally related to the SALICYLATES, which is active in INFLAMMATORY BOWEL DISEASE.

Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	13	30	78	122	27

NF-κB/IκB/IKK

Sodium salicylate

ID: T0335



A non-steroidal anti-inflammatory agent that is less effective than equal doses of ASPIRIN in relieving pain and reducing fever.

Size	2mg	10mg	50mg	200mg	1g	1ml/10mM
Price(\$)	13	30	78	133	244	27

Sulfasalazine

ID: T0907


A drug that is used in the management of inflammatory bowel diseases.



Size	2mg	10mg	50mg	200mg	1g	1ml/10mM
Price(\$)	13	30	78	153	27	

Curcumin

ID: T1516



A yellow-orange dye obtained from turmeric, the powdered root of CURCUMA longa.

Size	5mg	10mg	20mg	100mg	250mg
Price(\$)	24	43	67	177	329

Auranofin

ID: T1303

An oral chrysotherapeutic agent for the treatment of rheumatoid arthritis.



Size	10mg	50mg	100mg	1g	1ml/10mM
Price(\$)	31	78	120	260	39

Thalidomide

ID: T0213



A piperidinyl isoindole originally introduced as a non-barbiturate hypnotic, but withdrawn from the market due to teratogenic effects.

Size	2mg	10mg	50mg	200mg	1g	1ml/10mM
Price(\$)	36	57	94	162	47	

Bengenin

ID: T0122

Bengenin monohydrate is an isocoumarin isolated from various medicinal plants. Shows mild anti-HIV activity, antihepatotoxic activity and antilulcer activity.



Size	2mg	10mg	25mg	50mg	1g	1ml/10mM
Price(\$)	58	133	244	439	112	

JSH-23

NEW

ID: T1930

JSH-23 is an inhibitor of NF-κB transcriptional activity with IC50 of 7.1 μ M.



Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	124	178	409	123	

IκB/IKK**IκB/IKK inhibitor**

NEW

ID: T1934

BAY 11-7085 is an irreversible inhibitor of TNF α-induced IκB α phosphorylation with IC50 of 10 μ M.




Size	2mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	44	92	218	385	70

BAY 11-7082

NEW

ID: T1902



BAY 11-7082 is a NF-κB inhibitor, inhibits TNF α-induced IκB α phosphorylation with IC50 of 10 μ M in tumor cells. Also inhibiting components of the ubiquitin system.


Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	52	86	152	248	65

WS3

NEW

ID: T2055

WS3 is a β cell proliferation inducer via modulation of Erb3 binding protein-1 (EBP1) and the IκB kinase pathway.




Size	5mg	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	74	120	246	432	776	99

LY2409881 triHCl

NEW

ID: T2081

LY2409881 trihydrochloride is a novel selective inhibitor of IKK2 with IC50 of 30 nM; IC50 for IKK1 and other common kinases is at least one log higher.




Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	79	117	197	357	628	117

WS6

NEW

ID: T2106

WS6 is a β cell proliferation inducer via modulation of Erb3 binding protein-1 (EBP1) and the IκB kinase pathway.



Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	84	113	202	338	83

SC-514**NEW**

ID: T2118



SC-514 is an orally active, ATP-competitive IKK-2 inhibitor with IC₅₀ of 3-12 μM, blocks NF- κ B-dependent gene expression, does not inhibit other IKK isoforms or other serine-threonine and tyrosine kinases.

Size	1mg	10mg	50mg	1ml/10mM
Price(\$)	39	62	223	46

ROS**ROS****Pentoxifylline**

ID: T0070

Pentoxifylline modulates immunologic activity by stimulating cytokine production.



Size	10mg	25mg	100mg	250mg	1ml/10mM
Price(\$)	12	15	24	42	27

4-Aminophenol

ID: T0648



4-Aminophenol (or para-aminophenol or p-aminophenol) is the organic compound with the formula H₂NC₆H₄OH.

Size	5mg	25mg	250mg	500mg	1ml/10mM
Price(\$)	13	24	57	133	27

Hydroquinone

ID: T0673

Hydroquinone is a Melanin Synthesis Inhibitor.



Size	5mg	25mg	250mg	500mg	1ml/10mM
Price(\$)	13	24	57	133	27

7-Hydroxycoumarin**NEW**

ID: T1693



It is a widespread natural product of the coumarin family. It has been reported to have antioxidant properties.

Size	5mg	25mg	100mg	1ml/10mM
Price(\$)	13	25	49	27

BHT FCC/NF**NEW**

ID: T0935

BHT is also used as an antioxidant additive in such diverse products as cosmetics, pharmaceuticals, rubber, electrical transformer oil.



Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Rebamipide**NEW**

ID: T1562



Rebamipide, an amino acid derivative of 2-(1H)-quinolinone, is used for mucosal protection, healing of gastroduodenal ulcers, and treatment of gastritis. It works by enhancing mucosal defense, scavenging free radicals, and temporarily activating genes encoding cyclooxygenase-2.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

2-Isopropylphenol**NEW**

ID: T0656

2-Isopropylphenol has antioxidant property.



Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Sodium 4-Aminosalicylate Dihydrate**NEW**

ID: T0020

Sodium 4-Aminosalicylate is an antibiotic used to treat tuberculosis via NF- κ B inhibition and free radical scavenging.



Size	2mg	10mg	50mg	500mg	1ml/10mM
Price(\$)	13	30	78	122	27

Edaravone**NEW**

ID: T0407




A radical scavenger and antioxidant which is able to protect against the effects of ischemia, probably by inhibiting the lipoxygenase system.

Size	2mg	10mg	50mg	100mg	500mg	1ml/10mM
Price(\$)	13	30	78	133	244	27

Benzoyl peroxide**NEW**

ID: T0764



A peroxide derivative that has been used topically for BURNS and as a dermatologic agent in the treatment of ACNE and POISON IVY DERMATITIS.

Size	5mg	25mg	100mg	250mg	1ml/10mM
Price(\$)	13	31	56	105	27

Leucobasal**NEW**

ID: T0501



Mequinol is a Skin Lightening Agent. The mechanism of action of mequinol is as a Melanin Synthesis Inhibitor. The physiologic effect of mequinol is by means of Depigmenting Activity, from FDA Pharm Classes

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Sodium erythorbate

NEW

ID: T0590

Almost odorless fluffy, white to off-white crystalline powder. Used as an antioxidant and preservative.



Size	5mg	50mg	100mg	1g	1ml/10mM
Price(\$)	13	49	88	167	57

Trolox

NEW

ID: T1710



It is an antioxidant like vitamin E and it is used in biological or biochemical applications to reduce oxidative stress or damage.

Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Myricetin

NEW

ID: T0579



Dihydromyricetin is frequently sold as a supplement and has controversial function as a partial GABAA receptor potentiator and treatment in Alcohol Use Disorder (AUD).

Size	5mg	50mg	100mg	1ml/10mM
Price(\$)	27	49	88	57

Idebenone

NEW

ID: T0412




Idebenone is a synthetic analog of coenzyme Q10 (CoQ10) and a brain stimulant.

Size	5mg	20mg	100mg	1ml/10mM
Price(\$)	38	78	282	27

Cianidanol

NEW

ID: T0822



Catechin is a flavan-3-ol, a type of natural phenol and antioxidant. It is a plant secondary metabolite. It belongs to the group of flavan-3-ols (or simply flavanols), part of the chemical family of flavonoids.

Size	1mg	5mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	46	110	192	442	776	56

TLR**TLR agonist****Imiquimod**

ID: T0134

Imiquimod is an immune response modifier that acts as a toll-like receptor 7 agonist.




Size	5mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	13	24	42	78	27

Thioredoxin-1

NEW

PX-12

ID: T2283




PX-12(IV-2) is an irreversible inhibitor of Thioredoxin-1(Trx-1) currently in clinical development as an antitumor agent; IC50=7 μM in Hela, MTT assay, 72 h.

Size	5mg	10mg	50mg	1ml/10mM
Price(\$)	58	89	328	80

CysLTR**CysLTR antagonist****Pranlukast**

ID: T0694




Pranlukast is a cysteinyl leukotriene receptor-1 antagonist. It antagonizes or reduces bronchospasm caused, principally in asthmatics, by an allergic reaction to accidentally or inadvertently encountered allergens.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Montelukast

ID: T1677



Montelukast blocks the action of leukotriene D4 on the cysteinyl leukotriene receptor CysLT1 in the lungs and bronchial tubes by binding to it.

Size	5mg	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	24	42	83	133	203	56

NOS**NOS activator****Pramiracetam**

ID: T0183



Pramiracetam is a more potent nootropic drug derived from piracetam. Pramiracetam reportedly improved cognitive deficits associated with traumatic brain injuries. Pramiracetam was also effective in the treatment of cognitive disorders of cerebrovascular and traumatic origins.

Size	5mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	47	77	120	201	59

eIF-2 α **eIF-2 α inhibitor****Sal003**

NEW

ID: T2417Sal003 is a potent and cell-permeable eIF-2 α phosphatase inhibitor.

Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	85	133	244	402	99

eIF4E/eIF4G**eIF4E/eIF4G****4EGI-1**

NEW

ID: T26654EGI-1 is a competitive eIF4E/eIF4G interaction inhibitor by binding to eIF4E with KD of 25 μ M.

Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	52	107	178	311	569	112

eIF4E/eIF4G inhibitor**4E1rcat**


NEW

ID: T17424E1RCat is a dual inhibitor of eIF4E; eIF4G and eIF4E-4E-BP1 interaction, and inhibits the binding of eIF4G to eIF4E with IC50 of 3.2 μ M.

Size	5mg	10mg	20mg	50mg	1ml/10mM
Price(\$)	91	128	197	462	157

iNOS**iNOS inhibitor****Aminoguanidine HCl****ID: T0358**


Amodiaquine, a 4-aminoquinoline compound related to chloroquine, is used as an antimalarial and anti-inflammatory agent.



Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

MRP**MRP inhibitor****Cholesterol****ID: T0760**

The principal sterol of all higher animals, distributed in body tissues, especially the brain and spinal cord, and in animal fats and oils.




Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Clarithromycin**ID: T1434**

A semisynthetic macrolide antibiotic derived from ERYTHROMYCIN that is active against a variety of microorganisms.



Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27


Reserpine**ID: T0791**

An alkaloid found in the roots of Rauwolfa serpentina and R. vomitoria. Reserpine inhibits the uptake of norepinephrine into storage vesicles resulting in depletion of catecholamines and serotonin from central and peripheral axon terminals.


Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Cyclosporin A**ID: T0945**

Cyclosporin A is an immunosuppressive agent, binds to the cyclophilin and then inhibits calcineurin with IC50 of 7 nM, widely used in organ transplantation to prevent rejection.



Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Gramicidin**ID: T1130**

A group of peptide antibiotics from BACILLUS brevis. Gramicidin C or S is a cyclic, ten-amino acid polypeptide and gramicidins A, B, D are linear.

Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	24	42	83	133	244	84

Sulfinopyrazone

ID: T0435



A uricosuric drug that is used to reduce the serum urate levels in gout therapy. It lacks anti-inflammatory, analgesic, and diuretic properties.

Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Propafenone

ID: T0866

An antiarrhythmia agent that is particularly effective in ventricular arrhythmias.



Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Fluoxetine

ID: T0450




The first highly specific serotonin uptake inhibitor. It is used as an antidepressant and often has a more acceptable side-effects profile than traditional antidepressants.

Size	10mg	50mg	100mg	500mg	1ml/10mM
Price(\$)	24	59	90	273	27

HNF**HNF activator****Benfluorex HCl**

ID: T0919

Benfluorex is an anorectic and hypolipidemic agent that is structurally related to fenfluramine.




Size	5mg	25mg	100mg	500mg	1ml/10mM
Price(\$)	13	33	80	197	27

PIKfyve**PIKfyve inhibitor**

APY0201

NEW

ID: T2061




APY0201 is a potent, highly selective, ATP-competitive PIKfyve inhibitor ($IC_{50}=5.2\text{ nM}$) that interrupts the conversion of phosphatidylinositol 3-phosphate (PtdIns3P) to PtdIns(3,5)P₂; a unique small molecular IL-12/23 production inhibitor.

Size	5mg	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	159	246	419	751	1212	158

IL receptor**IL receptor****Diacerein**

ID: T1273



Diacerein is an inhibitor of pro-inflammatory cytokine Interleukin-1B (IL-1B) production, prescribed for osteoarthritis and chronic inflammatory arthritis.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Bornyl acetate

ID: T1246



Bornyl acetate is the main volatile constituent in numerous conifer oils and some Chinese traditional herbs, which has displayed an anti-inflammatory effect before.

Size	5mg	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	24	42	83	133	203	56

IL receptor antagonist**2-Benzothiazolamine**

ID: T1347




2-Aminobenzothiazole is an organic compound.

Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

IL receptor antagonist**Apilimod**

NEW

ID: T2018




Apilimod inhibits the production of IL-12 and IL-23 and reduces dendritic cell infiltration in psoriasis.

Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	112	185	357	579	50

PGE**PGE inhibitor****Bupivacaine HCl**

ID: T0030



Bupivacaine HCl binds to the intracellular portion of voltage-gated sodium channels and blocks sodium influx into nerve cells, used for treating cardiac arrhythmias. Bupivacaine Hydrochloride is a local anaesthetic drug belonging to the amino amide group.

Size	2mg	10mg	50mg	500mg	1ml/10mM
Price(\$)	13	30	78	122	27

PGE receptor


PGE receptor agonist

Matatoprost

NEW

ID: T2538

Matatoprost is a prostaglandin analog used topically (as eye drops) to control the progression of glaucoma and in the management of ocular hypertension.



Size	1mg	5mg	10mg	50mg	1ml/10mM
Price(\$)	56	133	231	682	133


PGE Synthase

PGE synthase inhibitor

hPGDS-IN-1

NEW

ID: T2681



hPGDS-IN-1 is a hPGDS inhibitor ,with IC50 of 12 nM in the Fluorescence Polarization Assay or the ELA assay.

Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	122	222	345	579	877	234

hPGDS-inhibitor-1

NEW

ID: T1804

HPGDS inhibitor 1 is a novel and selective Hematopoietic Prostaglandin D Synthase (HPGDS) inhibitor with an IC50 Value of 0.7 nM.



Size	5mg	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	189	333	554	924	1434	208

Pranoprofen

ID: T0159

Pranoprofen is a PGE2 inhibitor with IC50 of 7.5 μ M.




Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	13	30	78	145	27

Protein S100

Protein S100 antagonist

Amlexanox

ID: T1639



Amlexanox is an antiallergic drug, clinically effective for atopic diseases, especially allergic asthma and rhinitis.

Size	5mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	25	76	133	234	40

TGF-beta/Smad

TGF-beta/Smad activator

Kartogenin

NEW

ID: T1748

Kartogenin is an activator of the smad4-smad5 pathway, and promotes the selective differentiation of multipotent mesenchymal stem cells into chondrocytes.



Size	5mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	60	92	320	579	84

TGF-beta/Smad inhibitor

LY-364947

NEW

ID: T2048

LY364947 is a potent ATP-competitive inhibitor of TGF β R-I with IC50 of 59 nM in a cell-free assay, shows 7-fold selectivity over TGF β R-II.




Size	1mg	5mg	10mg	50mg	1ml/10mM
Price(\$)	33	62	106	304	60

LY2109761

NEW

ID: T2123



LY2109761 is a novel selective TGF- β receptor type I/II (T β RI/II) dual inhibitor with Ki of 38 nM and 300 nM, respectively; shown to negatively affect the phosphorylation of Smad2.

Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	223	338	541	832	222

Pirfenidone

ID: T2386




Pirfenidone is an inhibitor for TGF- β production and TGF- β stimulated collagen production, reduces production of TNF- α and IL-1 β , and also has anti-fibrotic and anti-inflammatory properties. Phase 3.

Size	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	58	123	231	419	99

Galunisertib (LY2157299)

NEW

ID: T2510



Galunisertib is an orally available, small molecule antagonist of the tyrosine kinase transforming growth factor-beta (TGF- β) receptor type 1 (TGFBR1), with potential antineoplastic activity.

Size	5mg	10mg	50mg	1ml/10mM
Price(\$)	73	133	341	99

ITD-1**NEW****ID: T2273**

ITD-1 is an inducer of TGF_beta_type II receptor degradation-1, is a potent and highly selective TGF_beta_pathway inhibitor ($\text{IC}_{50} = 0.85 \mu\text{M}$).



Size	5mg	10mg	50mg	1ml/10mM
Price(\$)	100	133	437	99

Hesperetin**ID: T2565**

Hesperetin is a bioflavonoid and, to be more specific, a flavanone.



Size	2mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	44	69	112	191	59

Anti-inflammation**Actarit****ID: T0310**

Actarit is an anti-inflammatory drug developed in Japan for use in rheumatoid arthritis



Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Cepharanthine**ID: T0131**

Cepharanthine is a bisoclaurine alkaloid inhibiting tumor necrosis factor (TNF)- α -mediated NF κ B stimulation, plasma membrane lipid peroxidation and platelet aggregation and suppressing cytokine production.



Size	5mg	10mg	20mg	100mg	250mg	1ml/10mM
Price(\$)	24	43	67	177	329	55

Geniposidic Acid**ID: T2136**

Geniposidic acid is an iridoid glucoside, used to treat inflammation, jaundice and hepatic disorders.



Size	5mg	10mg	20mg	100mg	250mg
Price(\$)	24	43	67	177	329

Immunologic Factors**Immunologic Factors****Fluorescein****ID: T1392**

A phthalic indicator dye that appears yellow-green in normal tear film and bright green in a more alkaline medium such as the aqueous humor, used as a diagnostic aid in corneal injuries and corneal trauma.

Size	5mg	25mg	100mg	250mg	1g	1ml/10mM
Price(\$)	13	27	56	92	185	27

Pidotimod**ID: T1532**

Pidotimod is an immunostimulant.



Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

4-Hydroxy-3-nitrophenylacetic acid**ID: T1706**

It is a small molecular drug, active to Ig heavy chain V-I region and Ig gamma-2 chain C region.



Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56


GIT 27**NEW****ID: T1813**

VGX-1027(GIT27) is an isoxazole compound that exhibits various immunomodulatory properties; reduce the secretion of IL-1beta, TNF-alpha and IL-10 from purified murine macrophages.



Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	52	91	172	331	69

Membrane Transporter/Ion Channel




ATPase

ATPase

Digoxin

ID: T1194

Digoxin has positive inotropic and negative chronotropic activity.



Size	10mg	50mg	100mg	500mg	1ml/10mL
Price(\$)	24	42	78	153	27

Diazoxide

ID: T0126


A benzothiadiazine derivative that is a peripheral vasodilator used for hypertensive emergencies.



Size	2mg	5mg	10mg	50mg	1ml/10mL
Price(\$)	59	88	113	432	99

Trichlormethiazide

ID: T0114




Trichlormethiazide is a thiazide diuretic with properties similar to those of hydrochlorothiazide. It is usually administered for the treatment of oedema (including that which is associated with heart failure, hepatic cirrhosis and corticosteroid therapy) and hypertension.

Size	5mg	10mg	50mg	100mg	1ml/10mL
Price(\$)	24	42	78	133	39

Lanatoside C

ID: T1670



Lanatoside C is a cardiac glycoside, a type of drug that can be used in the treatment of congestive heart failure and cardiac arrhythmia (irregular heartbeat). Lanatoside C can be used orally or by the intravenous route.

Size	2mg	5mg	10mg	25mg	50mg	1ml/10mL
Price(\$)	24	42	83	133	203	84

Digoxigenin**ID: T0282**

Digoxigenin is a hapten, a small molecule with high antigenicity, that is used in many molecular biology applications, as an alternative probe labeling for *in situ* hybridization



Size 1mg

Price(\$) 24

Ouabain octahydrate**ID: T1318**

Ouabain, A cardioactive glycoside consisting of rhamnose and ouabagenin, obtained from the seeds of *Strophanthus gratus* and other plants of the Apocynaceae; used like digitalis. It is commonly used in cell biological studies as an inhibitor of the Na-K(+) -exchanging ATPase.

Size 2mg 10mg 50mg 100mg 1ml/10mM

Price(\$) 36 83 160 283 84

Ciclopirox**ID: T1482**

Ciclopirox olamine (used in preparations called Batrafen, Loprox, Mycoster, Penlac and Stieprox) is a synthetic antifungal agent for topical dermatologic treatment of superficial mycoses. It is most useful against *Tinea versicolor*.

Size 5mg 25mg 100mg 200mg 1ml/10mM

Price(\$) 41 95 197 357 56

Digitoxigenin**ID: T2226**

Digitoxigenin is cardenolide, obtained especially by hydrolysis of digitoxin (refluxing digitoxin in a mixture of water, alcohol, and hydrochloric acid), which is the aglycon of digitoxin.



Size 1mg 2mg 5mg

Price(\$) 49 85 133

Revaprazan HCl**ID: T2405**

Revaprazan Hydrochloride is the hydrochloride salt form of a lipophilic, weak base with potassium-competitive acid blocking (P-CAB) activity. Revaprazan concentrates highly in the gastric parietal cell canalculus and on entering this acidic environment is instantly protonated and binds competitively and reversibly to the potassium binding site of the proton pump hydrogen-potassium adenosine triphosphatase (H+/K⁺ ATPase), thereby inhibiting the pump's activity and the parietal cell secretion of H⁺ ions into the gastric lumen, the final step in gastric acid production.

Size 2mg 5mg 10mg 50mg 1ml/10mM

Price(\$) 59 88 113 432 99

ATPase activator**Omecamtiv mecarbil (CK-1827452)**

NEW

ID: T2006

Omecamtiv mecarbil (CK-1827452) is the first potent cardiac myosin activator that can specifically activate the cardiac myosin S1 domain but not other muscle myosins. In clinical trials, omecamtiv mecarbil has been considered as a promising therapeutic approach to treat systolic heart failure1.

Size 5mg 10mg 25mg 50mg 1ml/10mM

Price(\$) 133 234 456 765 142

ATPase inhibitor**Ciclopirox ethanolamine****ID: T1114**

Ciclopirox ethanolamine (Ciclopirox olamine, HOE 296) is a broad-spectrum antifungal agent working as an iron chelator.

Size 2mg 10mg 50mg 200mg 1ml/10mM

Price(\$) 13 30 78 122 27

Rostafuroxin(PST 2238)

NEW

ID: T2621

A novel antihypertensive agent, rostafuroxin (PST2238), has been selected and developed for its ability to correct the renal Na(+)-K(+) pump abnormalities sustained by the mutant adducin and EO-dependent mechanisms.

Size 1mg 5mg 10mg 25mg 50mg 1ml/10mM

Price(\$) 42 92 148 308 555 99

Bufalin**ID: T1719**

Bufalin is an active ingredient and one of the glycosides in the traditional Chinese medicine ChanSu; it is also a bufadienolide toxin originally isolated from the venom of the Chinese toad Bufo gargarizans, with potential cardiotonic and antineoplastic activity. Although the mechanism of action of bufalin is still under investigation, this agent is a specific Na⁺/K⁺-ATPase inhibitor and can induce apoptosis in cancer cell lines through the activation of the transcription factor AP-1 via a mitogen activated protein kinase (MAPK) pathway.

Size 2mg 5mg 10mg 1ml/10mM

Price(\$) 59 88 113 84

Etidronate**ID: T0308**

Etidronate (Didronel) is a human protein tyrosine phosphatase inhibitor.

Size 2mg 10mg 50mg 100mg 1ml/10mM

Price(\$) 13 30 78 133 27

CFTR**CFTR activator****Ivacaftor (VX-770)**

ID: T2588

NEW



Ivacaftor (VX-770) is a potentiator of CFTR targeting G551D-CFTR and F508del-CFTR with EC₅₀ of 100 nM and 25 nM in fisher rat thyroid cells, respectively.

Size	2mg	10mg	50mg	1ml/10mM
Price(\$)	133	231	585	145

CFTR inhibitor**Ataluren (PTC124)**

NEW

ID: T1805




PTC124 (Ataluren) selectively induces ribosomal read-through of premature but not normal termination codons, with EC₅₀ of 0.1 μM, may provide treatment for genetic disorders caused by nonsense mutations (e.g. CF caused by CFTR nonsense mutation).

Size	2mg	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	40	61	120	191	304	46

IOWH-032

NEW

ID: T2486




IOWH032 is a synthetic CFTR inhibitor with IC₅₀ of 1.01 μ M in CHO-CFTR cell based assays. Phase 2.

Size	2mg	10mg	50mg	1ml/10mM
Price(\$)	44	80	224	84

CFTRinh-172

NEW

ID: T2355



CFTRinh-172 is a voltage-independent, selective CFTR inhibitor with Ki of 300 nM, showing no effects on MDR1, ATP-sensitive K⁺ channels, or a series of other transporters.

Size	2mg	10mg	50mg	1ml/10mM
Price(\$)	59	112	334	110

GlyH-101

NEW

ID: T2451

GlyH-101 is a cell-permeable glycylin hydrazine compound that blocks CFTR with Ki of 1.4 μM.

Size	2mg	5mg	10mg	50mg	1ml/10mM
Price(\$)	85	133	244	645	145

PPQ-102

NEW

ID: T1874

PPQ-102 is a potent CFTR inhibitor which can completely inhibited CFTR chloride current with IC₅₀ approximately 90 nM.



Size	2mg	10mg	50mg	1ml/10mM
Price(\$)	116	200	457	148

CFTR modulator**VX661**

NEW

ID: T2263

VX-661 is a second F508del CFTR corrector and is believed to help CFTR protein reach the cell surface. Phase 2.



Size	2mg	5mg	10mg	25mg	1ml/10mM
Price(\$)	123	185	296	530	222

Lumacaftor(VX 809)

NEW

ID: T2595



VX-809 (Lumacaftor) acts to correct CFTR mutations common in cystic fibrosis by increasing mutant CFTR maturation,EC₅₀ of 0.1 μ M in fisher rat thyroid cells. Phase 3.

Size	5mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	133	219	549	961	145

CRM1**CRM1 inhibitor****KPT-185**

ID: T2425



KPT-185 is a selective CRM1 inhibitor.

Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	49	85	170	267	84

NPR1**NPR1****Isosorbide dinitrate**

ID: T1479



A vasodilator used in the treatment of ANGINA PECTORIS.

Size	2mg	10mg	25mg	1ml/10mM
Price(\$)	20	67	123	84

P-gp


P-gp inhibitor

Elacridar (GF120918)

NEW

ID: T2657

Elacridar (GF120918) is a potent P-gp (MDR-1) and BCRP inhibitor.



Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	34	54	83	148	253	84

SGLT

SGLT inhibitor

Empagliflozin (BI 10773)

NEW

ID: T1766

Empagliflozin (BI-10773) is a potent and selective SGLT-2 inhibitor with IC50 of 3.1 nM, exhibits >300-fold selectivity over SGLT-1, 4, 5 and 6.



Size	2mg	5mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	27	39	57	91	144	39

Canagliflozin

NEW

ID: T1728



Canagliflozin (JNJ 28431754; TA 7284) is a highly potent and selective SGLT2 inhibitor for hSGLT2 with IC50 of 2.2 nM, exhibits 413-fold selectivity over hSGLT1.

Size	5mg	10mg	20mg	100mg	1ml/10mM
Price(\$)	27	46	79	140	27

Dapagliflozin

ID: T2389



Dapagliflozin is a potent and selective hSGLT2 inhibitor with EC50 of 1.1 nM, exhibiting 1200-fold selectivity over hSGLT1. Phase 4.

Size	5mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	80	105	280	450	91

Ipragliflozin

ID: T2355



Ipragliflozin (ASP1941) is a highly potent and selective SGLT2 inhibitor with IC50 of 2.8 nM; little and NO potency for SGLT1/3/4/5/6.


Size	5mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	213	401	1423	1913	364

TRPV

TRPV agonist

Capsaicin

ID: T1062



Capsaicin selectively binds to TRPV1 which is a heat-activated calcium channel.

Size	2mg	10mg	50mg	1ml/10mM
Price(\$)	20	33	79	59

TRPV inhibitor

D-Camphor

ID: T0882



Camphor is readily absorbed through the skin producing either a coolness or warmth sensation by activating the ion channel TRPV3, and acts as slight local anesthetic and antimicrobial substance.

Size	10mg	50mg	100mg	500mg	1ml/10mM
Price(\$)	13	30	48	107	27

TRP Channel

TRP Channel

ICILIN

NEW

ID: T1814




ICilin(AG 3-5) is a synthetic super-agonist of TRPM8 ion channel.

Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	45	71	148	260	54

RQ00203078

NEW

ID: T2007



RQ-00203078 is a highly selective, potent and orally available TRPM8 antagonist (IC50 values are 5.3 and 8.3 nM for rat and human channels respectively), exhibits >350-fold selectivity for TRPM8 over TRPV4, TRPV1 and TRPA1.

Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	115	210	419	675	114

TRP Channel inhibitor

ML204

NEW

ID: T2298




ML204 is a novel potent antagonist that selectively modulates native TRPC4/C5 ion channels.

Size	5mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	84	108	325	542	63

Nonivamide

ID: T1321



Nonivamide, also called pelargonic acid vanillylamine or PAVA, is an organic compound and a capsaicinoid. It is an amide of pelargonic acid (n-nonanoic acid) and vanillyl amine. It is present in chili peppers, but is commonly manufactured synthetically. It is more heat-stable than capsaicin.

Size	10mg	50mg	100mg	1ml/10mM
Price(\$)	14	25	39	27

TCS 5861528

NEW

ID: T2711



TCS5861528 is a TRPA1 channel blocker that antagonizes AITC- and 4-HNE-evoked calcium influx (IC₅₀ values are 14.3 and 18.7 μ M respectively).

Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	47	80	137	278	517	133

SKF-96365, HCl

ID: T2170

SKF-96365 attenuates toxin-induced neuronal injury through opposite regulatory effects on Homer1a and Homer1/b/c in cultured rat mesencephalic cells.

Size	1mg	5mg	1ml/10mM
Price(\$)	96	183	242

Proton Pump**Proton Pump inhibitor****Lansoprazole**

ID: T0674



Lansoprazole is a proton-pump inhibitor (PPI) which prevents the stomach from producing gastric acid.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Zinc pyrithione

ID: T0502

Zinc pyrithione is an antifungal and antibacterial agent disrupting membrane transport by blocking the proton pump.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

R-(+)-Lansoprazole


ID: T1021

Dexlansoprazole is a Proton Pump Inhibitor.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Omeprazole

ID: T0757



Omeprazole is a proton pump inhibitor, used to treat dyspepsia, peptic ulcer disease, gastroesophageal reflux disease, laryngopharyngeal reflux, and Zollinger-Ellison syndrome.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Rabeprazole Related Compound E

ID: T1734

Rabeprazole is an antiulcer drug in the class of proton pump inhibitors.

Size	5mg	25mg	100mg	500mg	1ml/10mM
Price(\$)	13	33	80	197	27

Esomeprazole Magnesium

ID: T2686




Esomeprazole Magnesium is a proton pump inhibitor to reduce gastric acid secretion.

Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	44	83	148	259	478	84

Ilaprazole sodium

NEW

ID: T1756




Ilaprazole is a substituted benzimidazole produg with selective and irreversible proton pump inhibitor activity.

Size	2mg	5mg	10mg	50mg	1ml/10mM
Price(\$)	59	88	113	432	99

Rebeprazole sodium

ID: T1651

Rebeprazole sodium is a proton pump inhibitor.



Size	1mg	5mg	1ml/10mM
Price(\$)	60	110	45

Taste receptor**Taste receptor agonist****Aspartame**

ID: T0697



Flavoring agent sweeter than sugar, metabolized as PHENYLALANINE and ASPARTIC ACID.

Size	5mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	36	88	133	222	39


Sodium Channel

Sodium Channel

Tetracaine HCl

ID: T1198

Tetracaine HCl is a potent local anaesthetic and a channel function allosteric inhibitor.



Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Acecainide



ID: T0249

A major metabolite of PROCAINAMIDE. Its anti-arrhythmic action may cause cardiac toxicity in kidney failure.




Size	10mg	50mg	100mg	1ml/10mM
Price(\$)	24	42	54	27

Sodium Channel inhibitor

Procaine

ID: T0029

Procaine is a local anesthetic drug of the amino ester group, which acts through multiple targets



Size	5mg	10mg	50mg	250mg	1ml/10mM
Price(\$)	13	24	35	56	27

Oxethazaine

ID: T0044

Has been used in combination with antacids for ulcer pain.



Size	10mg	25mg	100mg	500mg	1ml/10mM
Price(\$)	13	24	42	77	27

Propitocaine HCl

ID: T0796

A local anesthetic that is similar pharmacologically to LIDOCAINE.



Size	10mg	50mg	100mg	1ml/10mM
Price(\$)	13	30	48	27

Ademine

ID: T0843

Triamterene is a Potassium-sparing Diuretic. The physiologic effect of triamterene is by means of Decreased Renal K+ Excretion and Increased Diuresis. from FDA Pharm Classes.



Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Carbamazepine

ID: T0943




An anticonvulsant used to control grand mal and psychomotor or focal seizures.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Dyclonine HCl

ID: T1389



Dyclonine is an oral anaesthetic found in Sorexets, an over the counter throat lozenges.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Mepivacaine HCl

ID: T0946



Mepivacaine is a tertiary amine used as a local anesthetic.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Metolazone

ID: T1585



Metolazone(Zaroxolyn) is primarily used to treat congestive heart failure and high blood pressure.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Nefopam HCl

ID: T0470



Nefopam HCl is a centrally-acting but non-opioid analgesic drug by blocking voltage-gated sodium channel and inhibition of serotonin, dopamine and noradrenaline reuptake.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Phenazopyridine HCl

ID: T1386



Phenazopyridine HCl is a local analgesic that has been used in urinary tract disorders.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Phenytoin sodium

ID: T0008




An anticonvulsant that is used to treat a wide variety of seizures.

Size	2mg	10mg	50mg	500mg	1ml/10mM
Price(\$)	13	30	78	122	27

Pramoxine HCl

ID: T0460



Pramoxine is a topical local anesthetic that has been shown to have antipruritic properties.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Terperisone HCl

ID: T0511

Membrane Transporter/Ion Channel
Sodium Channel inhibitor Sodium Channel



Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Oxybuprocaine HCl

ID: T0378

Oxybuprocaine HCl is a local anesthetic, which is used especially in ophthalmology and otolaryngology.



Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	13	30	78	133	27

Proparacaine HCl

ID: T0222

Proparacaine HCl is a voltage-gated sodium channels antagonist



Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	13	30	78	133	27

Hydroquinidine

ID: T1334

Dihydroquinidine is an organic compound and as a cinchona alkaloid closely related to quinine.



Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Lidocaine HCl

ID: T1144

A local anesthetic and cardiac depressant used as an antiarrhythmic agent.



Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Chlorthalidone

ID: T1091

Chlorthalidone is a thiazide-like diuretic used to treat hypertension.



Size	5mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	25	76	133	234	40

Ropivacaine HCl

ID: T0386



Ropivacaine is a local anaesthetic drug belonging to the amino amide group. The name ropivacaine refers to both the racemate and the marketed S-enantiomer. Ropivacaine hydrochloride is commonly marketed by AstraZeneca under the trade name Naropin.

Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Diclofenac sodium

ID: T1555

A non-steroidal anti-inflammatory agent (NSAID) with antipyretic and analgesic actions.

Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	24	58	162	259	44

Butyl 4-aminobenzoate

ID: T0916



It is the ester of 4-aminobenzoic acid and butanol. It's of Low Solubility, and it's been reported that it's more Effective than its corresponding Ethyl Ester When applied to intact Mucous Membrane

Size	5mg	25mg	100mg	500mg	200mg	1ml/10mM
Price(\$)	13	33	80	197	27	

Indazole

ID: T2192




Indazole, also called benzimidazole or isoindole, is a heterocyclic aromatic organic compound. Indazole derivatives display a broad variety of biological activities.

Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Permethrin

ID: T1332



Size	5mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	25	76	133	234	40

Phenyton

ID: T0939

Phenytoin is an inactive voltage-gated sodium channel stabilizer.

Size	5mg	50mg	100mg	1g	1ml/10mM
Price(\$)	27	49	88	167	57

Sodium Channel

Amiloride HCl

ID: T0175



A pyrazine compound inhibiting SODIUM reabsorption through SODIUM CHANNELS in renal EPITHELIAL CELLS.

Size	2mg	10mg	25mg	100mg	1ml/10mM
Price(\$)	36	52	103	145	59

Ranolazine 2HCl

ID: T0207



Antianginal agent with antiarrhythmic properties that acts as a partial fatty acid oxidation inhibitor.

Size	10mg	50mg	100mg	1ml/10mM
Price(\$)	36	58	95	59

Oxcarbazepine

ID: T0440




Oxcarbazepine is structurally a derivative of carbamazepine, adding an extra oxygen atom to the benzylcarboxamide group. This difference helps reduce the impact on the liver of metabolizing the drug, and also prevents the serious forms of anemia occasionally associated with carbamazepine.

Size	2mg	10mg	50mg	1ml/10mM
Price(\$)	36	78	237	59

Camostat mesilate

ID: T2391




Camostat is a trypsin-like protease inhibitor, inhibits airway epithelial sodium channel (ENaC) function with IC50 of 50 nM, less potent to trypsin, prostasin and matriptase.

Size	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	38	69	115	179	56

CNV-1014802

NEW

ID: T2342



CNV1014802(GSK-1014802) is a novel small molecule state-dependent sodium channel blocker; Nav1.7 sodium channel inhibitor.

Size	2mg	5mg	10mg	50mg	1ml/10mM
Price(\$)	42	73	94	334	99

Articaine HCl

ID: T2131



Articaine is a dental local anesthetic which contains an additional ester group that is metabolized by esterases in blood and tissue.

Size	1mg	5mg	10mg	50mg	1ml/10mM
Price(\$)	47	122	213	645	133

Benzocaine

ID: T0924



A surface anesthetic that acts by preventing transmission of impulses along nerve fibers and at nerve endings.

Size	5mg	10mg	25mg	100mg	1ml/10mM
Price(\$)	49	80	148	259	59

Cariporide

ID: T2238

NEW



Cariporide (HOE-642), a potent NHE1 inhibitor, has inhibitory effects on the degranulation of human platelets, the formation of platelet-leukocyte-aggregates, and the activation of the GPIIb/IIIa receptor (PAC-1).

Size	2mg	5mg	10mg	50mg	1ml/10mM
Price(\$)	59	88	113	432	99

Levobupivacaine

NEW

ID: T1787



Levobupivacaine is an amino-amide local anaesthetic drug belonging to the family of n-alkylsubstituted pipilocolylidide. It is the S-enantiomer of bupivacaine.

Size	2mg	5mg	10mg	50mg	1ml/10mM
Price(\$)	59	88	113	432	204

Rufinamide

ID: T2523




Rufinamide is a voltage-gated sodium channel blocker, used an anticonvulsant medication.

Size	10mg	50mg	100mg	1ml/10mM
Price(\$)	61	169	255	59

A-803467

NEW

ID: T2024




A-803467 is a selective NaV1.8 channel blocker with IC50 of 8 nM, blocks tetrodotoxin-resistant currents, exhibits >100-fold selectivity against human NaV1.2, NaV1.3, NaV1.5, and NaV1.7.

Size	10mg	25mg	50mg	1ml/10mM
Price(\$)	62	133	204	45

GS967

NEW

ID: T2049



GS967 is a novel, potent, and selective inhibitor of cardiac late sodium current(late INa); inhibits ATX-II-induced late INa in ventricular myocytes and isolated hearts with IC(50) values of 0.13 and 0.21 μ M, respectively.

Size	5mg	10mg	50mg	1ml/10mM
Price(\$)	70	104	332	69

Eniporide**NEW****ID: T2089**

eniporide is a Na(+)/H(+) exchange inhibitor.




Size	5mg	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	142	246	419	628	1109	273

Calcium Channel**Levetiracetam****ID: T0192**

Levetiracetam is an anticonvulsant medication used to treat epilepsy.-prone mice.



Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	13	30	78	122	27

Dantrolene sodium salt**ID: T0077**

Skeletal muscle relaxant that acts by interfering with excitation-contraction coupling in the muscle fiber. It is used in spasticity and other neuromuscular abnormalities. Although the mechanism of action is probably not central, dantrolene is usually grouped with the central muscle relaxants.

Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	24	42	78	133	56

Cilnidipine**ID: T0388**

Dual L- and N-type calcium channel blocker that displays antihypertensive, sympatholytic and neuroprotective activity.



Size	10mg	20mg	50mg	100mg	1ml/10mM
Price(\$)	42	78	133	207	56

Azelnidipine**ID: T0121**

Azelnidipine is a dihydropyridine calcium channel blocker.



Size	5mg	10mg	50mg	1ml/10mM
Price(\$)	49	73	282	84

Calcium Channel agonist**Levosimendan****ID: T2530**

Levosimendan is a calcium sensitizer acting through calcium-dependent binding to cardiac troponin C (CtnC), provides treatment for heart failure.




Size	10mg	50mg	100mg	1ml/10mM
Price(\$)	36	85	133	59

1-Ethyl-2-benzimidazolinone**NEW****ID: T2604**

1-Ethyl-2-benzimidazolinone is a calcium channel agonist.



Size	1mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	51	133	231	402	610	194

Calcium Channel antagonist**Manidipine 2HCl****ID: T0193**Manidipine dihydrochloride is a dihydropyridine compound and a calcium channel blocker for Ca²⁺ current with IC50 of 2.6 nM.

Size	2mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	13	30	52	91	39

Calcium Channel inhibitor**Zonisamide****ID: T0267**

Zonisamide is a voltage-dependent sodium channel and T-type calcium channel blocker, used as an antiepileptic drug.



Size	2mg	10mg	50mg	100mg	200mg	1ml/10mM
Price(\$)	13	24	37	52	94	39

Trimethadione**ID: T0283**


An anticonvulsant effective in absence seizures, but generally reserved for refractory cases because of its toxicity.



Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	13	24	37	52	39

Dromostat**ID: T1197**

Proposed spasmolytic with possible local anesthetic action used in gastrointestinal disorders.



Size	10mg	50mg	100mg	500mg	1ml/10mM
Price(\$)	13	24	42	74	27

Amlodipine**ID: T1385**

Amlodipine is a long-acting calcium channel blocker.



Size	2mg	10mg	50mg	200mg	1g	1ml/10mM
Price(\$)	13	30	78	122	241	55

Calcium Channel

Cyclandelate**ID: T0504**

A direct-acting smooth muscle relaxant used to dilate blood vessels.



Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

TOLFENAMIC ACID**ID: T0784**

A direct-acting smooth muscle relaxant used to dilate blood vessels.



Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Verapamil HCl**ID: T1010**

A calcium channel blocker that is a class IV anti-arrhythmia agent.



Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Nitrendipine**ID: T0119**

A calcium channel blocker with marked vasodilator action.



Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	13	30	78	122	39

Nisoldipine**ID: T0163**

A dihydropyridine calcium channel antagonist that acts as a potent arterial vasodilator and antihypertensive agent.



Size	2mg	10mg	50mg	1ml/10mM
Price(\$)	13	30	78	27

Praziquantel**ID: T1435**

An anthelmintic used in most schistosome and many cestode infestations.



Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Nilvadipine**ID: T1422**

Nilvadipine is a calcium channel blocker (CCB) for treatment of hypertension. from DrugBan



Size	5mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	13	45	72	123	56

Cinchonine**ID: T0012**

A local anesthetic of the amide type now generally used for surface anesthesia.



Size	5mg	10mg	50mg	100mg	500mg	1ml/10mM
Price(\$)	24	40	101	157	279	40

Diltiazem HCl**ID: T0112**

A benzothiazepine derivative with vasodilating action due to its antagonism of the actions of CALCIUM ion on membrane functions.



Size	2mg	5mg	10mg	25mg	1ml/10mM
Price(\$)	24	42	78	146	84

Ethosuximide**ID: T0728**

An anticonvulsant especially useful in the treatment of absence seizures unaccompanied by other types of seizures.



Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Fendiline HCl**ID: T0327**

Coronary vasodilator; inhibits calcium function in muscle cells in excitation-contraction coupling; proposed as antiarrhythmic and antianginal agents.



Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Clevidipine butyrate**ID: T0999**

Clevidipine Butyrate is a dihydropyridine calcium channel blocker, uses as an agent for the reduction of blood pressure.



Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	24	58	197	345	59

Lacidipine**ID: T1439**

Lacidipine (LaciPil, Motens) is a L-type calcium channel blocker. Lacidipine, a novel third-generation dihydropyridine calcium channel blocker, has been demonstrated effective for hypertension.



Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	24	58	197	345	59

Strontium ranelate**ID: T1641**

Strontium Ranelate is a bone metabolism modulator that inhibits bone resorption while maintaining bone formation. Commonly used as an antosteoporotic.



Size	1mg	5mg	10mg	50mg	1ml/10mM
Price(\$)	24	80	133	333	84

Dimethadione**ID: T1234**

An anticonvulsant that is the active metabolite of TRIMETHADIONE.



Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Levamlodipine**ID: T1545**

Amlodipine is a synthetic dihydropyridine and a calcium channel blocker with antihypertensive and antianginal properties.



Size	5mg	50mg	100mg	1ml/10mM
Price(\$)	27	49	88	57

Pregabalin**ID: T0350**

Pregabalin is an anticonvulsant drug used for neuropathic pain, as an adjunct therapy for partial seizures, and in generalized anxiety disorder.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	49	107	267	534	56

Efonidipine(NZ-105)**ID: T2323**

Efonidipine(NZ-105) is a dual T-type and L-type calcium channel blocker (CCB).



Size	2mg	5mg	10mg	50mg	1ml/10mM
Price(\$)	59	88	113	432	99

Isradipine**ID: T0957**

Isradipine is a potent and selective L-type voltage-gated calcium channel blocker, used to treat high blood pressure.



Size	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	66	140	248	393	50

Lercanidipine**ID: T2519**

Lercanidipine is a calcium channel blocker of the dihydropyridine class.



Size	10mg	50mg	100mg	1ml/10mM
Price(\$)	73	230	341	84

Potassium Channel**Potassium Channel****Tolbutamide****ID: T1054**

Tolbutamide is an inhibitor of potassium channel, used for type II diabetes.



Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Gliquidone**ID: T0371**

Gliquidone is an anti-diabetic drug in the sulfonylurea class. It is used in the treatment of diabetes mellitus type 2. It is an ATP-dependent K+ (KATP) channel blocker.



Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	13	30	78	133	27

Mitiglinide calcium**ID: T1530**

Mitiglinide is a drug for the treatment of type 2 diabetes. Mitiglinide is thought to stimulate insulin secretion by closing the ATP-sensitive K(+) K(ATP) channels in pancreatic beta-cells.



Size	10mg	50mg	100mg	1ml/10mM
Price(\$)	19	44	68	27

Tolazamide**ID: T1333**

A sulphonylurea hypoglycemic agent with actions and uses similar to those of CHLORPROPAMIDE.



Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Retigabine**ID: T2536**

Ezogabine (D23129) is a close structural analog of the centrally acting analgesic flupirtine.

Size	5mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	49	83	207	325	59

Nicorandil**ID: T0075**

Nicorandil(Ikorel) is potassium channel activator. It acts by relaxing the smooth muscle of the blood vessels, especially those of the venous system.

Size	2mg	10mg	50mg	1ml/10mM
Price(\$)	13	30	78	27

Potassium Channel

Quinidine HCl**ID: T0266**

An optical isomer of quinine, extracted from the bark of the Cinchona tree and similar plant species.



Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	13	24	37	52	39

Prazosin HCl**ID: T1050**

A selective adrenergic alpha-1 antagonist.



Size	10mg	50mg	100mg	500mg	1ml/10mM
Price(\$)	13	24	42	74	27

4-Aminopyridine**ID: T0817**

Dalfampridine is a potassium channel blocker used to help multiple sclerosis patients walk.



Size	10mg	50mg	100mg	500mg	1ml/10mM
Price(\$)	13	30	48	107	27

Nifedipine**ID: T1146**

Nifedipine(Adalat), a potent vasodilator agent with calcium antagonistic action.



Size	2mg	10mg	50mg	200mg	1g	1ml/10mM
Price(\$)	13	30	78	122	241	27

Carvedilol**ID: T0447**

Carvedilol is a non-selective beta blocker/alpha-1 blocker with an IC50 of 3.8 μ M for inhibition of LDL oxidation.




Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Gliclazide**ID: T1527**

An oral sulfonylurea hypoglycemic agent which stimulates insulin secretion.




Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Glyburide**ID: T1634**

Glyburide is an antidiabetic sulfonylurea derivative with actions similar to those of chlorpropamide.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Pantoprazole Sodium Hydrate**ID: T0161**

Pantoprazole is a proton pump inhibitor drug used for short-term treatment of erosion and ulceration of the esophagus caused by gastroesophageal reflux disease.

Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	13	30	78	122	27

Dronedarone HCl**ID: T1073**


Dronedarone HCl is an amiodarone analogue which has been shown an effective and promising treatment for Atrial fibrillation



Size	2mg	10mg	25mg	100mg	1ml/10mM
Price(\$)	20	42	78	185	39

Sodium cromoglycate**ID: T1260**

A chromone complex that acts by inhibiting the release of chemical mediators from sensitized mast cells.



Size	2mg	10mg	50mg	1ml/10mM
Price(\$)	13	30	78	55

Disopyramide**ID: T1320**


A class I anti-arrhythmic agent with a depressant action on the heart similar to that of guanidine.



Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Nateglinide**ID: T1674**


Nateglinide is an oral antihyperglycemic agent used for the treatment of non-insulin-dependent diabetes mellitus (NIDDM).



Size	2mg	10mg	25mg	100mg	1ml/10mM
Price(\$)	36	78	133	333	59

Amsacrine**ID: T1206**


Aminoacridine derivative that is a potent intercalating antineoplastic agent.



Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	20	53	103	176	84

Doxapram hydrochloride monohydrate**ID: T0038**

Doxapram HCl is a respiratory stimulant.



Size	1mg	5mg	10mg	20mg	50mg	1ml/10mM
Price(\$)	24	61	91	138	246	67

Indapamide**ID: T1498**

Indapamide is a non-thiazide sulphonamide diuretic compound, generally used in the treatment of hypertension, as well as decompensated cardiac failure.



Size	2mg	10mg	50mg	1ml/10mM
Price(\$)	13	35	60	47

Miconazole**ID: T0344**

An imidazole antifungal agent that is used topically and by intravenous infusion.



Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	13	30	78	133	27

PF 3716556**NEW****ID: T2093**

PF 3716556 is a potent and selective P-CAB (potassium-competitive acid blocker), with pIC50 of 6.026 and 7.095 for the inhibition of porcine H⁺,K⁺-ATPase activity in ion-leaky and ion-tight assay, respectively, inhibits gastric acid secretion, displays no activity at Na⁺,K⁺-ATPase, used for the treatment of gastroesophageal reflux disease.

Size	1mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	40	64	98	204	357	133

NS6180**NEW****ID: T1752**

NS6180 is a novel potent and selective KCa3.1 channel inhibitor (IC50= 9 nM) prevents T-cell activation and inflammation.



Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	76	127	283	455	76

TAK-438(Vonoprazan fumarate)**ID: T2404**

Vonoprazan Fumarate (TAK-438) is a novel P-CAB (potassium-competitive acid blocker) that reversibly inhibits H⁺/K⁺-ATPase with IC50 of 19 nM (pH 6.5), controls gastric acid secretion. Phase 3.



Size	5mg	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	197	283	579	887	1434	222

Translocator protein**Translocator protein agonist****Chlormezanone****ID: T0715**

A non-benzodiazepine that is used in the management of anxiety.



Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

NKCC cotransporter**Na⁺/2Cl⁻/K⁺ (NKCC) cotransporter inhibitor****Furosemide****ID: T0837**

Furosemide is a loop diuretic inhibitor of Na⁺/2Cl⁻/K⁺ (NKCC) cotransporter. Furosemide acts as a non-competitive antagonist at GABA_A receptors with ~ 100-fold greater selectivity for α₆-containing receptors than α₁-containing receptors.


Size	2mg	10mg	50mg	200mg	1g	1ml/10mM
Price(\$)	13	30	78	122	357	27

Bumetanide**ID: T0108**

Bumetanide is a Loop Diuretic. The physiologic effect of bumetanide is by means of Increased Diuresis at Loop of Henle.




Size	2mg	10mg	50mg	1ml/10mM
Price(\$)	13	30	78	55

Torasemide**ID: T1410**

Torasemide (rINN) or torsemide (USAN) is a pyridine-sulfonylurea type loop diuretic mainly used in the management of edema associated with congestive heart failure. It is also used at low doses for the management of hypertension. It is marketed under the brand name Demadex.


Size	5mg	10mg	25mg	100mg	1ml/10mM
Price(\$)	43	78	133	333	81

Adiponectin receptor**Adiponectin receptor agonist****AdipoRon****NEW****ID: T2257**

AdipoRon is a novel, and orally bioavailable adiponectin receptor agonist with KD of 1.8 and 3.1 μM for AdipoR1 and AdipoR2, respectively.

Size	2mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	31	76	160	291	120

DNA Damage/DNA Repair




Rac1

Rac1 inhibitor

Azathioprine

ID: T1237

Azathioprine is an immunosuppressive drug, inhibiting purine synthesis and GTP-binding protein Rac1 activation, used in the treatment of organ transplantation and autoimmune diseases.



Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

DNA-PK


DNA-PK inhibitor

NU7026

NEW

ID: T2433

NU7026 is a potent DNA-PK inhibitor with IC50 of 0.23 μ M in cell-free assays, 60-fold selective for DNA-PK than PI3K and inactive against both ATM and ATR.



Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	61	107	202	347	84


Mutagens

Mutagens

Chlorophyllin

ID: T1254

Chlorophyllin refers to any one of a group of closely related water-soluble salts that are semi-synthetic derivatives of chlorophyll, differing in the identity of the cations associated with the anion.



Size	10mg	50mg	100mg	500mg	1ml/10mM
Price(\$)	13	24	42	74	27

Telomerase


Telomerase inhibitor

BIBR 1532

NEW

ID: T2380

BIBR 1532 is a potent, selective, non-competitive telomerase inhibitor with IC50 of 100 nM in a cell-free assay.



Size	10mg	50mg	100mg	1ml/10mM
Price(\$)	97	362	566	99

DNA gyrase

DNA gyrase

Balofloxacin

ID: T0116

Balofloxacin is a quinolone antibiotic, inhibiting the synthesis of bacterial DNA by interference with the enzyme DNA gyrase.



Size	2mg	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	13	24	42	78	118	39

DNA gyrase inhibitor

Levofloxacin HCL

ID: T1451

Levofloxacin is a Quinolone Antimicrobial. The chemical classification of levofloxacin is Quinolones.



Size	5mg	25mg	100mg	1ml/10mM
Price(\$)	13	24	42	39

Sparfloxacin

ID: T1095



Sparfloxacin is a fluoroquinolone antibiotic used in the treatment of bacterial infections. Sparfloxacin exerts its antibacterial activity by inhibiting DNA gyrase, a bacterial topoisomerase.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Fleroxacin

ID: T1294



A broad-spectrum antimicrobial fluoroquinolone. The drug strongly inhibits the DNA-supercointing activity of DNA GYRASE.

Size	2mg	10mg	50mg	1ml/10mM
Price(\$)	13	30	78	27

Enoxacin Sesquihydrate

ID: T0717



A broad-spectrum 6-fluoronaphthyridinone antibacterial agent that is structurally related to NALIDIXIC ACID.

Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Danofloxacin mesylate

ID: T1276

Danofloxacin is a synthetic antibacterial agent of the fluoroquinolone class.




Size	1mg	5mg	10mg	1ml/10mM
Price(\$)	24	80	133	84

DNA Alkylating

DNA Alkylating

Chloroambucil

ID: T0975



A nitrogen mustard alkylating agent used as antineoplastic for chronic lymphocytic leukemia, Hodgkin's disease, and others.

Size	5mg	25mg	100mg	200mg	1ml/10mM
Price(\$)	13	27	66	91	27

Triethylenethiophosphoramide

ID: T1250




N,N' N' -triethylenethiophosphoramide (ThioTEPA) is a cancer chemotherapeutic member of the alkylating agent group, now in use for over 50 years.

Size	5mg	25mg	100mg	200mg	1ml/10mM
Price(\$)	13	27	66	91	27

Busulfan

ID: T0923



Antineoplastic bifunctional, DNA alkylating agent that causes DNA damage by cross-linking DNA and proteins.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Streptozocin

ID: T1507

An antibiotic that is produced by Streptomyces achromogenes.



Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Lomustine

ID: T1601



Lomustine is an Alkylation Drug. The mechanism of action of lomustine is as an Alkylation Activity.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Cyclophosphamide monohydrate**ID: T0707**

Precursor of an alkylating nitrogen mustard antineoplastic and immunosuppressive agent that must be activated in the LIVER to form the active aldoxophosphamide.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Melphalan**ID: T1538**

An alkylating nitrogen mustard that is used as an antineoplastic in the form of the levo isomer - MELPHALAN, the racemic mixture - MERPHALAN, and the dextro isomer - MEDPHALAN; toxic to bone marrow, but little vesicant action; potential carcinogen.

Size	10mg	50mg	100mg	1ml/10mM
Price(\$)	24	48	77	39

Temozolomide**ID: T1178**

Temozolomide, an alkylating agent, is a DNA damage inducer.

Size	5mg	25mg	100mg	1ml/10mM
Price(\$)	24	58	133	39

Bendamustine HCl**ID: T0095**

Bendamustine HCl is an alkylating agent associated with DNA damage with IC50 of 50 μ M

Size	1mg	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	28	44	67	104	160	56

Altretamine**ID: T1241**

Altretamine is an Alkylating Drug. The mechanism of action of altretamine is as an Alkylating Activity.

Size	2mg	10mg	25mg	50mg	1ml/10mM	1ml/10mM
Price(\$)	36	88	160	283	56	56

Bergapten**ID: T2143**

Bergapten is a psoralen that can be photoactivated and is capable of crossing-linking DNA, covalently modifying proteins and lipids, and consequently inhibiting cell replication.

Size	1mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	47	89	146	209	56

Topoisomerase**Topoisomerase inhibitor****Pazufloxacin Mesylate****ID: T1620**

Pazufloxacin (INN) is a fluoroquinolone antibiotic.

Size	10mg	50mg	100mg	500mg	1ml/10mM
Price(\$)	13	24	42	74	27

Etoposide**ID: T0132**

Etoposide is a semisynthetic derivative of podophyllotoxin, which inhibits DNA synthesis via topoisomerase II inhibition activity.

Size	1mg	2mg	5mg	10mg	1ml/10mM
Price(\$)	13	24	42	78	59

Cinoxacin**ID: T0274**

Cinoxacin was an older synthetic antimicrobial related to the quinolone class of antibiotics with activity similar to oxolinic acid and nalidixic acid.

Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	13	24	52	92	39

Oxolinic acid**ID: T1233**

Synthetic antimicrobial related to NALIDIXIC ACID and used in URINARY TRACT INFECTIONS.

Size	5mg	25mg	100mg	250mg	1ml/10mM
Price(\$)	13	27	56	92	27

Lomefloxacin**ID: T1444**

Lomefloxacin is a fluoroquinolone antibiotic, used to treat bacterial infections including bronchitis and urinary tract infections. It is also used to prevent urinary tract infections prior to surgery.

Size	5mg	25mg	100mg	1g	1ml/10mM
Price(\$)	13	27	66	115	39

Ciprofloxacin**ID: T1640**

Ciprofloxacin is a broad-spectrum antimicrobial carboxyfluoroquinoline.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Lomefloxacin HCl**ID: T1625**

Lomefloxacin hydrochloride (Maxaquin) is a hydrochloride salt of lomefloxacin and is a fluoroquinolone antibiotic.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Nalidixic acid**ID: T0909**

A synthetic 1,8-naphthyridine antimicrobial agent with a limited bacteriocidal spectrum. It is an inhibitor of the A subunit of bacterial DNA GYRASE.

Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	13	30	78	122	27

Norfloxacin**ID: T1306**

Norfloxacin(Norfloxacin) is a broad-spectrum antibiotic that is active against both Gram-positive and Gram-negative bacteria.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Ofoxacin**ID: T0902**

A synthetic fluoroquinolone antibacterial agent that inhibits the supercoiling activity of bacterial DNA GYRASE, halting DNA REPLICATION.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Moxifloxacin HCl**ID: T0331**

Moxifloxacin is a fourth-generation synthetic fluoroquinolone antibacterial agent.

Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	13	30	78	133	27

GATIFLOXACIN**ID: T1293**

Gatifloxacin is an antibiotic of the fourth-generation fluoroquinolone family, that like other members of that family, inhibits the bacterial enzymes DNA gyrase and topoisomerase IV.

Size	2mg	10mg	50mg	1ml/10mM
Price(\$)	13	30	78	27

Mitoxantrone HCl**ID: T0158**

An anthrancenedione-derived antineoplastic agent.



Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	13	30	78	122	27

Daunorubicin HCl**ID: T1511**

Daunorubicin is an anthracycline antibiotic.



Size	2mg	10mg	50mg	1ml/10mM
Price(\$)	24	58	197	59

Hydroxy Camptothecine**ID: T1521**

An alkaloid isolated from the stem wood of the Chinese tree, Camptotheca acuminata.

Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Topotecan HCl**ID: T1174**

An antineoplastic agent used to treat ovarian cancer. It works by inhibiting DNA TOPOISOMERASES,

Size	10mg	50mg	100mg	1ml/10mM
Price(\$)	22	44	71	33

Ciprofloxacin HCl**ID: T0250**

A broad-spectrum antimicrobial carboxyfluoroquinolone.

Size	10mg	50mg	100mg	1ml/10mM
Price(\$)	24	42	59	27

Albamycinsodium**ID: T0974**

An antibiotic compound derived from Streptomyces niveus.

Size	5mg	10mg	20mg	100mg	250mg	1ml/10mM
Price(\$)	24	43	67	177	329	27

(+)-Camptothecin**ID: T1123**

An alkaloid isolated from the stem wood of the Chinese tree, Camptotheca acuminata.

Size	5mg	10mg	20mg	100mg	250mg	1ml/10mM
Price(\$)	24	43	67	177	329	99

Topoisomerase**Pefloxacin**

ID: T0425



A synthetic broad-spectrum fluoroquinolone antibacterial agent active against most gram-negative and gram-positive bacteria.

Size	2mg	50mg	100mg	500mg	1g	1ml/10mM
Price(\$)	13	36	54	133	244	27

Teniposide

ID: T1523



A semisynthetic derivative of PODOPHYLLOTOXIN that exhibits antitumor activity.

Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	41	133	377	568	84

Genistein

NEW

ID: T1737



An isoflavonoid derived from soy products. It inhibits PROTEIN-TYROSINE KINASE and topoisomerase-II (DNA TOPOISOMERASES, TYPE II); activity and is used as an antineoplastic and antitumor agent.

Size	5mg	50mg	100mg	1g	1ml/10mM
Price(\$)	27	49	88	167	57

Irinotecan HCl Trihydrate

ID: T0486



Irinotecan prevents DNA from unwinding by inhibition of topoisomerase 1.

Size	2mg	5mg	25mg	100mg	1ml/10mM
Price(\$)	28	58	162	406	59

Flumequine

ID: T1060



Flumequine is a synthetic chemotherapeutic antibiotic of the fluoroquinolone drug class used to treat bacterial infections.

Size	2mg	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	28	73	123	209	357	69

Epirubicin HCl

ID: T0125



Epirubicin HCl, a semisynthetic L-arabino derivative of doxorubicin, is an antineoplastic agent by inhibiting Topoisomerase.

Size	2mg	5mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	30	58	95	219	366	84

Gemifloxacin mesylate

ID: T1492

Gemifloxacin acts by inhibiting DNA synthesis through the inhibition of both DNA gyrase and topoisomerase IV, which are essential for bacterial growth.



Size	5mg	25mg	100mg	1ml/10mM
Price(\$)	36	87	160	56

SN-38

ID: T1703



LE-SN38 is NeoPharm's NeoLipid liposomal formulation of SN-38, the active metabolite of irinotecan (Camptosar), a chemotherapeutic pro-drug approved for the treatment of advanced colorectal cancer.

Size	2mg	10mg	50mg	1ml/10mM
Price(\$)	36	78	237	56

Adriamycin

ID: T1456



Doxorubicin is an Anthracycline Topoisomerase Inhibitor. The mechanism of action of doxorubicin is as a Topoisomerase Inhibitor. The chemical classification of doxorubicin is Anthracyclines.

Size	10mg	50mg	100mg	1ml/10mM
Price(\$)	19	34	58	27

Ellipticine

ID: T1166



The genotoxic effects of two Topo II inhibitors known as potent anti-cancer drugs ellipticine (EPC), were assayed in root apical meristem cells of Allium cepa.

Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	42	64	99	205	357	84

Doxorubicin (Adriamycin)

ID: T1020



Antineoplastic antibiotic obtained from Streptomyces peucetius. It is a hydroxy derivative of DAUNORUBICIN.

Size	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	73	162	269	488	84

DNA interaction

DNA interaction

Quinacrine 2HCl

ID: T0924

An acridine derivative formerly widely used as an antimalarial but superseded by chloroquine in recent years.



Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

DNA/RNA Synthesis

Valacyclovir HCl

ID: T1087




Valaciclovir HCl is an antiviral drug used in the management of herpes simplex, herpes zoster, and herpes B.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Rifapentine

ID: T1629

Rifapentine is an antibiotic drug used in the treatment of tuberculosis. It inhibits DNA-dependent RNA polymerase activity in susceptible cells. Specifically, it interacts with bacterial RNA polymerase but does not inhibit the mammalian enzyme.



Size	2mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	20	43	78	133	56

Aciclovir

ID: T1454

Acyclovir is a synthetic nucleoside analogue active against herpesviruses.



Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Moroxydine HCl

ID: T0090

Moroxydine HCl is a synthetic antiviral drug chemically belonging to the series of the heterocyclic biguanides. Structurally moroxydine is a heterocyclic biguanidine. It possesses antiviral activity and is of value in the prevention and treatment of influenza. Although its mechanism of action is not fully known the effects seem to be due to an influence on the virus host-cell system.



Size	2mg	10mg	50mg	1ml/10mM
Price(\$)	39	78	237	55

Rifampicin

ID: T0681

A semisynthetic antibiotic produced from *Streptomyces mediterranei*.



Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Tinidazole

ID: T0893

A nitroimidazole antitrichomonial agent effective against *Trichomonas vaginalis*, *Entamoeba histolytica*, and *Giardia lamblia* infections.



Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Rimantadine HCl

ID: T1598

An RNA synthesis inhibitor that is used as an antiviral agent in the prophylaxis and treatment of influenza



Size	10mg	50mg	100mg	500mg	1ml/10mM
Price(\$)	13	24	42	74	27

Thiostrepton

ID: T1679

Thiostrepton is one of the CYCLIC PEPTIDES from *Streptomyces* that is active against gram-positive bacteria.



Size	5mg	25mg	100mg	200mg	1ml/10mM
Price(\$)	13	27	66	91	27

DNA/RNA Synthesis inhibitor

2'-Deoxyuridine

ID: T1721



2'-Deoxyuridine. An antimetabolite that is converted to deoxyuridine triphosphate during DNA synthesis.

Size	10mg	50mg	100mg	500mg	1ml/10mM
Price(\$)	13	24	42	74	27

6-Mercaptopurine monohydrate

ID: T2201



6-Mercaptopurine is a widely used antileukemic agent and immunosuppressive drug that inhibits de novo purine synthesis through incorporation of thiopurine methyltransferase metabolites into DNA and RNA.

Size	10mg	50mg	100mg	500mg	1ml/10mM
Price(\$)	13	24	42	74	27

DNA/RNA Synthesis

Azelaic acid

ID: T0926



Azelaic acid is a saturated dicarboxylic acid found naturally in wheat, rye, and barley.

Size	10mg	50mg	100mg	500mg	1ml/10mM
Price(\$)	13	24	42	74	27

Cyclocytidine HCl

ID: T1591



Cyclocytidine is the prodrug of cytarabine, which is a pyrimidine nucleoside analog that inhibits the DNA synthesis and used mainly in the treatment of leukemia.

Size	5mg	25mg	100mg	200mg	1ml/10mM
Price(\$)	13	27	66	91	27

Mercaptopurine (6-MP)

ID: T0010



Mercaptopurine is a widely used anti-leukemic agent and immunosuppressive drug that inhibits de novo purine synthesis through incorporation of thiopurine methyltransferase metabolites into DNA and RNA.

Size	2mg	10mg	50mg	500mg	1ml/10mM
Price(\$)	13	30	78	122	27

Dendrid

ID: T0863




An analog of deoxyuridine that inhibits viral DNA synthesis. The drug is used as an antiviral agent.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Mechlorethamine HCl

ID: T1417



A vesicant and necrotizing irritant destructive to mucous membranes.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Ifosfamide

ID: T1055



Positional isomer of CYCLOPHOSPHAMIDE which is active as an alkylating agent and an immunosuppressive agent.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Rifaximin

ID: T1154



Rifaximin(Xifaxan), an orally administered, semi-synthetic, nonsystemic antibiotic derived from rifamycin SV with antibacterial activity. Rifaximin binds to the beta-subunit of bacterial DNA-dependent RNA polymerase, inhibiting bacterial RNA synthesis and bacterial cell growth. As rifaximin is not well absorbed, its antibacterial activity is largely localized to the gastrointestinal tract.

Size	2mg	10mg	50mg	200mg	1g	1ml/10mM
Price(\$)	13	30	78	122	241	27

Flouxuridine

ID: T0964



An antineoplastic antimetabolite that is metabolized to fluorouracil when administered by rapid injection; when administered by slow, continuous, intra-arterial infusion, it is converted to flouxuridine monophosphate.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Oxaliplatin

ID: T0164



Antitumor agent that forms platinum-DNA adducts. Causes intra- and interstrand DNA crosslinks blocking DNA replication and transcription. Displays higher cytotoxicity and lower nephrotoxicity than analog cisplatin and shows antitumor activity in cell line

Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	13	30	78	122	27

Penciclovir

ID: T1488




Penciclovir is a guanine analogue antiviral drug used for the treatment of various herpesvirus infections. It is a nucleoside analogue which exhibits low toxicity and good selectivity.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Procarbazine HCl

ID: T1488



Procarbazine hydrochloride is a polyfunctional alkylating compound used as an antineoplastic agent. Procarbazine is a cytostatic agent, meaning it strands cells midway through cell division, but it does not actively kill them. Procarbazine interferes with cells at a number of sites to prevent DNA and protein synthesis and mitosis.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Uracil**ID: T0069**

Uracil is one of the four nucleobases in the nucleic acid of RNA can be used for drug delivery and as a pharmaceutical.

Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	13	30	78	122	27

Uridine**ID: T2221**

Uridine, Trisodium Salt is an energy-rich precursor in the enzymatic biosynthesis of RNA, a potent vasodilator, and induces contractile responses in some tissues.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Vidarabine**ID: T1506**

A nucleoside antibiotic isolated from Streptomyces antibioticus.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Carboplatin**ID: T1058**

An organoplatinum compound that possesses antineoplastic activity.

Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	13	30	78	133	27

Dacarbazine**ID: T1120**

Dacarbazine(DTIC-Dome) is an antineoplastic chemotherapy drug used in the treatment of various cancers, among them malignant melanoma, Hodgkin lymphoma, sarcoma, and islet cell carcinoma of the pancreas.

Size	2mg	10mg	50mg	1ml/10mM
Price(\$)	13	30	78	27

Trifluridine**ID: T1428**


Dacarbazine(DTIC-Dome) is an antineoplastic chemotherapy drug used in the treatment of various cancers, among them malignant melanoma, Hodgkin lymphoma, sarcoma, and islet cell carcinoma of the pancreas.

Size	2mg	10mg	50mg	1ml/10mM
Price(\$)	13	30	78	27

Cytarabine**ID: T1272**

Cytarabine is an antimetabolite antineoplastic agent that inhibits the synthesis of DNA.

Size	2mg	10mg	50mg	1ml/10mM
Price(\$)	13	30	78	55

Capecitabine**ID: T1408**

Prodrug of 5-Fluorouracil (5-FU). Selectively activated in tumor cells by thymidine phosphorylase; inhibits DNA synthesis upon conversion to 5-FU. Orally available.

Size	2mg	10mg	50mg	1g	1ml/10mM
Price(\$)	13	30	78	153	27

Ribavirin**ID: T0684**

A nucleoside antimetabolite antiviral agent that blocks nucleic acid synthesis and is used against both RNA and DNA viruses.

Size	5mg	25mg	100mg	200mg	1ml/10mM
Price(\$)	19	31	58	95	27

Cladribine

NEW

ID: T2558


Cladribine is an adenosine deaminase inhibitor used to treat hairy cell leukemia and multiple sclerosis.

Size	5mg	10mg	50mg	1ml/10mM
Price(\$)	24	36	122	47

Fludarabine**ID: T1038**

Purine analog that inhibits DNA synthesis. Exhibits antiproliferative activity and triggers apoptosis through increasing Bax and decreasing Bid, XIAP and survivin expression.

Size	2mg	5mg	10mg	20mg	1ml/10mM
Price(\$)	25	49	86	148	56

Puromycin 2HCl**ID: T2219**

Puromycin 2HCl is an aminonucleoside antibiotic, which acts as a protein synthesis inhibitor.

Size	2mg	5mg	10mg	1ml/10mM
Price(\$)	24	42	74	84

DNA/RNA Synthesis

Carmofur

ID: T1307



Carmofur is a derivative of fluorouracil, and is an antineoplastic agent that has been used in the treatment of breast and colorectal cancer. Carmofur has been known to induce leukoencephalopathy.

Size	10mg	50mg	200mg	1ml/10mM
Price(\$)	31	58	101	27

Pemetrexed acid

ID: T0189



Pemetrexed is a Folate Analog Metabolic Inhibitor. The mechanism of action of pemetrexed is as a Folic Acid Metabolism Inhibitor.

Size	10mg	50mg	100mg	1ml/10mM
Price(\$)	24	45	73	39

Fluorocytosine

ID: T0986



Flucytosine is a Nucleoside Analog Antifungal. The chemical classification of flucytosine is Nucleoside Analog.

Size	2mg	10mg	25mg	100mg	1ml/10mM
Price(\$)	24	58	95	185	59

Rifabutin

ID: T1501




A broad-spectrum antibiotic that is being used as prophylaxis against disseminated Mycobacterium avium complex infection in HIV-positive patients.

Size	1mg	5mg	10mg	1ml/10mM
Price(\$)	24	70	95	80

Daptomycin

ID: T1665



Daptomycin is a novel antibiotic with rapid in vitro bactericidal activity against gram-positive organisms.

Size	5mg	20mg	50mg	100mg	1ml/10mM
Price(\$)	25	58	133	222	39

5-Fluorouridine

ID: T1349



5-fluorouridine is known to target uridine phosphorylase.

Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	28	44	68	104	33

Doxifluridine

ID: T1600



Doxifluridine is a Thymidylate synthase inhibitor.

Size	2mg	10mg	25mg	100mg	1ml/10mM
Price(\$)	24	42	78	207	39

Clofarabine

ID: T0297



Clofarabine is a purine nucleoside antimetabolite that is being studied in the treatment of cancer.

Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	36	58	122	213	39

Hydroxyurea

ID: T0676



An antineoplastic agent that inhibits DNA synthesis through the inhibition of ribonucleoside diphosphate reductase

Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	36	58	162	283	56

Mizoribine

ID: T1188



Mizoribine is an imidazole nucleoside, selectively inhibits inosine monophosphate synthetase and guanosine monophosphate synthetase.

Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	36	78	237	56	

Ganciclovir

ID: T0688




An ACYCLOVIR analog that is a potent inhibitor of the Herpesvirus family including cytomegalovirus. Ganciclovir is used to treat complications from AIDS-associated cytomegalovirus infections.

Size	10mg	50mg	100mg	250mg	1ml/10mM
Price(\$)	40	58	94	155	39

Mupirocin

NEW

ID: T1465



A topically used antibiotic from a strain of *Pseudomonas fluorescens*.

Size	5mg	25mg	100mg	1ml/10mM
Price(\$)	46	115	363	59

Tegafur (FT-207, NSC 148958)**ID: T1378**

Florafur is a substance being used in the treatment of some types of cancer.



Size	5mg	10mg	50mg	1ml/10mM
Price(\$)	49	74	133	80

YK-4-279**NEW****ID: T2275**

YK-4-279 is an inhibitor of RNA Helicase A (RHA) binding to the oncogenic transcription factor EWS-FLI1. YK-4-279 inhibits Ewing's sarcoma family tumor (ESFT) cell growth; YK-279 induces apoptosis.



Size	2mg	10mg	50mg	1ml/10mM
Price(\$)	51	84	291	99

Nedaplatin**ID: T2410**

Nedaplatin is a derivative of cisplatin and DNA damage agent for tumor colony forming units with IC50 of 94 μ M.

Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	57	96	172	313	95

AG-337;Nolatrexed 2HCl**NEW****ID: T2627**

Nolatrexed Dihydrochloride is the dihydrochloride salt of nolatrexed, a water-soluble lipophilic quinazoline folate analog with antineoplastic activity.

Size	1mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	64	160	282	544	883	194

Deoxythymidine triphosphate**ID: T1663**

Deoxythymidine triphosphate (dTTP) is one of the four nucleoside triphosphates that are used in the in vivo synthesis of DNA.

Size	2mg	5mg	10mg	1ml/10mM
Price(\$)	59	88	113	84

BMH-21**NEW****ID: T1767**


BMH-21 is a small molecule DNA intercalator that binds ribosomal DNA and inhibits RNA polymerase I (Pol I) transcription; does not cause phosphorylation of H2AX.

Size	2mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	59	92	160	272	70

Isoindigotin**NEW****ID: T1840**

Isoindigotin is used to treat cancer.

Size	2mg	5mg	10mg	50mg	1ml/10mM
Price(\$)	59	88	113	432	99

BRD7716**NEW****ID: T2353**

BRD7716 competitively binds to bacterial DNA gyrase, exhibits an EC50 of 200 nM for LSCE cells, with cell-non-autonomous anti-leukemia activity.

Size	2mg	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	76	127	238	361	542	76

SCR7**ID: T1724**


SCR7 is a specific DNA Ligase IV inhibitor, which blocks nonhomologous end-joining (NHEJ).

Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	82	142	272	444	82

TH287**NEW****ID: T2069**

TH287 is a potent inhibitor of MTH1 (NUDT1) with an IC50 value of 0.8 nM, less potent for MTH2, NUDT5, NUDT12, NUDT14, and NUDT16.

Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	92	137	230	431	760	136

Pyridostatin**NEW****ID: T1899**

Pyridostatin Trifluoroacetate Salt is a G-quadruplex stabilizer with Kd of 490 nM in a cell-free assay, which targets a series of proto-oncogenes including c-kit, K-ras and Bcl-2.

Size	5mg	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	92	172	320	517	632	92

Tipiracil HCl**ID: T2366**

Tipiracil, also known as TPI, is a thymidine phosphorylase inhibitor (TPI). Tipiracil is one of the active components in TAS-102, which is an anticancer drug candidate currently in clinical trials

Size	5mg	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	238	357	828	1317	181	

CX5461

ID: T2100



CX-5461 is an inhibitor of rRNA synthesis, selectively inhibits Pol I-driven transcription of rRNA with IC₅₀ of 142 nM in HCT-116, A375, and MIA PaCa-2 cells, has no effect on Pol II, and possesses 250- to 300-fold selectivity for inhibition of rRNA transcription versus DNA replication and protein translation.

Size	5mg	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	102	217	345	427	628	102

Reverse Transcriptase**Reverse Transcriptase inhibitor****Foscarnet sodium**

ID: T0220

Foscarnet Sodium inhibits viral RNA polymerases, reverse transcriptase, and DNA polymerases through noncompetitive inhibition with dNTPs.



Size	10mg	50mg	100mg	1g	1ml/10mM
Price(\$)	13	24	39	58	27

Salicylanilide

ID: T0753



Salicylanilides are a group of compounds with a wide range of biological activities including antiviral potency, antibacterial (including antimycobacterial) and antifungal activities.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Zidovudine

ID: T1416



A dideoxynucleoside compound in which the 3'-hydroxy group on the sugar moiety has been replaced by an azido group.

Size	2mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	20	43	78	133	56

Abacavir

ID: T1267



Abacavir (ABC) is a powerful nucleoside analog reverse transcriptase inhibitor (NRTI) used to treat HIV and AIDS.

Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	20	53	103	176	84

Zalcitabine

ID: T0110



A dideoxynucleoside compound in which the 3'-hydroxy group on the sugar moiety has been replaced by a hydrogen.

Size	2mg	5mg	10mg	25mg	1ml/10mM
Price(\$)	24	42	78	146	84

Oltipraz

ID: T0153




Oltipraz is a potent Nrf2 activator and a potent inducer of Phase II detoxification enzymes, most notably glutathione-S-transferase (GST). Phase 3.

Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Stavudine

ID: T1404




A dideoxynucleoside analog that inhibits reverse transcriptase and has in vitro activity against HIV.

Size	5mg	25mg	50mg	100mg	1ml/10mM	1ml/10mM
Price(\$)	24	58	95	160	27	56

Adefovir dipivoxil

ID: T1675



Adefovir dipivoxil is an orally-administered acyclic nucleotide analog reverse transcriptase inhibitor (ntRTI) used for treatment of hepatitis B.

Size	10mg	50mg	100mg	1ml/10mM
Price(\$)	36	58	95	59

Didanosine

ID: T2578



Didanosine is a reverse transcriptase inhibitor with an IC₅₀ of 0.49 μM.

Size	2mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	36	58	112	191	59

Lamivudine

ID: T0682



A reverse transcriptase inhibitor and ZALCITABINE analog in which a sulfur atom replaces the 3' carbon of the pentose ring.

Size	2mg	10mg	25mg	1ml/10mM
Price(\$)	36	78	133	27

2'-Deoxy-L-thymidine**ID: T1513**

Telbivudine is a Hepatitis B Virus Nucleoside Analog Reverse Transcriptase Inhibitor.

Size	1mg	5mg
Price(\$)	30	73

GS-7340 Tenofovir alafenamide**NEW****ID: T2409**

Tenofovir Alafenamide (GS-7340) is a prodrug of tenofovir, which is a reverse transcriptase inhibitor, used to treat HIV and Hepatitis B.



Size	2mg	5mg	10mg	50mg	100mg
Price(\$)	49	85	133	414	614

Nevirapine**ID: T1595**

Nevirapine is a Human Immunodeficiency Virus 1 Non-Nucleoside Analog Reverse Transcriptase Inhibitor.



Size	5mg	25mg	100mg	1ml/10mM
Price(\$)	58	207	480	80

Etravirine (TMC125)**ID: T2551**

Etravirine (TMC125) is a non-nucleoside reverse transcriptase inhibitor (NNRTI) used for the treatment of HIV.



Size	5mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	73	110	269	488	99

Tenofovir**ID: T1649**

Tenofovir disoproxil fumarate (a prodrug of tenofovir), marketed by Gilead Sciences under the trade name Viread®, belongs to a class of antiretroviral drugs known as nucleotide analogue reverse transcriptase inhibitors (nRTIs), which block reverse transcriptase, an enzyme crucial to viral production in HIV-infected people.

Size	5mg	20mg	50mg	100mg	1ml/10mM
Price(\$)	78	207	330	545	84

Rilpivirine**ID: T2330**

Rilpivirine is a non-nucleoside reverse transcriptase inhibitor (NNRTI), and used to treat HIV-1 infection.

Size	2mg	10mg	50mg	1ml/10mM
Price(\$)	112	157	551	158

Entecavir hydrate**ID: T0085**

Entecavir, a new deoxyguanine nucleoside analogue, is a selective inhibitor of the replication of the hepatitis B virus (HBV).

Size	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	92	171	272	422	95

Dapivirine (TMC120)**NEW****ID: T1815**


Dapivirine (TMC120) is a non-nucleoside inhibitor for HIV reverse transcriptase with IC50 of 24 nM, inhibits a broad panel of HIV-1 isolates from different classes, including a wide range of NNRTI-resistant isolates. Phase 3.

Size	5mg	10mg	25mg	100mg	1ml/10mM
Price(\$)	137	185	427	1148	136

Nucleoside Antimetabolite/Analogue**Nucleoside Antimetabolite/Analogue****Adenine****ID: T0064**

Adenine is a purine derivative and a nucleobase with a variety of roles in biochemistry.

Size	2mg	10mg	50mg	100mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	183	27

Adenosine**ID: T0853**

Adenosine is a nucleoside composed of adenine attached to a ribose sugar molecule (ribofuranose) moiety via a β -N-glycosidic bond.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Dihydrothymine**ID: T0532**

Dihydrothymine is an intermediate in the metabolism of thymine.

Size	5mg	25mg	100mg	500mg	1ml/10mM
Price(\$)	20	33	80	229	27

DNA Methyltransferase

DNA Methyltransferase inhibitor

Zebularine

ID: T2169

Zebularine is a DNA methylation inhibitor that forms a covalent complex with DNA methyltransferases, also inhibits cytidinedeaminase with Ki of 2 μ M in a cell-free assay.




Size	2mg	5mg	10mg	50mg	1ml/10mM
Price(\$)	57	84	108	385	112

SGI-1027

NEW

ID: T1904



SGI-1027 is a potent and selective inhibitor of DNA methyltransferase (DNMT) with IC50 of 6, 8, 7.5 μ M for DNMT1, DNMT3A, and DNMT3B, respectively.

Size	2mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	49	113	197	370	85

RSC133

ID: T2163

RSC133, a new synthetic derivative of indoleacrylic acid/indolepropionic acid, exhibits dual activity by inhibiting histone deacetylase and DNA methyltransferase. Furthermore it potently improves the reprogramming of human somatic cells into a pluripotent state and aids the growth and maintenance of human pluripotent stem cells (hPSCs).

Size	1mg
Price(\$)	64

Mylosar

ID: T1339



A pyrimidine analogue that inhibits DNA methyltransferase, impairing DNA methylation.

Size	5mg	10mg	20mg	100mg	250mg	1ml/10mM
Price(\$)	24	43	67	177	329	55

Lomeguatrib

NEW

ID: T2495



Lomeguatrib is a potent inhibitor of O6-alkylguanine-DNA-alkyltransferase with IC50 of 5 nM.

Size	5mg	10mg	50mg	1ml/10mM
Price(\$)	73	133	341	99

Dacogen


ID: T1508



Dicetabine is indicated for treatment of patients with myelodysplastic syndrome (MDS).

Size	2mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	28	73	123	209	69

Neuroscience



5-HT Receptor

5-HT Receptor agonist

Dapoxetine HCl

ID: T0039

Dapoxetine is a selective serotonin reuptake inhibitor, for the treatment of premature ejaculation.



Size	5mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	24	42	122	195	56

Sumatriptan succinate

ID: T0203

A serotonin agonist that acts selectively at 5HT1 receptors.



Size	2mg	10mg	25mg	100mg	1ml/10mM
Price(\$)	24	44	78	157	69

Tianeptine sodium

ID: T2402

Tianeptine sodium is a selective serotonin reuptake enhancer (SSRE), used for treating major depressive episodes.



Size	5mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	57	84	300	488	72

Zolmitriptan

ID: T1092

Zolmitriptan is a selective serotonin receptor agonist.



Size	2mg	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	28	73	123	209	357	69

BRL54443

NEW

ID: T2459

BRL 54443 is a 5-HT1E and 5-HT1F receptor agonist with pKi of 8.7 and 9.25, respectively, with a weak binding affinity for 5-HT1A, 5-HT1B, 5-HT1D receptors.



Size	2mg	10mg	50mg	1ml/10mM
Price(\$)	24	71	279	99

Pizotifen Malate

ID: T2025

Pizotifen malate is a highly selective 5-HT receptor blocking agent, which is a benzocycloheptane based drug.




Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	13	30	78	133	27

Metoclopramide HCl

ID: T1069

Metoclopramide HCl is a selective dopamine D2 receptor antagonist, used for the treatment of nausea and vomiting.




Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	153	27

Almotriptan Malate

NEW

ID: T2317

Almotriptan Malate is a selective 5-hydroxytryptamine1B/1D (5-HT1B/1D) receptor agonist, used for the treatment of Migraine attacks in adults.




Size	5mg	10mg	50mg	1ml/10mM
Price(\$)	44	60	206	57

5-HT Receptor

Ergotamine bitartrate

ID: T1014

Ergotamine Tartrate is the tartrate salt form of ergotamine, an ergot alkaloid and adrenergic alpha agonist with vasoconstrictor activity. Ergotamine tartrate also blocks serotonin 5-HT1D receptors.



Size	2mg	5mg	10mg	50mg	1ml/10mM
Price(\$)	59	88	113	432	84

DOV 21947

NEW

ID: T2092




Amitifadine hydrochloride is a triple reuptake inhibitor (TRI) or serotonin-norepinephrine-dopamine reuptake inhibitor (SNDR). Ki values for SERT/NET/ DAT are 99/262/213 nM. The IC50 values for serotonin, norepinephrine and dopamine reuptake are 12/23/96 nM.

Size	2mg	5mg	10mg	50mg	1ml/10mM
Price(\$)	59	88	113	432	99

Pimavanserin

NEW

ID: T2076



Pimavanserin(ACP-103) is a potent and selective 5-HT2A receptor inverse agonist with mean pIC50 of with 8.7 in the cell-based functional assay.

Size	2mg	5mg	10mg	50mg	1ml/10mM
Price(\$)	59	88	113	432	99

RU 24969 hemisuccinate

NEW

ID: T2299

RU 24969 is a selective agonist at the 5-HT1A and 5-HT1B receptors.



Size	2mg	5mg	10mg	50mg	1ml/10mM
Price(\$)	59	88	113	432	99

LY344864

NEW

ID: T2344



LY344864 is a selective receptor agonist with an affinity of 6 nM (Ki) at the recently cloned 5-HT1F receptor.

Size	2mg	5mg	10mg	50mg	1ml/10mM
Price(\$)	59	101	157	624	133

Eletriptan HBr

ID: T2016

Eletriptan hydrobromide is a orally active, selective 5-HT1B/1D receptor agonist.



Size	2mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	61	118	230	402	112

Prucalopride

ID: T2542

Prucalopride is a selective, high affinity 5-HT receptor agonist for 5-HT4A and 5-HT4B receptor with Ki of 2.5 nM and 8 nM, respectively, exhibits >290-fold selectivity against other 5-HT receptor subtypes.



Size	5mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	80	122	305	511	112

5-HT Receptor antagonist

Thioridazine HCl

ID: T0365

A phenothiazine antipsychotic used in the management of PHOCOSES, including SCHIZOPHRENIA.



Size	10mg	50mg	100mg	500mg	1ml/10mM
Price(\$)	13	24	39	104	39

Ondansetron HCl

ID: T1478



Ondansetron is a serotonin 5-HT receptor antagonist used mainly as antiemetic (to treat nausea and vomiting), often following chemotherapy.

Size	2mg	5mg	10mg	25mg	1ml/10mM
Price(\$)	13	24	42	61	84

Urapidil

ID: T0165



Urapidil is a sympatholytic antihypertensive drug. It acts as an α1-adrenoceptor antagonist and as an 5-HT1A receptor agonist.

Size	10mg	50mg	100mg	1ml/10mM
Price(\$)	13	24	42	27

Pizotifen

ID: T1442




Pizotifen(Pizotiline) is a highly selective 5-HT receptor blocking agent, which is a benzocycloheptane based drug.

Size	10mg	50mg	100mg	500mg	1ml/10mM
Price(\$)	13	24	42	74	27

Ketanserin

ID: T1066



A selective serotonin receptor antagonist with weak adrenergic receptor blocking properties.

Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	13	28	43	58	27

Aripiprazole

ID: T1566



Aripiprazole appears to mediate its antipsychotic effects primarily by partial agonism at the D2 receptor. In addition to partial agonist activity at the D2 receptor, also a partial agonist at the 5-HT1A receptor.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Dopamine HCl

ID: T1644



One of the catecholamine NEUROTRANSMITTERS in the brain. Dopamine hydrochloride is derived from TYROSINE and is the precursor to NOREPINEPHRINE and EPINEPHRINE.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Olanzapine

ID: T1567



Olanzapine is an atypical antipsychotic, approved by the FDA in 1996.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Clomipramine HCl

ID: T0255



Clomipramine HCl is a hydrochloride salt of clomipramine which is a serotonin transporter (SERT), norepinephrine transporter (NET) dopamine transporter (DAT) blocker with Ki of 0.14, 54 and 3 nM, respectively.

Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	13	30	78	133	27

Propranolol HCl

ID: T0812



Propranolol Hydrochloride is a widely used non-cardioselective beta-adrenergic antagonist.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Ataractan

ID: T0318



Azacyclonol, also known as γ -pipradol, is a drug used to diminish hallucinations in psychotic individuals.

Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	13	30	78	133	27

Methiothepin mesylate

NEW

ID: T2190




Methiothepin (INN), also commonly known as methiothepin, is a drug that acts as an antagonist at various serotonin and dopamine receptors. It is used as an antipsychotic.

Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	24	42	83	133	203	84

Procaine HCl

ID: T0802



A local anesthetic of the ester type that has a slow onset and a short duration of action.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Lamotrigine

ID: T0680



Lamotrigine is an anticonvulsant drug used in the treatment of epilepsy and bipolar disorder.

Size	5mg	25mg	100mg	500mg	1ml/10mM
Price(\$)	19	31	43	133	27

Venlafaxine HCl

ID: T0472



Venlafaxine is an arylalkanolamine serotonin-norepinephrine reuptake inhibitor (SNRI), used to treat major depressive disorder (MDD), generalised anxiety disorder (GAD), panic disorder and social phobia.

Size	2mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	19	42	78	133	39

Tegaserod maleate

ID: T1551




Tegaserod is a 5-HT4 agonist manufactured by Novartis and used for the management of irritable bowel syndrome and constipation.

Size	2mg	10mg	25mg	1ml/10mM
Price(\$)	19	44	76	84

Cisapride

ID: T1291



Cisapride is a gastroprolinctic agent, a drug that increases motility in the upper gastrointestinal tract.

Size	2mg	10mg	25mg	1ml/10mM
Price(\$)	20	53	107	99

5-HT Receptor

Paroxetine HCl

ID: T1636



Paroxetine Hydrochloride is a antidepressants known as selective serotonin-reuptake inhibitors (SSRIs). Paroxetine is a potent and highly selective inhibitor of neuronal serotonin reuptake. Paroxetine likely inhibits the reuptake of serotonin at the

Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	24	58	162	259	44

Risperidol

ID: T0351



Risperidone is a multi-targeted antagonist for dopamine, serotonin, adrenergic and histamine receptors, used to treat schizophrenia and bipolar disorder.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	24	58	207	534	56

Palonosetron HCl

ID: T1156



Palonosetron (INN, trade name Aloxi) is a 5-HT3 antagonist used in the prevention and treatment of chemotherapy-induced nausea and vomiting (CINV).

Size	1mg	5mg	10mg	50mg	1ml/10mM
Price(\$)	24	80	133	333	84

Promethazine

ID: T0445



A phenothiazine derivative with histamine H1-blocking, antimuscarinic, and sedative properties.

Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Molindone HCl

ID: T0716



Molindone has much lower affinity for D2 receptors than most antipsychotic agents and has a relatively low affinity for D1 receptors.

Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	24	42	83	133	244	84

Desipramine HCl

ID: T0991



A tricyclic dibenzazepine compound that potentiates neurotransmission.

Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Cyclobenzaprine HCl

ID: T1509




Cyclobenzaprine HCl is a muscle relaxant by blocking pain sensations, used for the treatment of muscle spasms.

Size	10mg	50mg	100mg	500mg	1ml/10mM
Price(\$)	24	43	78	115	56

Nafroxyl oxalate

ID: T1081




A drug used in the management of peripheral and cerebral vascular disorders.

Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Haloperidol

ID: T0025



Haloperidol has been found to be a highly potent neuroleptic by relieving nervous through the depression of nerve function.

Size	2mg	5mg	20mg	50mg	1ml/10mM
Price(\$)	24	78	185	345	99

Pindolol

ID: T0735



A moderately lipophilic beta blocker (ADRENERGIC BETA-ANTAGONISTS).

Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Flopropizone

ID: T0525



Flopropizone is a spasmolytic or antispasmodic agent, and acts as a 5-HT1A receptor antagonist

Size	5mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	24	39	77	190	56

Buspirone HCl

ID: T2132



An anxiolytic agent and serotonin receptor agonist belonging to the azaspirodecanedione class of compounds.

Size	5mg	10mg	20mg	100mg	250mg
Price(\$)	24	43	67	177	329

Alverine citrate

ID: T0428



Alverine citrate is a drug used for functional gastrointestinal disorders.

Size	5mg	10mg	25mg	100mg	1ml/10mM
Price(\$)	29	42	88	145	56

Sertraline HCl

ID: T0428



Sertraline hydrochloride is an antidepressant of the selective serotonin reuptake inhibitor (SSRI) class.

Size	2mg	10mg	50mg	1ml/10mM
Price(\$)	24	58	207	44

Granisetron HCl

ID: T1042



A serotonin receptor (5HT-3 selective) antagonist that has been used as an antiemetic for cancer chemotherapy patients.

Size	5mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	28	69	119	209	56

Azasetron HCl

ID: T1528



Azasetron Hydrochloride is a 5-HT3 receptor antagonist which is used as an anti-emetic. Azasetron inhibited the specific binding of [³H]quipazine to 5-HT3 receptors at the synaptic membranes of the rat cerebral cortex.

Size	2mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	36	88	160	283	59

Blonanserin

ID: T1180



Blonanserin is a novel atypical antipsychotic agent with potent dopamine D₂ and serotonin 5-HT₂ receptors antagonist properties.

Size	5mg	20mg	100mg	1ml/10mM
Price(\$)	33	78	207	39

Tropisetron HCl

ID: T1173




Tropisetron is a selective 5-HT₃ receptor antagonist and α₇-nicotinic receptor agonist.

Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	36	78	237	419	39

Pramipexole

ID: T1476



Pramipexole is a medication indicated for treating Parkinson's disease and restless legs syndrome (RLS).

Size	5mg	20mg	50mg	100mg	1ml/10mM
Price(\$)	30	58	96	160	56

Agomelatine

ID: T1445



Agomelatine is a potent agonist at melatonin receptors and an antagonist at serotonin-2C (5-HT_{2C}) receptors, tested in an animal model of depression.

Size	2mg	10mg	50mg	1ml/10mM
Price(\$)	36	78	237	56

Fluvoxamine maleate

ID: T1077




Fluvoxamine maleate is a selective serotonin (5-HT) reuptake inhibitor (SSRI).

Size	2mg	10mg	50mg	1ml/10mM
Price(\$)	36	78	237	56

Rizatriptan benzoate

ID: T1512




Rizatriptan Benzoate is an agonist at serotonin 5-HT_{1B} and 5-HT_{1D} receptors, used to treat acute migraine attacks.

Size	2mg	10mg	25mg	1ml/10mM
Price(\$)	36	88	133	80

Lurasidone HCl

ID: T1735



Lurasidone is an atypical antipsychotic developed by Dainippon Sumitomo Pharma.

Size	5mg	25mg	100mg	1ml/10mM
Price(\$)	39	67	118	39

5-HT Receptor

LY310762

NEW

ID: T2688

LY310762 is a 5-HT1D receptor antagonist with K_i of 249 nM, having a weaker affinity for 5-HT1B receptor.



Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	42	64	99	205	357	84

WAY-100635 Maleate

NEW

ID: T2631

WAY-100635 Maleate is a potent and selective 5-HT receptor antagonist with IC_{50} of 0.95 nM.



Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	42	80	123	272	487	148

Alosetron HCl**ID: T2525**

Alosetron HCl is a Serotonin 5HT3-receptor antagonist that is used in treatment of irritable bowel syndrome.



Size	5mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	49	85	268	417	59

Dalasetron Mesylate Hydrate


NEW

ID: T2589

Dalasetron(MDL-73147) is a serotonin 5-HT3 receptor antagonist used to treat nausea and vomiting following chemotherapy.



Size	10mg	50mg	100mg	1ml/10mM
Price(\$)	49	113	170	47

Vilazodone**ID: T1279**


Vilazodone is a novel compound with combined high affinity and selectivity for the 5-hydroxytryptamine (5-HT) transporter and 5-HT(1A) receptors.

Size	2mg	10mg	50mg	1ml/10mM
Price(\$)	59	147	357	157

Dihydroergotamine Mesylate**ID: T0524**

Dihydroergotamine mesylate is an ergot alkaloid used to treat migraines.

Size	2mg	5mg	10mg	50mg	1ml/10mM
Price(\$)	59	88	113	432	84

Asenapine Maleate**ID: T1951**

Developed by Schering-Plough after its merger with Organon International, asenapine is a sublingually administered, atypical antipsychotic for treatment of schizophrenia and acute mania associated with bipolar disorder.

Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	59	219	549	961	145

Pardoprinox

NEW


ID: T1769

Pardoprinox(SLV-308) is a novel partial dopamine D2 and D3 receptor agonist and serotonin 5-HT1A receptor agonist; D2 ($pK_i = 8.1$) and D3 receptor ($pK_i = 8.6$) partial agonist ($IA = 50\%$ and 67% , respectively) and 5-HT1A receptor ($pK_i = 8.5$) full agonist ($IA = 100\%$); also binds to D4 ($pK_i = 7.8$), α 1-adrenergic ($pK_i = 7.8$), α 2-adrenergic ($pK_i = 7.4$), and 5-HT7 receptors ($pK_i = 7.2$) with lower affinity.

Size	2mg	5mg	10mg	50mg	1ml/10mM
Price(\$)	59	88	113	432	212

TG6-10-1

NEW

ID: T2428

TG6-10-1 is an EP2 antagonist, shows low-nanomolar antagonist activity against only EP2, >300-fold selectivity over human EP3, EP4, and IP receptors, 100-fold selectivity over EP1 receptors.

Size	5mg	10mg	50mg	1ml/10mM
Price(\$)	122	207	657	133

Vortioxetine**ID: T2395**

Vortioxetine (Lu AA21004) is a multimodal serotonergic agent, inhibits 5-HT1A, 5-HT1B, 5-HT3A, 5-HT7 receptor and SERT with IC_{50} of 15 nM, 33 nM, 3.7 nM, 19 nM and 1.6 nM, respectively.

Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	118	178	394	712	106

SB 742457

NEW

ID: T1774

SB742457 is a highly selective 5-HT6 receptor antagonist with pK_i of 9.63, exhibits >100-fold selectivity over other receptors. Phase 2.

Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	124	195	363	635	123

Piboserod(SB-207266)**NEW****ID: T2278**

Piboserod (SB 207266) is a selective 5-HT(4) receptor antagonist.



Size	5mg	10mg	50mg	1ml/10mM
Price(\$)	100	133	450	99

Serotonin HCl**ID: T2209**

Serotonin HCl is a monoamine neurotransmitter and Endogenous 5-HT receptor agonist.



Size	5mg	10mg	25mg	1ml/10mM
Price(\$)	78	127	203	133

5-HT Receptor inhibitor**2-Bromo-6-methoxynaphthalene****ID: T0663**

Inhibitors of serotonin reuptake



Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

N-Acetyl-5-hydroxytryptamine**ID: T1354**

N-Acetylserotonin (NAS), also known as normelatonin, is a naturally occurring chemical intermediate in the endogenous production of melatonin from serotonin.

Size	2mg	5mg	10mg	25mg	1ml/10mM
Price(\$)	24	42	83	133	84

Protriptyline HCl**ID: T2024**

Protriptyline hydrochloride is a dibenzocycloheptene-derivative tricyclic antidepressant (TCA). TCAs are structurally similar to phenothiazines. They contain a tricyclic ring system with an alkyl amine substituent on the central ring.

Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	49	79	119	206	67

Levomilnacipran**ID: T2594**

Levomilnacipran is a selective serotonin and norepinephrine reuptake inhibitor. Chemically, levomilnacipran is the 1S,2R-enantiomer of milnacipran.

Size	5mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	56	97	377	568	84

Dopamine Receptor**Dopamine Receptor agonist****Minaprine 2HCl****ID: T0338**


Minaprine is a psychotropic drug which has proved to be effective in the treatment of various depressive states. Like most antidepressants minaprine antagonizes behavioral despair.

Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Levodopa**ID: T0848**

Levodopa is the precursor to the neurotransmitters dopamine, norepinephrine (noradrenaline), and epinephrine (adrenaline), used to treat Parkinson's symptoms.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Citicoline**ID: T0136**


Donor of choline in biosynthesis of choline-containing phosphoglycerides.

Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Fipexide**ID: T0322**

Fipexide (Attentil, Vigilor) is a psychoactive drug of the piperazine chemical class which was developed in Italy in 1983.

Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Prochlorperazine Maleate**ID: T0385**

A phenothiazine antipsychotic used principally in the treatment of NAUSEA; VOMITING; and VERTIGO. It is more likely than CHLORPROMAZINE to cause EXTRAPYRAMIDAL DISORDERS.

Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Amantadine HCl**ID: T1406**

An antiviral that is used in the prophylactic or symptomatic treatment of influenza A.

Size	5mg	25mg	100mg	250mg	1ml/10mM
Price(\$)	36	95	282	505	27

Dopamine Receptor

GBR-12935

NEW

ID: T1871

GBR 12935 induced increase in the extracellular levels of dopamine to basal levels.



Size	5mg	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	41	60	104	172	279	45

Brexipiprazole

NEW

ID: T2306

Brexipiprazole is a novel D2 dopamine partial agonist.



Size	2mg	5mg	10mg	50mg	1ml/10mM
Price(\$)	59	88	113	432	99

Dopamine Receptor antagonist

Perphenazine

ID: T1090

An antipsychotic phenothiazine derivative with actions and uses similar to those of CHLORPROMAZINE.



Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Dexchlorpheniramine Maleate

ID: T0785



Dexchlorpheniramine (trade name Polaramine) is an antihistamine with anticholinergic properties used to treat allergic conditions such as hay fever or urticaria.

Size	10mg	50mg	100mg	1ml/10mM
Price(\$)	13	24	41	27

Sulpiride

ID: T1201

Levosulpiride is a selective antagonist for D2 dopamine receptors used as an antipsychotic and prokinetic agent.



Size	10mg	50mg	100mg	500mg	1ml/10mM
Price(\$)	13	24	42	74	27

Benztropine mesylate

ID: T1336


Benzatropine is an anticholinergic drug used in patients to reduce the side effects of antipsychotic treatment.



Size	2mg	10mg	50mg	200mg	1g	1ml/10mM
Price(\$)	13	30	78	122	241	55

Fluphenazine HCl

ID: T0068




A phenothiazine used in the treatment of PSYCHOSES.

Size	10mg	50mg	100mg	250mg	1ml/10mM
Price(\$)	13	25	42	78	27

Amisulpride

ID: T0811




Amisulpride (trade name Solian) is an antipsychotic drug sold by Sanofi-Aventis.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Levosulpiride

ID: T1211




Levosulpiride is a selective antagonist for D2 dopamine receptors used as an antipsychotic and prokinetic agent.

Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	13	30	78	122	27

Loxapine succinate salt

ID: T1412




Loxapine Succinate is a D2DR and D4DR inhibitor, serotonergic receptor antagonist and also a dibenzoxazepine anti-psychotic agent.

Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	13	30	78	122	27

Penfluridol

ID: T1105



Penfluridol is a highly potent, first generation diphenylbutylpiperidine antipsychotic.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Phenothiazine

ID: T0776



Phenothiazine is a dopamine-2 (D2) receptor antagonist therefore decreases the effect of dopamine in the brain.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Triflupromazine HCl

ID: T0302

Triflupromazine (Vesprin) is an antipsychotic medication of the phenothiazine class.



Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	25	49	83	145	216	99

Domperidone

ID: T0082

Domperidone(Motilium) is a dopamine blocker and an antidopaminergic reagent.




Size	2mg	10mg	50mg	1ml/10mM
Price(\$)	13	30	78	55

Bromopride

ID: T1175

Bromopride is a dopamine antagonist with prokinetic properties closely related to metoclopramide, and is widely used as an antiemetic. It is not available in the United States or the United Kingdom.



Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Bendazol

ID: T1322



N/A

Size	5mg	50mg	100mg	1ml/10mM
Price(\$)	27	49	88	57

Promazine HCl

ID: T0766

A phenothiazine with actions similar to CHLORPROMAZINE but with less antipsychotic activity.



Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	24	42	83	133	244	84

Spiroperone

ID: T0280



A spiro butyrophenone analog similar to HALOPERIDOL and other related compounds.

Size	2mg	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	24	67	119	206	328	80

Atomoxetine HCl

ID: T0869



Atomoxetine is the first non-stimulant drug approved for the treatment of attention-deficit hyperactivity disorder (ADHD).

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	24	88	282	530	80

Trifluoperazine 2HCl

ID: T1222




A phenothiazine with actions similar to chlorpromazine.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Tiapride HCl

ID: T1292




Tiapride is a drug that selectively blocks D2 and D3 dopamine receptors in the brain.

Size	2mg	10mg	25mg	1ml/10mM
Price(\$)	20	44	78	56

Alizapride HCl

ID: T2574



Alizapride HCl is a dopamine receptor antagonist used for the therapy of nausea and vomiting.

Size	5mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	36	59	84	133	59

Duloxetine HCl

ID: T1471



Duloxetine HCl is a selective serotonin and norepinephrine reuptake inhibitor.

Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	36	88	259	507	56

Ropinirole HCl

ID: T2592

NEW



Ropinirole a selective dopamine D2 receptors agonist with Ki of 29 nM.

Size	10mg	25mg	50mg	1ml/10mM
Price(\$)	39	51	91	84

Pimozide

ID: T2546



Pimozide is a diphenylbutylpiperidine derivative and a dopamine antagonist with antipsychotic property. Pimozide selectively inhibits type 2 dopaminergic receptors in the central nervous system (CNS), thereby decreasing dopamine neurotransmission and reducing the occurrence of motor and vocal tics and delusions of parasitosis. In addition, this agent antagonizes alpha-adrenergic and 5-HT2 receptors.

Size	5mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	49	85	268	417	84

Flupenthixol 2HCl

ID: T2564



Flupenthixol is a strong dopamine receptor antagonist.

Size	5mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	49	85	268	417	84

Droperidol

ID: T0900



Droperidol is a Dopamine-2 Receptor Antagonist.

Size	2mg	5mg	10mg	50mg	1ml/10mM
Price(\$)	59	88	113	432	84

Dopamine receptor inhibitor**Tetrabenazine**

ID: T0719



Tetrabenazine is a VMAT-inhibitor used for treatment of hyperkinetic movement disorder.

Size	2mg	5mg	10mg	50mg	1ml/10mM
Price(\$)	59	88	113	432	84

Gamma-secretase**Gamma-secretase inhibitor**

MK0752

NEW

ID: T2625



MK-0752 is a moderately potent γ -secretase inhibitor, which reduces A β 40 production with IC50 of 5 nM. Phase 1/2.

Size	1mg	5mg	10mg	25mg	50mg
Price(\$)	77	222	333	551	837

Gamma-secretase modulator

GHF-5074

NEW

ID: T2262




1-(3',4'-Dichloro-2-fluoro[1,1'-biphenyl]-4-yl)-cyclopropanecarboxylic acid (CHF5074), a novel gamma-secretase modulator, reduces brain beta-amyloid pathology in a transgenic mouse model of Alzheimer's disease without causing peripheral toxicity.

Size	2mg	5mg	10mg	50mg	1ml/10mM
Price(\$)	222	351	498	1577	386

Beta Amyloid**Beta Amyloid inhibitor****Homotaurine**

ID: T0883



Homotaurine binds to soluble amyloid beta and inhibits the formation of neurotoxic aggregates that lead to amyloid plaque deposition in the brain.

Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

LY2811376

NEW

ID: T2639




LY2811376 is the first orally available non-peptidic β -secretase(BACE1) inhibitor with IC50 of 239 nM-249 nM, that act to decrease A β secretion with EC50 of 300 nM, demonstrated to have 10-fold selectivity towards BACE1 over BACE2, and more than 50-fold inhibition over other aspartic proteases including cathepsin D, pepsin, or renin. Phase 1.

Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	80	148	283	490	837	148

AChE**AChE inhibitor****Delphene**

ID: T0731




A compound used as a topical insect repellent that may cause irritation to eyes and mucous membranes, but not to the skin.

Size	100ul	500ul	1ml	5ml
Price(\$)	13	24	43	64

Decamethonium bromide

ID: T0818



Decamethonium Bromide is a nicotinic AChR partial agonist and neuromuscular blocking agent.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Neostigmine bromide

ID: T1624



Neostigmine bromide(Prostigmin) is a reversible acetylcholinesterase inhibitor and a parasympatho-mimetic.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Rivastigmine tartrate

ID: T1628



Rivastigmine is a parasympathomimetic or cholinergic agent for the treatment of mild to moderate dementia of the Alzheimer's type and dementia due to Parkinson's disease.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Ganthamine HBr

ID: T0806



A benzazepine derived from norbelladine.

Size	2mg	10mg	50mg	1ml/10mM
Price(\$)	13	30	78	55

Acotiamide HCl

NEW

ID: T2319



Acotiamide Hydrochloride is the hydrochloride salt form of acotiamide, a prokinetic agent with gastrointestinal (GI) motility-enhancing activity.

Size	2mg	5mg	10mg	50mg	1ml/10mM
Price(\$)	59	88	113	432	99

Mestinon

ID: T0780




A cholinesterase inhibitor with a slightly longer duration of action than NEOSTIGMINE.

Size	2mg	10mg	50mg	1ml/10mM
Price(\$)	27	71	191	57

Rivastigmine

ID: T2029

Rivastigmine is a parasympathomimetic or cholinergic agent for the treatment of mild to moderate dementia of the Alzheimer's type. Rivastigmine is a cholinesterase inhibitor that inhibits both butyrylcholinesterase and acetylcholinesterase.



Size	5mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	24	36	66	117	59

BDNF**BDNF inhibitor**

J147

NEW

ID: T1993



J-147 is a broad spectrum neuroprotective phenyl hydrazide compound(EC50=60–115 nM) with significant neurotrophic properties related to the induction of brain-derived neurotrophic factor (BDNF).


Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	120	172	320	532	120

CaMK**CaMK inhibitor**

KN-93 Phosphate

NEW

ID: T2606



KN-93 Phosphate is a potent and specific inhibitor of Ca^{2+} /calmodulin-dependent protein kinase II (CaMKII) with K_i of 0.37 μM , no remarkable inhibitory effects on APK, PKC, MLCK or Ca^{2+} -PDE activities.

Size	1mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	35	88	135	284	523	99

KN-62

ID: T2694



KN-62 is a potent and specific inhibitor of Ca^{2+} /calmodulin-dependent protein kinase II (CaMKII) with K_i of 0.9 μM .

Size	1mg
Price(\$)	44

KN-93

ID: T2697

KN-93 is a selective inhibitor of Ca²⁺/calmodulin-dependent kinase II (CaMKII), competitively blocking CaM binding to the kinase ($K_i = 370$ nM).



Size	1mg	5mg	10mg	25mg	1ml/10mM
Price(\$)	58	167	260	456	246

CaMKP Inhibitor

NEW

ID: T2159

It is a CaMKP Inhibitor.




Size	2mg	5mg	10mg	50mg	1ml/10mM
Price(\$)	71	96	167	450	133

ChE**ChE inhibitor****Temephos**

ID: T0997

An organothiophosphate insecticide.




Size	2mg	10mg	50mg	1ml/10mM
Price(\$)	13	24	48	59

Procainamide HCl

ID: T0018

Procainamide hydrochloride is a class Ia antiarrhythmic drug that is structurally-related to PROCAINE.



Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	153	27

Nizatidine

ID: T1575

A histamine H2 receptor antagonist with low toxicity that inhibits gastric acid secretion.



Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Carbaryl

ID: T0790

A carbamate insecticide and parasiticide.



Size	5mg	25mg	100mg	1ml/10mM
Price(\$)	25	43	106	56

Dibucaine

ID: T0364

A local anesthetic of the amide type now generally used for surface anesthesia.



Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	13	30	78	133	27

Malathion

ID: T1015




A wide spectrum aliphatic organophosphate insecticide widely used for both domestic and commercial agricultural purposes.

Size	5mg	25mg	50mg	1ml/10mM
Price(\$)	25	76	133	40

Bambuterol HCl

ID: T1446


Bambuterol is a long acting beta-adrenoceptor agonist used in the treatment of asthma. It is a prodrug of terbutaline.



Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	153	27

Diazinon

ID: T0998




A cholinesterase inhibitor that is used as an organothiophosphorus insecticide.

Size	5mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	25	76	133	234	40

Chlorphos

ID: T1329



Metrifonate (INN) or trichlorfon (USAN) is an irreversible organophosphate acetylcholinesterase inhibitor. It is a prodrug which is activated non-enzymatically into 2,2-dichlorovinyl dimethyl phosphate (DDVP).

Size	5mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	25	76	133	234	40

Clorpyrifos

ID: T0995




An organothiophosphate cholinesterase inhibitor that is used as an insecticide and as an acaricide.

Size	5mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	25	76	133	234	40

Hodostin

ID: T1612



Neostigmine methyl sulfate is a cholinesterase inhibitor used in the treatment of myasthenia gravis and to reverse the effects of muscle relaxants such as gallamine and tubocurarine. Neostigmine, unlike PHYSOSTIGMINE, does not cross the blood-brain barrier.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Physostigmine Salicylate

ID: T0130



Physostigmine is a parasympathomimetic alkaloid, specifically, a reversible cholinesterase inhibitor. It occurs naturally in the Calabar bean.

Size	1mg	2mg	5mg	10mg	1ml/10mM
Price(\$)	24	42	78	133	99

Propoxur

ID: T0976



Propoxur (Baygon) is a carbamate insecticide and was introduced in 1959. Propoxur is a non-systemic insecticide with a fast knockdown and long residual effect used against turf, forestry, and household pests and fleas. It is also used in pest control for other domestic animals, Anopheles mosquitoes, ants, gypsy moths, and other agricultural pests.

Size	5mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	25	76	133	234	40

Tacrine HCl hydrate


ID: T2191

A cholinesterase inhibitor that crosses the blood-brain barrier.

Size	5mg	50mg	100mg	1g	1ml/10mM
Price(\$)	27	49	88	167	57

ChE potentiator**Dipivefrin HCl**

ID: T0103



Dipivefrin is a prodrug of adrenaline, which is used to treat glaucoma. It is available as ophthalmic solution (eye drops).

Size	2mg	10mg	50mg	1ml/10mM
Price(\$)	13	30	78	55

ChE Reactivator**2-Pyridinealdoxime methochloride** NEW

ID: T1111



Pralidoxime or 2-PAM, usually as the chloride or methiodide salts, belongs to a family of compounds called oximes that bind to organophosphate-inactivated acetylcholinesterase.

Size	10mg	50mg	100mg	500mg	1ml/10mM
Price(\$)	13	24	42	74	27

COX**COX inhibitor****Salicylamide**

ID: T0004



Salicylamide is the common name for the substance o-hydroxybenzamide, or amide of salicyl. Salicylamide is a non-prescription drug with analgesic and antipyretic properties. Its medicinal uses are similar to those of aspirin. Salicylamide is used in combination with both aspirin and caffeine in the over-the-counter pain remedies.

Size	20mg	100mg	500mg	1g	1ml/10mM
Price(\$)	13	23	42	63	27

Isoxicam

ID: T0285

It is used in the treatment of rheumatoid arthritis, ankylosing spondylitis, osteoarthritis, gout, etc.



Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	13	24	37	52	39

Zomepirac Sodium

ID: T0264



Zomepirac, formerly marketed as Zomax tablets, was associated with fatal and near-fatal anaphylactoid reactions. The manufacturer voluntarily removed Zomax tablets from the Canadian, US, and UK markets in March 1983.

Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	13	24	37	52	39

Olsalazine disodium

ID: T1544

Olsalazine Sodium is a mesalamine dimer.



Size	2mg	5mg	10mg	25mg	1ml/10mM
Price(\$)	13	24	42	61	39

COX

Noxoxynol

ID: T0824



Noxoxynol-9 (N-9) is a typical surfactant used as a vaginal spermicide. Spermicides are locally acting non-hormonal contraceptives.

Size	10mg	50mg	500mg	1g	1ml/10mM
Price(\$)	13	24	42	67	27

Analgin

ID: T1191

A drug that has analgesic, anti-inflammatory, and antipyretic properties.



Size	10mg	50mg	100mg	500mg	1ml/10mM
Price(\$)	13	24	42	74	27

Acetaminophen

ID: T0065



Analgesic antipyretic derivative of acetanilide. It has weak anti-inflammatory properties and is used as a common analgesic, but may cause liver, blood cell, and kidney damage.

Size	5mg	10mg	50mg	100mg	200mg	1ml/10mM
Price(\$)	13	25	78	122	183	27

Fenoprofen calcium

ID: T0184

An anti-inflammatory analgesic and antipyretic highly bound to plasma proteins.



Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	13	24	42	78	27

SALICOSIDE

ID: T0443

Salicin is a phenol β -glycosid produced from willow bark that shows anti-inflammatory effects.



Size	10mg	50mg	500mg	1ml/10mM
Price(\$)	13	24	43	27

Glafenine

ID: T0055

An anthranilic acid derivative with analgesic properties used for the relief of all types of pain.




Size	10mg	25mg	250mg	1g	1ml/10mM
Price(\$)	13	24	49	90	27

Naproxen

ID: T1582

An anti-inflammatory agent with analgesic and antipyretic properties.



Size	10mg	50mg	100mg	500mg	1ml/10mM
Price(\$)	13	24	42	74	27

Salicylic acid

ID: T0649

A compound obtained from the bark of the white willow and wintergreen leaves.



Size	5mg	25mg	250mg	500mg	1ml/10mM
Price(\$)	13	24	57	133	27

Etoricoxib

ID: T1574



Etoricoxib represents a novel agent that selectively inhibits COX-2 with 106-fold selectivity in human whole blood assays *in vitro* and with the lowest potency of inhibition of COX-1 compared with other reported selective agents.

Size	2mg	10mg	50mg	1ml/10mM
Price(\$)	13	28	48	59

Diflunisal

ID: T0808



Diflunisal, a salicylate derivative, is a nonsteroidal anti-inflammatory agent (NSAIA) with pharmacologic actions similar to other prototypical NSAIAAs.

Size	10mg	50mg	100mg	500mg	1ml/10mM
Price(\$)	13	30	48	107	27

4-Biphenylacetic acid

ID: T0888



Felbinac (INN, or biphenylacetic acid) is a topical medicine, belonging to the family of medicines known as non-steroidal anti-inflammatory drugs (NSAIDs) of the arylpropionic acid class, which is used to treat muscle inflammation and arthritis.

Size	10mg	50mg	100mg	500mg	1ml/10mM
Price(\$)	13	30	48	107	27

Anovigam

ID: T0058



Ethenzamide is a common analgesic and anti-inflammatory drug that is used for the relief of fever, headaches, and other minor aches and pains.

Size	5mg	25mg	100mg	200mg	1ml/10mM
Price(\$)	13	30	49	85	27

Acemetacin

ID: T1467



Acemetacin (Emflex) is a non-steroidal anti-inflammatory drug and a glycolic acid ester of indometacin that is a cyclooxygenase inhibitor.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Antipyrine

ID: T0734



Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Benzydamine HCl

ID: T0726

A benzyl-indazole having analgesic, antipyretic, and anti-inflammatory effects.



Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Bufexamac

ID: T0867

Bufexamac is a COX inhibitor for IFN- α release.



Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Carprofen

ID: T1325



Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Cinchophen

ID: T0456

Cinchophen is an analgesic drug that is frequently used to treat gout.



Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Dexibuprofen

ID: T0448



Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Flufenamic acid


ID: T0858



Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Flunixin meglumin

ID: T1209



Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Ketoprofen

ID: T0839



Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Mefenamic acid

ID: T0890



Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Phenylbutazone

ID: T1432



Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

COX**Meloxicam****ID: T0826**

Meloxicam is a nonsteroidal anti-inflammatory drug (NSAID).



Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Minoxidil**ID: T0451**

A potent direct-acting peripheral vasodilator (vasodilator agents) that reduces peripheral resistance and produces a fall in blood pressure.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Niflumic acid**ID: T0693**

An analgesic and anti-inflammatory agent used in the treatment of rheumatoid arthritis.



Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Nimesulide**ID: T1133**

Nimesulide is a relatively COX-2 selective, non-steroidal anti-inflammatory drug (NSAID) with analgesic and antipyretic properties.



Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Oxaprozin**ID: T0708**

Oxaprozin is a non-narcotic, non-steroidal anti-inflammatory drug (NSAID) used to relieve the inflammation, swelling, stiffness, and joint pain associated with osteoarthritis and rheumatoid arthritis.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Phenacetin**ID: T0778**

Phenacetin is a non-opioid analgesic without anti-inflammatory properties.



Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Piroxicam**ID: T0758**

Piroxicam is a non-selective COX inhibitor



Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Rofecoxib**ID: T1185**

Rofecoxib is used for the treatment of osteoarthritis, rheumatoid arthritis, acute pain in adults, and primary dysmenorrhea, as well as acute treatment of migraine attacks with or without aurae. R

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Sasapirine**ID: T0498**

Salsalate is a nonsteroidal anti-inflammatory agent for oral administration. Salsalate's mode of action as an anti-inflammatory and antirheumatic agent may be due to inhibition of synthesis and release of prostaglandins.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Sulindac**ID: T0459**

Sulindac is a non-steroidal COX inhibitor, which potently inhibits prostaglandin synthesis, used in the treatment of acute or chronic inflammatory conditions.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Tenoxicam**ID: T1586**

Tenoxicam, an antiinflammatory agent with analgesic and antipyretic properties, is used to treat osteoarthritis and control acute pain.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Bismuth subsalicylat**ID: T0424**

Bismuth subsalicylate is used to treat diarrhea in adults and teenagers. It is also used to relieve the symptoms of an upset stomach, such as heartburn, indigestion, and nausea in adults and teenagers.

Size	2mg	10mg	50mg	200mg	500mg	1ml/10mM
Price(\$)	13	30	78	133	244	27

Toradol**ID: T1212**


A pyrrolizine carboxylic acid derivative structurally related to INDOMETHACIN.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

**Famprofazone****ID: T0057**


Famprofazone (Gewodin, Gewolen) is a non-steroidal anti-inflammatory agent (NSAID) of the pyrazolone series . It has analgesic, anti-inflammatory, and antipyretic effects.

Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

**Meclofenoxate HCl****ID: T1401**

Meclofenoxate hydrochloride, an ester of dimethyllethanamine (DMAE) and 4-chlorophenoxyacetic acid (pCPA), has been shown to improve memory, have a mentally stimulating effect, and improve general cognition.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	153	27

**4-Hydroxyantipyrine****ID: T2225**

Antipyrine is often used in testing the effects of other drugs or diseases on drug-metabolizing enzymes in the liver. (From Martindale, The Extra Pharmacopoeia, 30th ed, p29)


Size	5mg	10mg	100mg	1g	1ml/10mM
Price(\$)	15	49	88	167	57

Diclofenac**ID: T0196**

Diclofenac is a nonsteroidal anti-inflammatory drug (NSAID) taken or applied to reduce inflammation and as an analgesic reducing pain in certain conditions.



Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	13	40	80	138	39


Zileuton**ID: T0477**

Zileuton is an orally active inhibitor of 5-lipoxygenase, and thus inhibits leukotrienes (LTB4, LTC4, LTD4, and LTE4) formation, used to decrease the symptoms of asthma.

Size	2mg	10mg	20mg	50mg	100mg	1ml/10mM
Price(\$)	13	42	78	145	244	44

Pasiniazid**ID: T0441**

synthesis by combination of isoniazid and p-aminosalicylic acid



Size	10mg	50mg	100mg	500mg	1g	1ml/10mM
Price(\$)	13	36	54	133	244	27

4-Aminoantipyrine**ID: T0050**


Amopyrone is a metabolite of aminopyrine with analgesic, anti-inflammatory, and antipyretic properties.



Size	10mg	25mg	250mg	1g	1ml/10mM
Price(\$)	18	30	51	90	27

Deracoxib**ID: T0484**

Deracoxib, a selective cyclooxygenase-2 inhibitor, is a non-narcotic, non-steroidal anti-inflammatory drug (NSAID).



Size	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	23	39	62	90	27

(R)-Naproxen**ID: T0855**


An anti-inflammatory agent with analgesic and antipyretic properties.



Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Acexamic Acid**ID: T0436**


6-Acetamidoheptanoic acid is a kind of amino acids deriviate.



Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Nabumetone**ID: T1258**


Nabumetone is a non-steroidal anti-inflammatory drug and its active metabolite inhibits the COX.



Size	2mg	10mg	50mg	1ml/10mM
Price(\$)	13	30	78	55

Indoprofen**ID: T0321**


Indoprofen is a non-steroidal anti-inflammatory drug.



Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

COX**Niapyrin****ID: T090**


Nifenazone is a drug that has been used as an analgesic for a number of rheumatic conditions



Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Suxibuzone**ID: T039**

Suxibuzone is a drug used for joint and muscular pain. It is a prodrug of the non steroid anti inflammatory drug phenylbutazone, and is commonly used in horses.



Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	24	42	83	133	56

Ebselen**ID: T0825**


Ebselen is a mimic of glutathione peroxidase and can also react with peroxynitrite.



Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	24	55	97	145	51

Diethylcarbamazine citrate**ID: T1420**

An anthelmintic used primarily as the citrate in the treatment of filariasis, particularly infestations with Wuchereria bancrofti or Loa loa.



Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Etofenamate**ID: T2553**

Etofenamate is a non-steroidal anti-inflammatory drug used for the treatment joint and muscular pain.



Size	10mg	50mg	100mg	1ml/10mM
Price(\$)	25	61	97	59

Hydroxytoluic acid**ID: T1423**

The salts or esters of salicylic acids, or salicylate esters of an organic acid. Some of these have analgesic, antipyretic, and anti-inflammatory activities by inhibiting prostaglandin synthesis.



Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

FOSFOSAL**ID: T1427**

Fosfosal is used as anti-inflammatory agent with anti-bacterial effect.



Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Aceclofenac**ID: T1421**


Aceclofenac is a non-steroidal anti-inflammatory drug (NSAID) analog of Diclofenac.



Size	5mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	25	76	133	234	40

Fenbufen**ID: T0859**


Fenbufen is a non-steroidal anti-inflammatory drug in the propionic acid derivatives class.



Size	5mg	50mg	100mg	1ml/10mM
Price(\$)	27	49	88	57

Paeoniflorin**ID: T2230**

Paeoniflorin is a herbal constituent extracted from the root of *Paeonia albiflora Pall.*



Size	2mg	5mg	25mg	1ml/10mM
Price(\$)	27	49	104	57

Valdecoxib**ID: T2019**

Valdecoxib was removed from the Canadian, U.S., and E.U. markets in 2005 due to concerns about possible increased risk of heart attack and stroke.



Size	2mg	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	49	88	152	265	462	84

Amfenac Sodium Monohydrate**ID: T1720**

Amfenac Sodium monohydrate is a non-steroidal analgesic anti-inflammatory drug with acetic acid moiety.



Size	10mg	50mg	100mg	1ml/10mM
Price(\$)	36	85	133	56

Lornoxicam

ID: T1468



Lornoxicam (chlortenoxicam) is a new nonsteroidal anti-inflammatory drug (NSAID) of the oxicam class with analgesic, anti-inflammatory and antipyretic properties.

Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	36	88	160	283	84

Nepafenac

ID: T1280



Nepafenac is a non-steroidal anti-inflammatory prodrug (NSAID) usually sold as a prescription eye drop. It is used to treat pain and inflammation associated with cataract surgery.

Size	2mg	10mg	25mg	1ml/10mM
Price(\$)	38	95	162	69

Meclofenamate Sodium

ID: T0260



A non-steroidal anti-inflammatory agent with antipyretic and antigranulation activities.

Size	10mg	50mg	200mg	1ml/10mM
Price(\$)	39	78	153	39

Flurbiprofen

ID: T0291




An anti-inflammatory analgesic and antipyretic of the phenylalkanoic acid series.

Size	5mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	36	78	133	206	56

Parecoxib

NEW

ID: T1780



Parecoxib is a potent and selective COX-2 inhibitor.

Size	1mg	5mg	10mg	25mg	1ml/10mM
Price(\$)	34	68	122	234	60

Tolmetin

ID: T2550



Tolmetin is a Nonsteroidal Anti-inflammatory Drug. The mechanism of action of tolmetin is as a Cyclooxygenase Inhibitor. The chemical classification of tolmetin is Nonsteroidal Anti-inflammatory Compounds


Size	10mg	50mg	100mg	1ml/10mM
Price(\$)	61	169	255	84

ATB 346

NEW

ID: T1867


ATB-346 is a novel hydrogen sulphide-releasing derivative of naproxen with markedly reduced toxicity.



Size	5mg	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	92	161	320	517	938	122

Bromfenac sodium

ID: T2403




Bromfenac Sodium is the sodium salt form of bromfenac, a nonsteroidal anti-inflammatory drug (NSAID) with analgesic and anti-inflammatory activities. Upon ophthalmic administration, bromfenac binds to and inhibits the activity of cyclooxygenase II (COX II), an enzyme which converts arachidonic acid to cyclic endoperoxides, precursors of prostaglandins (PG). By inhibiting PG formation, bromfenac is able to inhibit PG-induced inflammation, thereby preventing vasodilation, leukocytosis, disruption of the blood-aqueous humor barrier, an increase in vascular permeability and an increase in intraocular pressure (IOP).

Size	5mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	69	108	300	488	72

Loxoprofen

ID: T0463




Loxoprofen is a non-steroidal anti-inflammatory drug.

Size	2mg	5mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	61	96	168	456	801	96

Celecoxib

NEW

ID: T0466




Celecoxib is a non-steroidal anti-inflammatory drug (NSAID).

Size	10mg	50mg	100mg	200mg	1ml/10mM
Price(\$)	13	42	78	133	27

CerK**CerK inhibitor**

ID: T1931

NEW



NVP-231 is a potent, specific, and reversible CerK inhibitor ($IC_{50}=12 \pm 2 \text{ nM}$) that competitively inhibits binding of ceramide to CerK.


Size	5mg	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	80	148	259	471	721	79

GluR**GluR agonist****Piracetam****ID: T0426**

Piracetam is a cyclic derivative of the neurotransmitter gamma-aminobutyric acid (GABA), used in treatment of a wide range of cognitive disorders.




Size	10mg	50mg	100mg	100mg	500mg	1ml/10mM
Price(\$)	27	43	78	133	244	27

ADX 47273**NEW****ID: T2053**


ADX47273 is a potent and specific mGlu5 positive allosteric modulator(PAM) with EC50 of 0.17 μM, showing no activity at other mGlu subtypes.

Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	61	94	209	385	71

GluR antagonist**Riluzole****ID: T0349**

Riluzole is a sodium channel protein inhibitor and potent neuroprotective agent. It has been shown to preferentially block tetrodotoxin-sensitive sodium channels, which are associated with damaged neurons.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	39	78	153	39

Ifenprodil Tartrate**ID: T1186**

Ifenprodil is an atypical noncompetitive antagonist at the NMDA receptor, it interacts with high affinity at a homogeneous population of NMDA receptors in neonatal rat forebrain.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Anestan**ID: T0954**

A nonflammable, halogenated, hydrocarbon anesthetic that provides relatively rapid induction with little or no excitement.



Size	5mg	25mg	100mg	500mg	1ml/10mM
Price(\$)	13	33	80	197	27

Tiletamine HCl**ID: T0232**


Proposed anesthetic with possible anticonvulsant and sedative properties.



Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	13	24	42	78	27

Milnacipran HCl**ID: T1189**


Milnacipran hydrochloride is a serotonin-norepinephrine reuptake inhibitor (SNRI) used in the clinical treatment of fibromyalgia.



Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	24	58	197	345	59

Phosphoserine**ID: T1324**

The phosphoric acid ester of serine.



Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56


MPEP HCl**NEW****ID: T2497**

MPEP hydrochloride is a potent and highly selective non-competitive antagonist at the mGlu5 receptor subtype with IC50 of 36 nM.

Size	5mg	10mg	50mg	1ml/10mM
Price(\$)	36	56	194	47

GluR inhibitor**Evans blue****ID: T0313**

An azo dye used in blood volume and cardiac output measurement by the dye dilution method.



Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

AChR**AChR agonist****Choline chloride****ID: T1039**

A basic constituent of lecithin that is found in many plants and animal organs.



Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Acetylcholine chloride

ID: T1221



A neurotransmitter found at neuromuscular junctions, autonomic ganglia, parasympathetic effector junctions, a subset of sympathetic effector junctions, and at many sites in the central nervous system.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Levamisole HCl

ID: T0944




(-)Tetramisole is an antihelminthic drug that has been tried experimentally in rheumatic disorders where it apparently restores the immune response by increasing macrophage chemotaxis and T-lymphocyte function.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Pregnenolone

ID: T0851



A 21-carbon steroid, derived from CHOLESTEROL and found in steroid hormone-producing tissues.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

PNU 282987

NEW

ID: T2422



PNU-282987 is a selective $\alpha 7$ nicotinic acetylcholine receptor ($\alpha 7$ nAChR) agonist with Ki of 26 nM; no affinity for $\alpha 1\beta 1\gamma 8$ and $\alpha 3\beta 3$ nAChRs (IC50 \geq 60 μ M).

Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	24	71	279	99	

Cytisine

ID: T0479




Cytisine is an alkaloid that is found naturally in several plant genera such as Laburnum and Cytisus of the family Fabaceae.

Size	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	27	43	58	101	27

TBPP

NEW

ID: T1760



TBPP is an allosteric M1 mAChR agonist(EC50=289 nM) that regulates amyloid processing and produces antipsychotic-like activity in rats.

Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	68	118	246	466	70

GTS 21

ID: T2663

GTS 21 dihydrochloride is a novel agonist of nicotinic acetylcholine receptors (nAChRs). nAChRs are neuron receptor proteins that activated by the binding of the neurotransmitter acetylcholine (ACh).



Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	74	122	185	400	714	133

AChR antagonist**Tolterodine tartrate**

ID: T0099

Tolterodine is an antimuscarinic drug that is used to treat urinary incontinence. Tolterodine acts on M2 and M3 subtypes of muscarinic receptors.



Size	10mg	25mg	50mg	250mg	500mg	1ml/10mM
Price(\$)	13	19	29	55	82	80

Pemphidine

ID: T0296

A nicotinic antagonist most commonly used as an experimental tool.




Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	13	24	37	52	39

Lobeline HCl

ID: T0268

An alkaloid that has actions similar to nicotine on nicotinic cholinergic receptors but is less potent.



Size	2mg	10mg	50mg	1ml/10mM
Price(\$)	13	24	37	59

Doxepin HCl

ID: T1540

A dibenzoxepin tricyclic compound. It displays a range of pharmacological actions including maintaining adrenergic innervation.




Size	10mg	50mg	100mg	500mg	1ml/10mM
Price(\$)	13	24	42	74	27

Dicyclomine HCl

ID: T1460

A muscarinic antagonist used as an antispasmodic and in urinary incontinence.




Size	5mg	50mg	200mg	1ml/10mM
Price(\$)	13	24	61	27

AChR

Hexamethonium Bromide

ID: T0287



Hexamethonium Bromide is a selective antagonist of neuronal-type nicotinic AChR in ganglia.

Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	13	29	47	78	39

Mepenzolate Bromide

ID: T0794

Mepenzolate is a post-ganglionic parasympathetic inhibitor.



Size	10mg	50mg	100mg	1ml/10mM
Price(\$)	13	30	48	27

Adiphenine HCl

ID: T0072

Adiphenine HCl is a nicotinic receptor inhibitor, used as an antispasmodic drug.




Size	2mg	10mg	50mg	100mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	183	27

Nicardipine HCl

ID: T1215

A potent calcium channel blocker with marked vasodilator action.




Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Bupropion HCl

ID: T1150

A unicyclic, aminoketone antidepressant. The mechanism of its therapeutic actions is not well understood, but it does appear to block dopamine uptake.



Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Carbachol

ID: T0105

A slowly hydrolyzed cholinergic agonist that acts at both muscarinic and nicotinic receptors.



Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	13	30	78	122	27

Diphenamid mesylate

ID: T0594

Actions Daidzein is a phytoestrogen that is suggested to play a role in preventing hormone-induced cancers.



Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	13	30	78	122	27

(+)-Pilocarpine HCl

ID: T0804

Pilocarpine HCl is a nonselective muscarinic acetylcholine receptor agonist used to produce an experimental model of epilepsy.



Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Propantheline bromide

ID: T1006

A muscarinic antagonist used as an antispasmodic, in rhinitis, in urinary incontinence, and in the treatment of ulcers.



Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Homatropine Methylbromide

ID: T0427


Homatropine methylbromide is a quaternary ammonium muscarinic acetylcholine receptor antagonist belonging to the group of medicines called anti-muscarinics.



Size	2mg	10mg	50mg	100mg	500mg	1ml/10mM
Price(\$)	13	30	78	133	244	27

Benzethonium chloride

ID: T0401



Bactericidal cationic quaternary ammonium surfactant used as a topical anti-infective agent.

Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	13	30	78	133	27

Maprotiline HCl

ID: T0172

Maprotiline is a tetracyclic antidepressant with similar pharmacological properties to tricyclic antidepressants (TCAs).



Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	13	30	78	133	27

Diphenidol HCl

ID: T0862



Diphenidol is an antiemetic agent used in the treatment of vomiting and vertigo. Diphenidol overdose may result in serious toxicity in children.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	153	27

Oxybutynin HCl**ID: T1049**

Oxybutynin is an anticholinergic medication used to relieve urinary and bladder difficulties, including frequent urination and inability to control urination, by decreasing muscle spasms of the bladder. It competitively antagonizes the M₁, M₂, and M₃ subtypes of the muscarinic acetylcholine receptor.

Size	10mg	50mg	100mg	1ml/10mM
Price(\$)	19	34	58	27

Chlorprothixene**ID: T0074**


Chlorprothixene is a typical antipsychotic drug of the thioxanthene class and was the first of the series to be synthesized.

Size	2mg	10mg	50mg	1ml/10mM
Price(\$)	13	30	78	27

Homatropine Bromide**ID: T0177**

Homatropine Bromide is muscarinic AChR antagonist, inhibits endothelial and smooth muscle muscarinic receptors.

Size	2mg	10mg	50mg	1ml/10mM
Price(\$)	13	30	78	27

Tropicamide**ID: T1281**

One of the MUSCARINIC ANTAGONISTS with pharmacologic action similar to ATROPINE and used mainly as an ophthalmic parasympatholytic or mydriatic.

Size	2mg	10mg	50mg	1ml/10mM
Price(\$)	13	30	78	27

Atropine**ID: T0375**


Atropine is an antimuscarinic agent and has shown the pharmacological effects because of binding to muscarinic acetylcholine receptors.

Size	10mg	50mg	100mg	1ml/10mM
Price(\$)	13	36	54	27

Terfenadine**ID: T1266**

Terfenadine is a histamine H1-receptor antagonist, which blocks HERG and KATP (Kir6) channels.

Size	1mg	5mg	10mg	1ml/10mM
Price(\$)	13	40	70	99

Pancuronium bromide**ID: T0166**


Pancuronium dibromide is a competitive AChR antagonist (IC₅₀ = 5.5 nM) and acts as a skeletal muscle relaxant. Pancuronium dibromide interrupts neuromuscular transmission by competing with acetylcholine for receptor sites on the motor end-plate.

Size	2mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	20	42	78	133	27

Pirenzepine hydrochloride**ID: T1542**


An antimuscarinic agent that inhibits gastric secretion at lower doses than are required to affect gastrointestinal motility, salivary, central nervous system, cardiovascular, ocular, and urinary function.

Size	10mg	50mg	100mg	1ml/10mM
Price(\$)	19	34	58	27

Itopride HCl**ID: T1552**


Itopride is a dopamine D₂ antagonist with acetylcholinesterase inhibitory actions.

Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	20	36	55	85	39

Cisatracurium besylate**ID: T1459**

Cisatracurium Besylate acts on cholinergic receptors, blocking neuromuscular transmission.

Size	2mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	20	43	78	133	56

Methscopolamine**ID: T2025**

A muscarinic antagonist used to study binding characteristics of muscarinic cholinergic receptors.

Size	10mg	50mg	100mg	1ml/10mM
Price(\$)	24	42	78	27

Clidinium bromide**ID: T0786**

Clidinium is a synthetic anticholinergic agent.

Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Loxene**ID: T1072**

Pridinol Methanesulfonate Salt is used as an anticholinergic and as an antiparkinsonian agent.



Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Solifenacin succinate**ID: T0111**

Solifenacin (rINN), marketed as solifenacin succinate under the trade name Vesicare, is a urinary antispasmodic of the anticholinergic class. It is used in the treatment of overactive bladder with urge incontinence.

Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	24	42	78	146	84	


(-)-Cotinine**ID: T1202**

The N-glucuronide conjugate of cotinine is a major urinary metabolite of NICOTINE. It thus serves as a biomarker of exposure to tobacco SMOKING. It has CNS stimulating properties.

Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	24	42	83	133	244	84

Pentolinium Tartrate**ID: T1236**

A nicotinic antagonist that has been used as a ganglionic blocking agent in hypertension.




Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	24	42	83	133	84	

Arecoline HBr**ID: T2198**

Arecoline Hydrobromide is a muscarinic acetylcholine receptor agonist.



Size	5mg	10mg	20mg	100mg	250mg	1ml/10mM
Price(\$)	24	43	67	177	329	84

Mebhydrolin napadisylate**ID: T0113**

It is used for symptomatic relief of allergic symptoms caused by histamine release, including nasal allergies and allergic dermatosis.

Mebhydrolin has been shown to enhance the performance-deficit effects of alcohol.

Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Scopolamine butylbromide**ID: T2183**


Scopolamine butylbromide is a competitive antagonist of muscarinic acetylcholine receptor (mAChR) with an IC50 of 55.3 ± 4.3 nM.



Size	2mg	5mg	10mg	1ml/10mM
Price(\$)	24	42	74	84

Ziprasidone HCl monohydrate**ID: T0031**

Ziprasidone HCl is a novel and potent dopamine and serotonin (5-HT) receptor antagonist, used in the treatment of schizophrenia and bipolar disorder.



Size	2mg	10mg	50mg	1ml/10mM
Price(\$)	24	46	78	56

Primidone**ID: T0024**

An antiepileptic agent related to the barbiturates; it is partly metabolized to PHENOBARBITAL in the body and owes some of its actions to this metabolite.

Size	2mg	10mg	50mg	1ml/10mM
Price(\$)	24	78	237	99

Pilocarpine nitrate**ID: T1231**

A slowly hydrolyzed muscarinic agonist with no nicotinic effects.



Size	5mg	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	24	42	83	133	203	56

Scopolamine HBr trihydrate**ID: T2182**

An alkaloid from SOLANACEAE, especially DATURA and SCOPOLIA. Scopolamine and its quaternary derivatives act as antimuscarinics like ATROPINE.



Size	5mg	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	24	42	83	13	203	56

DL-trihexyphenidyl HCl**ID: T1328**

One of the centrally acting MUSCARINIC ANTAGONISTS used for treatment of PARKINSONIAN DISORDERS and drug-induced extrapyramidal movement disorders and as an antispasmodic.

Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Rocuronium bromide

ID: T0156



Rocuronium (rapid onset-curonium) is a desacetyl analogue of vecuronium with a more rapid onset of action. It is an aminosteroid non-depolarizing neuromuscular blocker or muscle relaxant used in modern anaesthesia, to facilitate endotracheal intubation and to provide skeletal muscle relaxation during surgery or mechanical ventilation. Introduced in 1994, rocuronium has rapid onset, and intermediate duration of action. It is marketed under the trade name of Zemuron in the United States and Esmeron in most other countries.

Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	36	78	237	390	84

Nortropine

ID: T1341




Nortropine is used as Muscarinic receptor antagonists

Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Otilonium bromide

ID: T1474




Otilonium bromide is an antimuscarinic.

Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	36	83	160	283	84

Vecuronium bromide

ID: T1594




Vecuronium is a non-depolarizing neuromuscular blocking agent, used for skeletal muscle relaxation during surgery.

Size	5mg	25mg	50mg	1ml/10mM
Price(\$)	25	58	95	39

Ipratropium bromide

ID: T0098




Ipratropium Bromide is a muscarinic antagonist, bronchodilator, N-Isopropyl salt of atropine.

Size	10mg	25mg	50mg	1ml/10mM
Price(\$)	30	45	83	56

Gallamine triethiodide

ID: T0720




A synthetic nondepolarizing blocking drug.

Size	10mg	50mg	100mg	1ml/10mM
Price(\$)	36	58	95	27

Methacholine Chloride

ID: T1628

Methacholine chloride is a quaternary ammonium parasympathomimetic agent with the muscarinic actions of ACETYLCHOLINE.




Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Scopolamine N-oxide HBr

ID: T2181

A muscarinic antagonist used to study binding characteristics of muscarinic cholinergic receptors.




Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Benactyzine HCl

ID: T2571


Benactyzine hydrochloride is a centrally acting muscarinic antagonist. Benactyzine has been used in the treatment of depression and is used in research to investigate the role of cholinergic systems on behavior.



Size	5mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	49	80	231	488	84

Trospium chloride

ID: T1472




Trospium is a urinary antispasmodic. It is sold under the brand name Sanctura in the US, and as Trosec in Canada.

Size	5mg	25mg	50mg	1ml/10mM
Price(\$)	37	88	133	56

Flavoxate HCl

ID: T0703




A drug that has been used in various urinary syndromes and as an antispasmodic.

Size	5mg	20mg	50mg	100mg	1ml/10mM
Price(\$)	39	96	168	294	56

Glycopyrrolate

ID: T2387




Glycopyrrolate(Glycopyrronium Br) is a muscarinic competitive antagonist used as an antispasmodic.

Size	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	41	69	117	167	56

Darifenacin HBr**ID: T1534**

Darifenacin is a selective muscarinic receptor antagonist.



Size	2mg	10mg	25mg	100mg	1ml/10mM
Price(\$)	36	88	160	582	59

Tiotropium bromide**ID: T1179**

Tiotropium Bromide is a muscarinic acetylcholine receptor (mAChR) antagonist that blocks the binding of the acetylcholine ligand and subsequent opening of the ligand-gated ion channel.


Size	5mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	59	172	296	513	99

Biperiden**ID: T0218**

A muscarinic antagonist that has effects in both the central and peripheral nervous systems.



Size	2mg	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	61	118	206	363	635	112

Fesoterodine fumarate**ID: T1475**

Fesoterodine is an antimuscarinic prodrug for the treatment of overactive bladder syndrome.

Size	5mg	10mg	50mg	100mg	200mg	1ml/10mM
Price(\$)	66	100	244	402	665	99

Varenicline Tartrate**ID: T1657**

Varenicline Tartrate is a nicotinic AChR partial agonist, used to treat nicotine addiction.



Size	5mg	10mg	50mg	100mg	200mg	1ml/10mM
Price(\$)	78	133	244	402	665	99

Cevimeline HCl hemihydrate**ID: T2390**

Cevimeline hydrochloride hemihydrate, a novel muscarinic receptor agonist, is a candidate therapeutic drug for xerostomia in Sjögren's syndrome.

Size	5mg	10mg	50mg	1ml/10mM
Price(\$)	84	145	531	92

AChR inhibitor**L-Hyoscyamine****ID: T0962**


Hyoscyamine is an AChR inhibitor with IC50 of 7.5 nM.



Size	25mg	50mg	100mg	500mg	1g	1ml/10mM
Price(\$)	18	31	47	73	105	47

Mecamylamine HCl**ID: T2141**


A nicotinic antagonist that is well absorbed from the gastrointestinal tract and crosses the blood-brain barrier.



Size	1mg	5mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	60	148	316	803	1291	194

Acldinium bromide**ID: T2555**

Acldinium Bromide inhibits human muscarinic AChR M1, M2, M3, M4 and M5 with Ki of 0.1 nM, 0.14 nM, 0.14 nM, 0.21 nM and 0.16 nM, respectively.



Size	5mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	89	133	483	707	99

NEW

ID: T2285

EVP-6124 Hcl is a novel partial agonist of $\alpha 7$ neuronal nicotinic acetylcholine receptors (nAChRs). EVP-6124 showed selectivity for $\alpha 7$ nAChRs and did not activate or inhibit heteromeric $\alpha 4\beta 2$ nAChRs.

Size	1mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	101	222	340	601	913	279

AMPAR**AMPAR modulator****Aniracetam****ID: T0333**

Compound with anti-depressive properties used as a mental performance enhancer.



Size	2mg	10mg	50mg	250mg	1ml/10mM
Price(\$)	13	39	58	207	39

Memantine HCl**ID: T1443**

Memantine is an uncompetitive NMDA receptor antagonist.



Size	10mg	50mg	100mg	1ml/10mM
Price(\$)	19	34	58	27

Ampalex

NEW

ID: T1884



Ampalex (Ampakine CX516; CX516; BDP 12) is an ampakine and nootropic that acts as an AMPA receptor positive allosteric modulator as a treatment for Alzheimer's disease, schizophrenia and mild cognitive impairment (MCI).

Size	2mg	10mg	100mg	1ml/10mM
Price(\$)	30	52	127	50

PeraMpanel

NEW

ID: T2557




Perampanel(E2007; ER 155055-90) is a selective noncompetitive AMPA-type glutamate receptor antagonist which has demonstrated anticonvulsant activity in experimental seizure models and antiepileptic activity in clinical trials.

Size	5mg	10mg	50mg	1ml/10mM
Price(\$)	92	158	488	169

GABAR**GABAR****Carisoprodol**

ID: T1074




A centrally acting skeletal muscle relaxant whose mechanism of action is not completely understood but may be related to its sedative actions.

Size	10mg	50mg	100mg	500mg	1ml/10mM
Price(\$)	13	24	42	74	27

Corvotone

ID: T0048

Nikethamide is a stimulant which mainly affects the respiratory cycle.



Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

GABAR agonist**Antepan**

ID: T0403




Piperazine is an organic compound that consists of a six-membered ring containing two opposing nitrogen atoms. Piperazine exists as small alkaline deliquescent crystals with a saline taste.

Size	10mg	50mg	100mg	500mg	1g	1ml/10mM
Price(\$)	13	24	36	133	244	27

4-Aminobutyric acid

ID: T0508

The most common inhibitory neurotransmitter in the central nervous system.



Size	20mg	100mg	500mg	1ml/10mM
Price(\$)	13	24	43	27

Nefiracetam

ID: T0169

Nefiracetam is a GABAergic, cholinergic, and monoaminergic neuronal system enhancer for Ro 5-4864-induced convulsions. Phase 2.




Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Penicillin G sodium salt

ID: T0958

Benzylpenicillin sodium is a penicillin derivative commonly used in the form of its sodium or potassium salts in the treatment of a variety of infections.



Size	25mg	50mg	100mg	500mg	1g	1ml/10mM
Price(\$)	18	31	47	73	105	47

Baclofen

ID: T1065

A GAMMA-AMINOBUTYRIC ACID derivative that is a specific agonist of GABA-B RECEPTORS.



Size	10mg	50mg	100mg	1ml/10mM
Price(\$)	19	34	58	27

Buxamine

ID: T0028


Agent for improving learning or memory [US6803366] Gamma Hydroxybutyric Acid, commonly abbreviated GHB, is a therapeutic drug which is illegal in multiple countries.



Size	5mg	10mg	25mg	250mg	1ml/10mM
Price(\$)	24	40	74	118	39

Vigabatrin

ID: T0128



An analogue of gamma-aminobutyric acid, vigabatrin is an irreversible inhibitor of 4-aminobutyrate transaminase, the enzyme responsible for the catabolism of gamma-aminobutyric acid.

Size	2mg	5mg	10mg	25mg	1ml/10mM
Price(\$)	24	45	80	156	84

GABA_A**Etomidate**

ID: T0109

Etomidate is a GABA_A receptor agonist, used as a short-acting anaesthetic agent or sedative.



Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	24	58	197	345	59

Chloral hydrate

ID: T0779

Chloral Hydrate is a synthetic monohydrate of chloral with sedative, hypnotic, and anticonvulsive properties.




Size	5mg	50mg	100mg	1g	1ml/10mM
Price(\$)	27	49	88	167	57

Oxiracetam

ID: T1128

Oxiracetam, a cyclic derivative of gamma-aminobutyric acid (GABA), is used as a nootropic drug to improve memory and learning.




Size	5mg	50mg	100mg	1ml/10mM
Price(\$)	27	49	88	57

NS 11394

NEW

ID: T2067



NS11394 is a potent and subtype-selective GABA(A) receptor-positive modulator; possesses a functional efficacy selectivity profile of $\alpha(5) > \alpha(3) > \alpha(2) > \alpha(1)$ at GABA(A) alpha subunit-containing receptors.

Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	148	234	467	824	174

AWD 131-138

NEW

ID: T1860



AWD 131-138(lmepitoin) is a new low-affinity partial benzodiazepine receptor agonist with potent anticonvulsant and anxiolytic properties in rodent models.

Size	5mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	164	256	726	1434	163

GABA_A antagonist**Lindane**

ID: T0854

An organochlorine insecticide that has been used as a pediculicide and a scabicide.




Size	10mg	50mg	500mg	1g	1ml/10mM
Price(\$)	13	24	42	67	27

Topiramate

ID: T0675

Topiramate is a multi-targeted inhibitor, including voltage-gated sodium channel and calcium channel, AMPA/kainate receptor and carbonic anhydrase, used to treat epilepsy.



Size	10mg	25mg	100mg	200mg	1ml/10mM
Price(\$)	13	25	78	133	27

Agipnon

ID: T1396

A CNS stimulant that is used to induce convulsions in experimental animals. It has also been used as a respiratory stimulant and in the treatment of barbiturate overdose.



Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Amoxapine

ID: T1568

Amoxapine is the N-demethylated derivative of the antipsychotic agent LOXAPINE that works by blocking the reuptake of norepinephrine, serotonin, or both. It also blocks dopamine receptors.



Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Flumazenil

ID: T1240



A potent benzodiazepine receptor antagonist. Since it reverses the sedative and other actions of benzodiazepines, it has been suggested as an antidote to benzodiazepine overdoses.

Size	2mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	20	43	78	133	56

Pentetrazol

ID: T1413




A pharmaceutical agent that displays activity as a central nervous system and respiratory stimulant. It is considered a non-competitive GAMMA-AMINOBUTYRIC ACID antagonist.

Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

GABA_A inhibitor**Tiagabine**

ID: T2407



Tiagabine(NO328) is a selective gamma-aminobutyric acid (GABA) reuptake inhibitor.

Size	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	47	101	179	279	99

GABAR modulator**Acamprosate calcium****ID: T1673**

Acamprosate calcium(Campral EC) is a GABA receptor agonist and modulator of glutamatergic systems; reduces alcohol consumption in animal models of alcohol addiction.




Size	1mg	2mg	5mg	10mg	1ml/10mM
Price(\$)	59	101	176	308	133

GABAR potentiator**Propofol****ID: T1300**

Propofol is an intravenous anaesthetic agent used for induction and maintenance of general anaesthesia.



Size	5mg	25mg	100mg	250mg	1g	1ml/10mM
Price(\$)	13	27	56	92	185	27

LRRK2**LRRK2 inhibitor****LRRK2-IN-1****NEW****ID: T2246**

LRRK2-IN-1 is a potent and selective LRRK2 inhibitor with IC50 of 6 nM and 13 nM for LRRK2 (G2019S) and LRRK2 (WT), respectively.


Size	2mg	10mg	25mg	1ml/10mM
Price(\$)	49	110	222	84

GSK2578215A**NEW****ID: T2240**

GSK2578215A is a potent and selective LRRK2 kinase inhibitor with IC50 of 8.9 nM and 10.9 nM for LRRK2 (G2019S) and LRRK2 (WT), respectively.



Size	5mg	10mg	50mg	1ml/10mM
Price(\$)	67	92	317	66

CZC-54252**NEW****ID: T2022**

GSK2578215A is a potent and selective LRRK2 kinase inhibitor with IC50 of 8.9 nM and 10.9 nM for LRRK2 (G2019S) and LRRK2 (WT), respectively.


Size	2mg	10mg	50mg	1ml/10mM
Price(\$)	68	142	415	105

PF-06447475**NEW****ID: T2050**

PF-06447475 is a highly potent, selective, brain penetrant LRRK2 inhibitor with IC50 of 3 nM/11 nM for Wt LRRK2/G2019S LRRK2 respectively.




Size	5mg	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	74	120	246	432	776	99

GNE9605**NEW****ID: T1770**

GNE-9605 is a highly potent, selective, and brain-penetrant LRRK2 inhibitor with IC50 of 19 nM.

Size	2mg	5mg	25mg	100mg	1ml/10mM
Price(\$)	91	146	452	780	144

GNE7915**ID: T1945**

GNE-7915 is a highly potent, selective, and brain-penetrable leucine-rich repeat kinase 2 (LRRK2) inhibitor, with IC50 and Ki of 9 nM and 1 nM, respectively.

Size	10mg	50mg	100mg	1ml/10mM
Price(\$)	109	434	613	83

GluCl channel**GluCl channel****Moxidectin****ID: T1157**

Moxidectin treats and controls some of the most common internal and external parasites by selectively binding to a parasite's glutamate-gated chloride ion channels. These channels are vital to the function of invertebrate nerve and muscle cells;

Size	1mg	5mg	10mg	25mg	1ml/10mM
Price(\$)	25	83	133	255	99

GluCl channel activator**Ivermectin****ID: T1131**


Ivermectin is a broad-spectrum antiparasitic drug in the avermectin family. It is taken internally or used topically, depending on the treated condition.

Size	5mg	10mg	20mg	100mg	250mg	1ml/10mM
Price(\$)	24	43	67	177	329	47

GluCl channel inhibitor**Fipronil**

ID: T2196


Fipronil is a broad-spectrum insecticide that disrupts the insect central nervous system by blocking GABA-gated chloride channels and glutamate-gated chloride (GluCl) channels, resulting in central nervous system toxicity.



Size	2mg	10mg	50mg	250mg	1ml/10mM
Price(\$)	24	61	152	380	56

Histamine Receptor**Histamine Receptor antagonist****Citalopram HBr**

ID: T1483



Citalopram hydrobromide belongs to a class of antidepressant agents known as selective serotonin-reuptake inhibitors (SSRIs).

Size	1mg	5mg	10mg	25mg	1ml/10mM
Price(\$)	12	42	74	123	84

Chloropyramine HCl

ID: T0263

Chloropyramine is a first generation antihistamine drug.



Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	13	24	37	52	39

Orphenadrine HCl

ID: T1308




Orphenadrine is an anticholinergic drug of the ethanolamine antihistamine class with prominent central nervous system (CNS) and peripheral actions used to treat painful muscle spasms and other similar conditions, as well as the treatment of some aspects of Parkinson's disease.

Size	2mg	10mg	25mg	100mg	1ml/10mM
Price(\$)	13	24	40	100	27

Levodropropizine

ID: T0277



Levodropropizine possess anti-allergic and inhibits histamine receptor, reduces cough by interfering with stimulus activation of peripheral endings of sensory nerves and by modulation of neuropeptides involved in the cough reflex.

Size	10mg	50mg	100mg	500mg	1ml/10mM
Price(\$)	13	24	39	104	84

Astemizole

ID: T1278


Antihistamine drug now withdrawn from the market in many countries because of rare but potentially fatal side effects.



Size	1mg	5mg	10mg	1ml/10mM
Price(\$)	13	23	40	99

Brompheniramine hydrogen maleate

ID: T2025



Brompheniramine hydrogen maleate is a histamine H1 receptors antagonist.

Size	10mg	50mg	100mg	500mg	1ml/10mM
Price(\$)	13	24	39	91	57

Triprolidine HCl

ID: T1030




Histamine H1 antagonist used in allergic rhinitis; ASTHMA; and URTICARIA. It is a component of COUGH and COLD medicines. It may cause drowsiness.

Size	10mg	50mg	100mg	500mg	1ml/10mM
Price(\$)	13	24	42	74	27

Hydroxyzine Pamoate

ID: T0053



A histamine H1 receptor antagonist that is effective in the treatment of chronic urticaria, dermatitis, and histamine-mediated pruritus.

Size	10mg	25mg	250mg	1g	1ml/10mM
Price(\$)	13	24	49	90	27

Stugeron

ID: T0903




Cinnarizine is a drug derivative of piperazine, and characterized as an antihistamine and a calcium channel blocker.

Size	5mg	25mg	100mg	500mg	1ml/10mM
Price(\$)	13	24	61	172	27

Doxylamine succinate

ID: T1115




Doxylamine succinate competitively inhibits histamine at H1 receptors with substantial sedative and anticholinergic effects.

Size	2mg	5mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	13	25	43	75	117	84

Sodium butanoate

ID: T1393



Sodium butyrate is the sodium salt of butyric acid, used in the culture of mammalian cells.

Size	10mg	50mg	250mg	1g	1ml/10mM
Price(\$)	13	27	58	90	27

Chlorpheniramine maleate

ID: T1553



Chlorpheniramine (Chlorpheniramine maleate, Chlorphenamine) is an histamine H1 receptor antagonist.

Size	2mg	10mg	50mg	200mg	1g	1ml/10mM
Price(\$)	13	30	78	122	207	27

Chlorpromazine HCl

ID: T1384



Chlorpromazine HCl is a dopamine and potassium channel inhibitor used as the prototypical phenothiazine antipsychotic drug.

Size	2mg	10mg	50mg	200mg	1g	1ml/10mM
Price(\$)	13	30	78	122	241	55

Bithionol

ID: T080




Bithionol, formerly marketed as an active ingredient in various topical drug products, was shown to be a potent photosensitizer with the potential to cause serious skin disorders. Approvals of the NDA's for bithionol drug products were withdrawn on October 24, 1967.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Cetirizine 2HCl

ID: T0089




Cetirizine dihydrochloride is a potent second-generation histamine H1 antagonist that is effective in the treatment of allergic rhinitis, chronic urticaria, and pollen-induced asthma.

Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	13	30	78	122	27

Cimetidine

ID: T0797



A histamine congener, it competitively inhibits HISTAMINE binding to HISTAMINE H2 RECEPTORS.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Clozapine

ID: T0455



A tricyclic dibenzodiazepine, classified as an atypical antipsychotic agent.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Famotidine

ID: T1627



A competitive histamine H2-receptor antagonist.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Flunarizine 2HCl

ID: T0806




Flunarizine is a selective calcium entry blocker with calmodulin binding properties and histamine H1 blocking activity.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Ketotifen fumarate

ID: T0994



A cycloheptathiophene blocker of histamine H1 receptors and release of inflammatory mediators.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Meclizine 2HCl

ID: T1110




Meclizine is a histamine H1 receptor antagonist used to treat nausea and motion sickness, has anti-histamine, anti-muscarinic and anti-oxidative phosphorylation properties, also an agonist ligand for mCAR (constitutive androstane receptor) and an inverse agonist for hCAR.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Noctone

ID: T0865



Ranitidine is a histamine H2-receptor antagonist that inhibits stomach acid production. Ranitidine (Zantac) is a histamine H2-receptor antagonist with IC50 of 3.3 ± 1.4 μM. It inhibits stomach acid production. It is also used alongside fexofenadine.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Histamine Receptor

Trazodone HCl

ID: T1619

A serotonin uptake inhibitor that is used as an antidepressive agent.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27



Tripeleannamine HCl

ID: T1269

A histamine H1 antagonist with low sedative action but frequent gastrointestinal irritation.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27



Betahistine 2HCl

ID: T0246

Betahistine is an antivertigo drug first used for treating vertigo assosicated with Ménière's disease.

Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	13	30	78	122	41



Diphenhydramine HCl

ID: T0330

A histamine H1 antagonist.

Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	13	30	78	133	27




Roxatidine Acetate HCl

ID: T0157

Roxatidine Acetate HCl is a specific and competitive histamin H2-receptor antagonist, with IC50 of 3.2 μ M, inhibits gastric acid secretion and ulcer formation.

Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	13	30	78	145	27



Cyproheptadine HCl

ID: T0174

Cyproheptadine hydrochloride is an antagonist of serotonin receptor.

Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	13	30	78	133	27



Clemastine fumarate

ID: T0147

A histamine H1 antagonist used as the hydrogen fumarate in hay fever, rhinitis, allergic skin conditions, and pruritus.

Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	13	30	78	133	42



Pheniramine maleate

ID: T0370

Pheniramine Maleate is an antihistamine with anticholinergic properties used to treat allergic conditions such as hay fever or urticaria.

Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	13	30	78	133	27



Mizolastine

ID: T0118



Mizolastine is a histamine H1-receptor antagonist with IC50 of 47 nM used in the treatment of hay fever (seasonal allergic rhinitis), hives and other allergic reactions.

Size	2mg	10mg	50mg	1ml/10mM
Price(\$)	13	30	78	55

Dimenhydrinate

ID: T0298

A drug combination that contains DIPHENHYDRAMINE and THEOPHYLLINE.

Size	10mg	50mg	100mg	1ml/10mM
Price(\$)	13	37	52	27




Cloperastine HCl

ID: T0723

Luteolin is a flavone, a type of flavonoid. Like all flavonoids, it has a yellow crystalline appearance.

Size	2mg	5mg	10mg	1ml/10mM
Price(\$)	13	50	86	133



Azelastine

ID: T0211

Azelastine HCl is a potent, second-generation, selective, histamine antagonist.

Size	10mg	50mg	100mg	1ml/10mM
Price(\$)	14	25	44	27




Suplatast tosilate

ID: T0117

Suplatast Tosilate(IPD 1151T) is a Th2 cytokine inhibitor that attenuates IL-2, IL-5 and IL-13 production and has no effect on IFN- γ production.

Size	5mg	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	23	40	71	116	203	39



Histamine**ID: T0965**

An amine derived by enzymatic decarboxylation of HISTIDINE.



Size	10mg	50mg	100mg	1ml/10mM
Price(\$)	22	34	52	27

Diphenylpyraline HCl**ID: T0059**

Diphenylpyraline is a first-generation antihistamine with anticholinergic effects of the diphenylpiperidine class.



Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Propionyl-L-carnitine HCl**ID: T1182**

Carboxinamine is a first generation antihistamine that competes with free histamine for binding at HA-receptor sites.



Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Escitalopram**ID: T0185**

A furancarbonitrile that is one of the SEROTONIN UPTAKE INHIBITORS used as an antidepressant.



Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	24	49	69	110	47

Mirtazapine**ID: T0137**

Mirtazapine is an adrenergic and serotonin receptor antagonist, used to treat depression.



Size	2mg	10mg	20mg	50mg	1ml/10mM
Price(\$)	24	58	103	207	59

Loratadine**ID: T1097**

A second-generation histamine H1 receptor antagonist.



Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	24	58	197	345	59

Pyrilamine maleate**ID: T1232**

A histamine H1 antagonist.




Size	5mg	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	24	42	83	133	203	56

Carboxinamine Maleate Salt**ID: T2222**

Carboxinamine maleate is used as Histamine H1 Antagonists.



Size	5mg	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Fexofenadine HCl**ID: T1470**

Fexofenadine hydrochloride (Allegra) is an antihistamine drug used in the treatment of hayfever and similar allergy symptoms.

Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Olopatadine HCl**ID: T1170**

Olopatadine HCl is a histamine blocker used to treat allergic conjunctivitis. Olopatadine is one of the second-generation histamine H1 receptor antagonists that are treated for allergic disorders.

Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	36	78	133	234	69

Trimipramine maleate**ID: T1045**

Tricyclic antidepressant similar to IMIPRAMINE, but with more antihistaminic and sedative properties.

Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56


Hydroxyzine 2HCl

NEW



A histamine H1 receptor antagonist that is effective in the treatment of chronic urticaria, dermatitis, and histamine-mediated pruritus.

Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	27	49	73	109	160	57

Levocetirizine**ID: T1469**

Levocetirizine is a Histamine-1 Receptor Antagonist. The mechanism of action of levocetirizine is as a Histamine H1 Receptor Antagonist.

Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	36	83	160	283	84

Histamine Receptor

Nortriptyline HCl

ID: T1327

A metabolite of AMITRIPTYLINE that is also used as an antidepressive agent.



Size	2mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Lafutidine

ID: T0081

Lafutidine, a newly developed histamine H(2)-receptor antagonist, inhibits gastric acid secretion.



Size	2mg	10mg	50mg	1ml/10mM
Price(\$)	36	58	133	56

Azatadine Maleate

ID: T0236

Antihistamines such as azatadine appear to compete with histamine for histamine H1-receptor sites on effector cells.



Size	2mg	5mg	10mg	20mg	50mg	1ml/10mM
Price(\$)	31	61	95	137	133	84

Antazoline HCl

ID: T0092

Antazoline HCl is a first generation antihistamine, binding to the histamine H1 receptor and blocking the action of endogenous histamine.



Size	2mg	10mg	50mg	1ml/10mM
Price(\$)	39	78	237	55

Quetiapine

ID: T0162



Quetiapine is indicated for the treatment of schizophrenia as well as for the treatment of acute manic episodes associated with bipolar I disorder. The antipsychotic effect of quetiapine is thought by some to be mediated through antagonist activity at dopamine and serotonin receptors. Specifically the D1 and D2 dopamine, the alpha 1 adrenoreceptor and alpha 2 adrenoreceptor, and 5-HT1A and 5-HT2 serotonin receptor subtypes are antagonized. Quetiapine also has an antagonistic effect on the histamine H1 receptor.

Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	45	99	170	298	99

Pemirolast potassium

ID: T1425

Pemirolast potassium is a slightly yellow powder that is soluble in water. It is a mast cell stabilizer that acts as an antiallergic agent.



Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	46	115	282	493	99

JNJ-7777120

NEW

ID: T2232



JNJ-7777120 is the first potent and selective non-imidazole histamine H4 receptor antagonist with Ki of 4.5 nM, exhibits >1000-fold selectivity over the other histamin receptors.

Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	47	73	117	185	333	133

Desloratadine

ID: T2520


Desloratadine is a potent antagonist for human histamine H1 receptor with IC50 of 51 nM.



Size	5mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	49	85	268	417	133

Ciproxifan maleate

ID: T2004



Ciproxifan maleate(FUB-359 maleate) is a highly potent and selective histamin H3-receptor antagonist with IC50 of 9.2 nM, with low apparent affinity at other receptor subtypes.

Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	93	158	354	587	92

Clemizole

NEW

ID: T1822




Clemizole is a H1 histamine receptor antagonist. Recently, researchers have identified that clemizole hydrochloride can inhibit NS4B's RNA binding and hepatitis C virus (HCV) replication.

Size	2mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	110	197	357	669	183

Ebastine

ID: T2335



Ebastine is a potent H1-histamine receptor antagonist, used for allergic disorders.

Size	2mg	10mg	50mg	1ml/10mM
Price(\$)	36	56	77	99

Alcaftadine

ID: T2533


Alcaftadine(R89674) is a H1 histamine receptor antagonist, which is used to prevent eye irritation brought on by allergic conjunctivitis.



Size	5mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	133	219	549	961	145

Dopa decarboxylase**Dopa decarboxylase inhibitor****Benserazide HCl**

ID: T1517



An inhibitor of DOPA DECARBOXYLASE that does not enter the central nervous system.

Size	1mg	5mg	10mg	1ml/10mM
Price(\$)	24	70	95	80

Carbidopa Hydrate

ID: T2148


An inhibitor of DOPA decarboxylase, preventing conversion of levodopa to dopamine.



Size	2mg	5mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	27	51	100	173	296	82

Melatonin receptor**Melatonin receptor agonist****Melatonine**

ID: T1659



Melatonin is a MT receptor agonist, used as a dietary supplement.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Ramelteon

ID: T1463



Ramelteon is the first in a new class of sleep agents that selectively binds to the melatonin receptors in the suprachiasmatic nucleus (SCN). It is used for insomnia, particularly delayed sleep onset. Ramelteon has not been shown to produce dependence and has shown no potential for abuse.

Size	5mg	20mg	50mg	100mg	1ml/10mM
Price(\$)	41	79	133	234	59

NMDA Receptor**NMDA Receptor****Felbamate**

NEW

ID: T1946




Felbamate (FBM) is a potent nonsedative anticonvulsant whose clinical effect may be related to the inhibition of N-methyl-D-aspartate (NMDA).

Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	41	61	112	170	71

Eliprodil

NEW

ID: T1751




Eliprodil(SL-820715) is a non-competitive NR2B-NMDA receptor antagonist($IC_{50}=1\mu M$), less potent for NR2A- and NR2C-containing receptors($IC_{50}>100\mu M$).

Size	2mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	62	109	209	400	83

L-701,324

NEW

ID: T1909



The anticonvulsant effects of D-cycloserine, which is a partial agonist of the glycine/N-methyl-D-aspartate (NMDA) receptor, and L-701,324, which is a selective and potent antagonist that acts at the glycine site, were studied in electroshock-induced seizures in mice.[1]

Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	98	133	197	433	112

MDL 29951

NEW

ID: T1897



MDL-29951 is a novel glycine antagonist of NMDA receptor activation ($K_i=0.14\text{ mM}$, [^3H]glycine binding) in vitro and in vivo.

Size	5mg	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	189	333	554	924	1434	188

NMDA Receptor antagonist**QNZ46**

NEW

ID: T2362



QNZ46 is a NR2C/NR2D-selective NMDA receptor non-competitive antagonist (IC_{50} values are 3, 6, 229, and >300 , $>300\text{ }\mu\text{M}$ for NR2D, NR2C, NR2A, NR2B, and GluR1, respectively).

Size	2mg	10mg	50mg	1ml/10mM
Price(\$)	59	112	334	110


NPY Receptor

NPY Receptor antagonist

JNJ-31020028

NEW

ID: T1997



JNJ-31020028 is a selective brain penetrant antagonist of neuropeptide Y2 receptor with high affinity ($\text{pIC}_{50}=8.07$, human; $\text{pIC}_{50}=8.22$ rat); >100-fold selective versus human Y1/Y4/Y5 receptors.

Size	5mg	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	101	160	308	521	966	255

Opioid Receptor

Opioid Receptor

Menthol

ID: T1407

Menthol is a covalent organic compound made synthetically or obtained from peppermint or other mint oils.




Size	5mg	25mg	100mg	500mg	1ml/10mM
Price(\$)	12	21	27	66	27

Trimebutine

ID: T0918

Trimebutine is a drug with antimuscarinic and weak mu opioid agonist effects. Trimebutine is an agonist of peripheral mu, kappa and delta opiate receptors, used as spasmolytic agent for treatment of both acute and chronic abdominal pain. The major product



Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Naloxone HCl

ID: T0102

Naloxone HCl is an opioid inverse agonist drug used to counter the effects of opiate overdose.




Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	13	30	78	133	55

Docusate sodium

ID: T0929

All-purpose surfactant, wetting agent, and solubilizer used in the drug, cosmetics, and food industries. It has also been used in laxatives and as cerumenolytics.



Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Noscapine HCl

ID: T0981

A naturally occurring opium alkaloid that is a centrally acting antitussive agent.



Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Meptazinol HCl

ID: T2021

A narcotic antagonist with analgesic properties. It is used for the control of moderate to severe pain.



Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	36	78	237	59	

Tapentadol HCl

ID: T2541

Tapentadol HCl is a centrally acting oral analgesic with opioid and adrenergic activity.



Size	5mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	49	85	228	364	84

MCOPPB trihydrochloride

NEW

ID: T2071

MCOPPB 3HCl is a nociceptin receptor agonist with pKi of 10.07; weaker activity at other opioid receptors.



Size	5mg	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	209	338	579	862	1183	208

Opioid Receptor activator

Progesterone

ID: T0478

Progesterone is a critical hormone for the maintenance of pregnancy, menstrual cycle, endometrium and functions with its receptor




Size	5mg	20mg	50mg	100mg	1ml/10mM
Price(\$)	25	52	91	159	39

Opioid Receptor agonist

Loperamide HCl

ID: T0209

One of the long-acting synthetic ANTIDIARRHEALS; it is not significantly absorbed from the gut, and has no effect on the adrenergic system or central nervous system, but may antagonize histamine and interfere with acetylcholine release locally.



Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	13	30	78	125	39

Nalfurafine HCl

NEW

ID: T2388

Nalfurafine(TRK-820) is an opioid κ -selective agonist; has been approved in Japan for treatment of itch in patients with chronic kidney disease.



Size	2mg	5mg	10mg	50mg	1ml/10mM
Price(\$)	242	364	657	1767	669

Opioid Receptor antagonist

Dextromethorphan HBr monohydrate

ID: T0262

Dextromethorphan (DXM) is an antitussive (cough suppressant) drug.



Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	13	24	37	52	39

Naltrexone HCl

ID: T0963

Derivative of noroxymorphone that is the N-cyclopropylmethyl congener of NALOXONE.



Size	2mg	10mg	50mg	1ml/10mM
Price(\$)	13	30	78	27

Alvimopan

ID: T1242



Alvimopan(LY 246736; ADL 8-2698) is a peripherally acting mu-opioid receptor (PAM-OR, IC₅₀= 1.7 nM) antagonist for accelerating gastrointestinal recovery after surgery.

Size	5mg	50mg	100mg	1ml/10mM
Price(\$)	27	49	88	57


P2 Receptor

P2 Receptor antagonist

Clopidogrel

ID: T0182

Clopidogrel, an antiplatelet agent structurally and pharmacologically similar to ticlopidine, is used to inhibit blood clots in a variety of conditions such as peripheral vascular disease, coronary artery disease, and cerebrovascular disease.




Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	13	30	78	122	27

Suramin Sodium Salt

ID: T2160

Suramin sodium salt is a polysulfonated naphthylenurea that inhibits the binding of calmodulin to recognition sites on the ryanodine receptor-1 (IC₅₀ = 4.9 μ M), blocks G protein coupling to GPCRs, and non-selectively antagonizes P2 purinergic receptors (10-100 μ M).




Size	2mg	5mg	10mg	50mg	1ml/10mM
Price(\$)	27	51	100	173	82

A-438079 HCl

NEW

ID: T2673

A-438079 HCl is a potent, and selective P2X7 receptor antagonist with pIC₅₀ of 6.9.




Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	44	83	133	234	350	84

AF 353

ID: T2087


AF-353 is a novel, potent and orally bioavailable P2X3/P2X2/3 receptor antagonist, inhibits human and rat P2X3 (pIC₅₀= 8.0).



Size	1mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	123	389	698	1073	1651	387

Prasugrel

ID: T0230



Prasugrel, a thienopyridine derivative, is a platelet activation and aggregation inhibitor structurally and pharmacologically related to clopidogrel and ticlopidine.

Size	2mg	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	31	54	95	166	282	59

Substance P**Substance P antagonist****Aprepitant**

NEW

ID: T1743

Aprepitant is a potent and selective neurokinin-1 receptor antagonist.



Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	34	114	209	480	740	112

Phosphatidylcholine**Phosphatidylcholine****Citicoline sodium**

ID: T1208

Donor of choline in biosynthesis of choline-containing phosphoglycerides.




Size	5mg	50mg	100mg	1ml/10mM
Price(\$)	27	49	88	57

Fosaprepitant dimeglumine

NEW


ID: T1790



Fosaprepitant dimeglumine(MK-0517) is a neurokinin-1 receptor antagonist for the prevention of chemotherapy-induced nausea and vomiting.

Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	107	160	283	475	39

Microbiology & Virology



Microbiology & Virology


Antibiotic

Rac1 inhibitor

Demeclocycline HCl

ID: T1400

Demeclocycline is a tetracycline antibiotic derived from a strain of *Streptomyces aureofaciens*.



Size	1mg	5mg	10mg	1ml/10mM
Price(\$)	13	23	40	59

Phenethyl alcohol

ID: T0011

An antimicrobial, antiseptic, and disinfectant that is used also as an aromatic essence and preservative in pharmaceuticals and perfumery.



Size	100ul	500ul	1ml
Price(\$)	13	23	35

Hydroxyquinoline

ID: T0404

An antiseptic with mild fungistatic, bacteriostatic, anthelmintic, and amebicidal action.




Size	10mg	50mg	100mg	500mg	1g	1ml/10mM
Price(\$)	13	24	36	133	244	27

Tazobactam acid

ID: T1262

Tazobactam is an antibacterial penicillin derivative which inhibits the action of bacterial beta-lactamases.




Size	2mg	5mg	10mg	25mg	1ml/10mM
Price(\$)	13	24	42	61	59

Cefazolin sodium salt

ID: T0953

A semisynthetic cephalosporin analog with broad-spectrum antibiotic action due to inhibition of bacterial cell wall synthesis.




Size	10mg	50mg	100mg	500mg	1ml/10mM
Price(\$)	13	24	42	74	27

Cefixime

ID: T0932


Cefixime, an antibiotic, is a third-generation cephalosporin like ceftriaxone and cefotaxime.



Size	10mg	50mg	100mg	500mg	1ml/10mM
Price(\$)	13	24	42	74	27

Antibiotic**Cefotiam HCl**

ID: T1616



One of the CEPHALOSPORINS that has a broad spectrum of activity against both gram-positive and gram-negative microorganisms..

Size	10mg	50mg	100mg	500mg	1ml/10mM
Price(\$)	13	24	42	74	27

Cepazine

ID: T1227




Cefuroxime axetil is a second generation oral cephalosporin antibiotic.

Size	10mg	50mg	100mg	500mg	1ml/10mM
Price(\$)	13	24	42	74	27

Polymyxin B sulfate

ID: T1100



Polymyxin B sulphate is a mixture of polymyxins B1 and B2, obtained from *Bacillus polymyxa* strains.

Size	10mg	50mg	100mg	500mg	1ml/10mM
Price(\$)	13	24	42	74	27

7-Aminocephalosporanic acid

ID: T0989



7-Aminocephalosporanic acid is used for synthesis of cephalosporin antibiotics and intermediates.

Size	10mg	50mg	100mg	1ml/10mM
Price(\$)	13	24	44	27

Amikacin

ID: T1013



A broad-spectrum antibiotic derived from KANAMYCIN. It is reno- and ototoxic like the other aminoglycoside antibiotics.

Size	2mg	10mg	50mg	1ml/10mM
Price(\$)	13	24	48	59

5-Amino-4-imidazolecarboxamide

ID: T1705




An imidazole derivative which is a metabolite of the antineoplastic agents BIC and DIC.

Size	5mg	25mg	100mg	1ml/10mM
Price(\$)	13	25	49	27

Penicillin V potassium salt

ID: T1126



Penicillin V potassium is a broad-spectrum penicillin antibiotic used orally in the treatment of mild to moderate infections by susceptible gram-positive organisms.

Size	2mg	10mg	50mg	1ml/10mM
Price(\$)	13	24	48	59

Dihydrostreptomycin sulfate

ID: T2211



A semi-synthetic aminoglycoside antibiotic that is used in the treatment of TUBERCULOSIS.

Size	5mg	25mg	100mg	1ml/10mM
Price(\$)	13	25	49	27

Ayrtol

ID: T0898



Chloroxylenol (4-chloro-3,5-dimethylphenol) is a broad spectrum antimicrobial chemical compound used to control bacteria, algae, fungi and virus.

Size	5mg	25mg	100mg	250mg	1ml/10mM
Price(\$)	13	27	44	78	27

Cetylpyridinium chloride monohydrate

ID: T0900



It is an antiseptic that kills bacteria and other microorganisms.

Size	5mg	25mg	100mg	250mg	1ml/10mM
Price(\$)	13	27	44	78	27

Cefotaxime sodium

ID: T0911




Cefotaxime is a third-generation cephalosporin antibiotic.

Size	5mg	25mg	100mg	250mg	1ml/10mM
Price(\$)	13	27	56	92	27

Lincomycin HCl monohydrate

ID: T1235



An antibiotic produced by *Streptomyces lincolnensis* var. *lincolnensis*.

Size	5mg	25mg	100mg	250mg	1ml/10mM
Price(\$)	13	27	56	92	27

Bronidiol

ID: T0880



Bronopol is a Standardized Chemical Allergen. The physiologic effect of bronopol is by means of Increased Histamine Release and Cell-mediated Immunity. The chemical classification of bronopol is Allergens. from FDA Pharm Classes

Size	5mg	25mg	100mg	250mg	1ml/10mM
Price(\$)	13	27	47	83	27

MTD

ID: T0915




Accelerants play a major role in chemistry. Most chemical reactions can be hastened with an accelerator.

Size	5mg	25mg	100mg	250mg	1ml/10mM
Price(\$)	13	27	56	92	27

Ceftazidime

ID: T1305




Semisynthetic, broad-spectrum antibacterial derived from CEPHALORIDINE and used especially for Pseudomonas and other gram-negative infections in debilitated patients.

Size	10mg	50mg	250mg	1g	1ml/10mM
Price(\$)	13	27	58	90	27

Itraconazole

ID: T1011



A triazole antifungal agent that inhibits cytochrome P-450-dependent enzymes required for ERGOSTEROL synthesis.

Size	5mg	25mg	100mg	200mg	1ml/10mM
Price(\$)	13	28	58	95	27

Clioquinol

ID: T0876



A potentially neurotoxic 8-hydroxyquinoline derivative long used as a topical anti-infective, intestinal antiamebic, and vaginal trichomonacide.

Size	10mg	50mg	100mg	500mg	1ml/10mM
Price(\$)	13	30	48	107	27

Sulphadione

ID: T0891



A sulfone active against a wide range of bacteria but mainly employed for its actions against MYCOBACTERIUM LEPRAE.

Size	10mg	50mg	100mg	500mg	1ml/10mM
Price(\$)	13	30	48	107	27

Kanamycin sulfate

ID: T0793



Antibiotic complex produced by Streptomyces kanamyceticus from Japanese soil. Comprises 3 components: kanamycin A, the major component, and kanamycins B and C, the minor components.

Size	10mg	50mg	100mg	1ml/10mM
Price(\$)	13	30	48	27

Chlorobutanol

ID: T0901




Chlorobutanol is a chemical preservative, sedative hypnotic and weak local anaesthetic similar in nature to chloral hydrate.

Size	10mg	50mg	500mg	1ml/10mM
Price(\$)	13	30	49	27

Streptomycin sulfate

ID: T0060



Streptomycin sulfate is a sulfate salt of streptomycin that is a protein synthesis inhibitor.

Size	2mg	10mg	50mg	100mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	183	27

Ornidazole

ID: T1556



A nitroimidazole antiprotozoal agent used in ameba and trichomonas infections. It is partially plasma-bound and also has radiation-sensitizing action.

Size	2mg	10mg	50mg	200mg	1g	1ml/10mM
Price(\$)	13	30	78	122	207	27

Acinitrazol

ID: T1108



Nithiamide is a non-5-nitroimidazole drugs.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Aminothiazole

ID: T0495




Aminothiazole can be used as a thyroid inhibitor and it has antibacterial activity.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Antibiotic**Amoxicillin**

ID: T1005



A broad-spectrum semisynthetic antibiotic similar to AMPICILLIN except that its resistance to gastric acid permits higher serum levels with oral administration.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Amphotericin B

ID: T1067



Amphotericin b is a Lipid-based Polyene Antifungal and Polyene Antifungal.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Butenafine HCl

ID: T1217



Butenafine hydrochloride is a synthetic benzylamine antifungal, works by inhibiting the synthesis of sterols by inhibiting squalene epoxidase.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Apramycin sulfate

ID: T1084



Apramycin is an aminoglycoside antibiotic and has a bactericidal action against many gram-negative bacteria.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Broxiquinoline

ID: T0701



Broxiquinoline is an antiprotozoal agent and able to release oxygen free radicals from the water in mucous membranes.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Behenic alcohol

ID: T0884



Docosanol is a saturated fatty alcohol used traditionally as an emollient, emulsifier, and thickener in cosmetics, nutritional supplement. (ED50=2.5 mg/mL for plaque inhibition, and ED50=1.7 mg/mL for inhibition of virus production)

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Bacitracin

ID: T1226



Bacitracin is a mixture of related cyclic polypeptides produced by organisms of the licheniformis group of *Bacillus* subtilis var Tracy, which disrupts both gram positive and gram negative bacteria by interfering with cell wall and peptidoglycan synthesis.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Ampicillin Trihydrate

ID: T0814



Ampicillin Trihydrate is a β-lactam antibiotic, which inhibits bacterial cell-wall synthesis (peptidoglycan cross-linking) by inactivating transpeptidases on the inner surface of the bacterial cell membrane

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Chloquinol

ID: T0908



Local anti-infective agent used for skin, gastrointestinal, and vaginal infections with fungi, protozoa, and certain bacteria. In animals, it causes central nervous system damage and is not administered parenterally. It is also used as antiseptic, fungistat, or deodorant.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Carbenicillin disodium

ID: T1143




Carbenicillin inhibits the cell-wall synthesis (peptidoglycan cross-linking) by inactivating transpeptidase on the inner surface of the bacterial cell membrane.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Capastat sulfate

ID: T1441



Capastat sulfate is a cyclic peptide antibiotic and thought to inhibit protein synthesis by binding to the 70S ribosomal unit.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Chlortetracycline HCl**ID: T1304**

Chlortetracycline HCl is the first identified tetracycline antibiotic.



Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Capitol**ID: T0500**

Chloroxine is a synthetic antibacterial compound that is effective in the treatment of dandruff and seborrheic dermatitis when incorporated in a shampoo.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Dirithromycin**ID: T0971**

Dirithromycin is a macrolide glycopeptide antibiotic by binding to the 50S subunit of the 70S bacterial ribosome to inhibit the translocation of peptides.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Clotrimazole**ID: T0506**

An imidazole derivative with a broad spectrum of antimycotic activity.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

D-Cycloserine**ID: T1589**

Antibiotic substance produced by Streptomyces garyphalus.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Diaveridine**ID: T2204**

Diaveridine (DVD) is a popular antibacterial synergist that is widely used in combination with sulfonamide. It has been reported to be genotoxic to mammalian cells, but more studies are required to clarify this.[1]

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Dinitolmide**ID: T0873**

Dinitolmide is a broad-spectrum anticoccidial drug.



Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Clindamycin phosphate**ID: T1142**

Clindamycin Phosphate is a lincosamide antibiotic for Plasmodium falciparum



Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Erythromycin**ID: T1032**

A bacteriostatic antibiotic macrolide produced by Streptomyces erythreus. Erythromycin A is considered its major active component.



Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Furaltadone HCl**ID: T0896**

Furaltadone HCl is an antibacterial and has distinct curative effect in the treatment of coccidiosis.



Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Lincomycin HCl**ID: T1277**

Lincomycin hydrochloride(Lincocin) is the monohydrated salt of lincomycin, a substance produced by the growth of a member of the lincolnensis group of Streptomyces lincolnensis.



Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Minocycline HCl**ID: T1101**

Minocycline HCl is the most lipid soluble and most active tetracycline antibiotic, binds to the 30S ribosomal subunit, preventing the binding of tRNA to the mRNA-ribosome complex and interfering with protein synthesis.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Antibiotic**Nadifloxacin****ID: T1466**

Nadifloxacin is a topical fluoroquinolone antibiotic for the treatment of acne vulgaris.




Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Neomycin sulfate**ID: T0950**

Neomycin sulfate belongs to a class of antibiotics known as the aminoglycosides.



Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Nystatin (Fungicidin)**ID: T1678**

Nystatin, which belongs to the polyene group of antimycotics, is frequently used as a topical agent in the treatment of oro-pharyngeal candidosis.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Oxytetracycline (Terramycin)**ID: T0895**

Oxytetracycline (Terramycin) was the second of the broad-spectrum tetracycline group of antibiotics to be discovered.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Paromomycin Sulfate**ID: T1104**

Paromomycin Sulfate is an aminoglycoside antibiotics inhibiting protein synthesis in non-resistant cells by binding to 16S ribosomal RNA.



Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Piperacillin sodium salt**ID: T1233**


Piperacillin is a semisynthetic, broad-spectrum, ampicillin derived ureidopenicillin antibiotic proposed for pseudomonas infections.



Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Ribostamycin sulfate**ID: T1214**


Ribostamycin is an aminoglycoside antibiotic, containing a neutral sugar moiety, and is produced by *Streptomyces ribosidificus*.



Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Roxithromycin**ID: T1151**


Semisynthetic derivative of erythromycin. It is concentrated by human phagocytes and is bioactive intracellularly. While the drug is active against a wide spectrum of pathogens, it is particularly effective in the treatment of respiratory and genital tract infections.



Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Sarafloxacin HCl**ID: T1107**


Sarafloxacin HCl is a hydrochloride salt form of sarafloxacin which is a quinolone antibiotic drug.




Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Spectinomycin dihydrochloride**ID: T0788**

An antibiotic produced by *Streptomyces spectabilis*.



Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Spiramycin**ID: T0819**

A macrolide antibiotic produced by *Streptomyces ambofaciens*.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Sulfadimethoxine**ID: T1078**

A sulfa-nilamide that is used as an anti-infective agent.




Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Primaquine diphosphate

ID: T0805


An aminoquinoline that is given by mouth to produce a radical cure and prevent relapse of vivax and ovale malarias following treatment with a blood schizontocide.



Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Sulfamethoxypyridazine

ID: T0844




Sulfamethoxypyridazine is a long-acting sulfonamide for treatment of Dermatitis herpetiformis.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Tetracycline HCl

ID: T0912


Tetracycline HCl is a hydrochloride salt of tetracycline that is a broad-spectrum polyketide antibiotic.



Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Thiamphenicol

ID: T1550



A methylsulfonyl analog of CHLORAMPHENICOL. It is an antibiotic and immunosuppressive agent.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Tilmicosin

ID: T0777




Tilmicosin is a macrolide antibiotic.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Vancomycin HCl

ID: T0832


Vancomycin hydrochloride (Vancocin) is used in the prophylaxis and treatment of infections caused by Gram-positive bacteria. Vancomycin acts by inhibiting proper cell wall synthesis in Gram-positive bacteria.



Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Zinc bacitracin

ID: T2208



Bacitracin Zinc is a dephosphorylation of the C55-isoprenyl pyrophosphate interference for inhibition of cleavage of Tyr from Met-enkephalin with IC50 of 10 μ M.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Hexamethylenetetramine

ID: T0405




Methenamine is an antibiotic used for the treatment of urinary tract infection.

Size	2mg	10mg	50mg	100mg	500mg	1ml/10mM
Price(\$)	13	30	78	133	244	42

Vagistat

ID: T0146



Tioconazole is an antifungal medication with an average IC50 of 1.7 μ M.

Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	13	30	78	133	42

Fluconazole

ID: T1388




Triazole antifungal agent that is used to treat oropharyngeal candidiasis and cryptococcal meningitis in AIDS.

Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	13	30	78	133	27

Sulfaquinoxaline sodium

ID: T0917




Sulfa drugs, used in the treatment of avian coccidiosis

Size	5mg	25mg	100mg	500mg	1ml/10mM
Price(\$)	13	33	80	197	27

Dichlorophen

ID: T0066



Nontoxic laxative vermicide effective for taenia infestation. It tends to produce colic and nausea. It is also used as a veterinary fungicide, anthelmintic, and antiprotozoan. (From Merck, 11th ed.)

Size	5mg	10mg	50mg	100mg	200mg	1ml/10mM
Price(\$)	16	25	78	122	183	27

Antibiotic**Orbifloxacin****ID: T0292**

Orbifloxacin is a synthetic broad-spectrum fluoroquinolone antibiotic.



Size	1mg	5mg	10mg	1ml/10mM
Price(\$)	13	37	52	56

Meropenem**ID: T0224**

Meropenem is a broad-spectrum carbapenem antibiotic.



Size	2mg	10mg	25mg	100mg	1ml/10mM
Price(\$)	13	42	78	133	39


Oxiconazole nitrate**ID: T1290**

Oxiconazole nitrate (U.S.: Oxistat, Canada: Oxazole) is an antifungal medication typically administered in a cream or lotion to treat skin infections such as athlete's foot, jock itch and ringworm.

Size	2mg	5mg	10mg	25mg	1ml/10mM
Price(\$)	18	33	58	101	59

Tylosin tartrate**ID: T0861**

Tylosin tartrate is a macrolide antibiotic approved for the control of mycoplasmosis in poultry.




Tylosin tartrate is a macrolide antibiotic approved for the control of mycoplasmosis in poultry.

Size	1mg	5mg	25mg	100mg	1ml/10mM
Price(\$)	19	30	78	153	39

Fusidine**ID: T1160**


An antibiotic isolated from the fermentation broth of *Fusidium coccineum*.



Size	5mg	25mg	100mg	1ml/10mM
Price(\$)	19	44	118	27

Cefoxitin sodium**ID: T1023**


A semisynthetic cephamycin antibiotic resistant to beta-lactamase.



Size	2mg	10mg	25mg	1ml/10mM
Price(\$)	19	44	76	84

Azithromycin dihydrate**ID: T1419**


Azithromycin Dihydrate is an acid stable orally administered macrolide antimicrobial drug, structurally related to erythromycin



Size	2mg	10mg	25mg	100mg	1ml/10mM
Price(\$)	20	42	78	185	39

Hygromycin B**ID: T1022**


Hygromycin B, a selective antibiotic that is effective on most bacteria, fungi and higher eukaryotes, inhibits protein synthesis by interfering with translocation and causing mistranslation at the 70S ribosome.



Size	2mg	10mg	25mg	1ml/10mM
Price(\$)	20	62	115	52

Cephadrine**ID: T0199**


Cephadrine anhydrous is a Cephalosporin Antibacterial. The chemical classification of cephadrine anhydrous is Cephalosporins.



Size	10mg	50mg	100mg	1ml/10mM
Price(\$)	24	36	49	47

Sodium ceftiofur**ID: T0198**


Ceftiofur is a broad spectrum cephalosporin.




Size	10mg	50mg	100mg	1ml/10mM
Price(\$)	24	36	49	47

(+)-Emetine 2HCl hydrate**ID: T0982**

Emetine is a drug used as both an anti-protozoal and to induce vomiting. It is produced from the ipecac root.



Size	5mg	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	24	42	83	133	203	56


4-Chlorosalicylic acid**ID: T0666**

Antimicrobial compositions comprising a benzoic acid analog and a metal salt

Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

N,N-methylenebis N'-1-(hydroxymethyl)-2,5-dioxo-4-imidazolidinyl urea

ID: T0430




an antimicrobial preservative used in cosmetics;acts as a formaldehyde releaser

Size	5mg	25mg	100mg	500mg	1ml/10mM
Price(\$)	24	40	83	169	27

Cefepime Dihydrochloride Monohydrate

ID: T0868



Cefepime has an extended spectrum of activity against Gram-positive and Gram-negative bacteria, with greater activity against both Gram-negative and Gram-positive organisms than third-generation agents.

Size	5mg	25mg	100mg	1ml/10mM
Price(\$)	24	42	61	39

Alkomide

ID: T0390




Alkomide, known as a kind of Benzamide compounds, has antimicrobial and antioxidant activity.

Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Cefadroxil

ID: T0366




Long-acting, broad-spectrum, water-soluble, cephalaxin derivative.

Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Cefmenoxime HCl

ID: T1190

A cephalosporin antibiotic that is administered intravenously or intramuscularly.




Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Cefpiramide acid

ID: T0138

Cefpiramide is a third-generation cephalosporin antibiotic.



Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Chloramine-T

ID: T0669



Tosylchloramide or N-chloro tosylamide, sodium salt, sold as chloramine-T, is a N-chlorinated and N-deprotonated sulfonamide used as a biocide and a mild disinfectant. It is a white powder that gives unstable solutions with water.

Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Clofoctol

ID: T1134



Clofoctol is a bacteriostatic antibiotic. It is used in the treatment of respiratory tract and ear, nose and throat infections caused by Gram-positive bacteria.

Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Florfenicol

ID: T0454




Florfenicol is a fluorinated synthetic analog of thiamphenicol.

Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Fosfomycin calcium

ID: T0170



An antibiotic produced by Streptomyces fradiae.

Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

L-Cycloserine

ID: T0710




Antibiotic substance produced by Streptomyces garyophilus.

Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Meclocycline sulfosalicylate salt

ID: T0281



Meclocycline (INN) is a tetracycline antibiotic. It is used topically (i.e. for skin infections) as it is totally insoluble in water and may cause liver and kidney damage if given systemically.

Size	5mg	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Antibiotic**Nitromide****ID: T0356**

it is often used as a fodder additive for poultry, used to prevent coccidiosis infections.



Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Pipemicid acid**ID: T0396**

Antimicrobial against Gram negative and some Gram positive bacteria.



Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Sulfabenzamide**ID: T0921**

Sulfabenzamide is an antibacterial/antimicrobial. Often used in conjunction with sulfathiazole and sulfacetamide (trade name - Sultrin) as a topical, intravaginal antibacterial preparation.

Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Sulfamonometroxine**ID: T0699**

Long acting sulfonamide antibacterial agent.




Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Dicloxacillin sodium**ID: T1001**


One of the PENICILLINS which is resistant to PENICILLINASE.

Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	24	42	83	133	244	84

Doripenem Hydrate**ID: T1037**


Doripenem (doripenem monohydrate) is an ultra-broad spectrum injectable antibiotic.

Size	1mg	2mg	1ml/10mM
Price(\$)	24	42	96

Cefsulodine sodium**ID: T0827**

A pyridinium-substituted semisynthetic, broad-spectrum antibacterial used especially for *Pseudomonas* infections in debilitated patients.

Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	24	55	97	145	51

Berberine HCl**ID: T0461**


An alkaloid from *Hydrastis canadensis* L., Berberidaceae.

Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	24	58	162	267	59

Voriconazole**ID: T0120**

Voriconazole is an Azole Antifungal. Voriconazole is a new triazole derivative similar to fluconazole and itraconazole that acts by inhibiting fungal cytochrome P-450-dependent, 14-alpha-sterol demethylase-mediated synthesis of ergosterol.

Size	2mg	10mg	25mg	1ml/10mM
Price(\$)	24	61	118	59

Cefalonium**ID: T0141**

Cefalonium (INN) is a first-generation cephalosporin antibiotic.

Size	2mg	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	24	67	119	206	328	67

Nafcillin sodium**ID: T1312**

Nafcillin sodium salt monohydrate is a semi-synthetic antibiotic related to penicillin.

Size	1mg	5mg	10mg	50mg	1ml/10mM
Price(\$)	24	80	133	333	84

Artemether**ID: T1323**

Artemether is an antimalarial agent used to treat acute uncomplicated malaria.

Size	2mg	10mg	25mg	100mg	1ml/10mM
Price(\$)	24	58	95	234	56

Cefalexine EP IMpurity B

ID: T1364

7-Aminodesacetoxycephalosporanic Acid and its derivatives are used as antibiotics.



Size	5mg	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	24	42	83	133	203	56

4-Aminophenylarsonic acid

ID: T2224



An arsenical which has been used as a feed additive for enteric conditions in pigs and poultry.

Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Thioisonicotinamide

ID: T1365



Isonicotinamide (pyridine-4-carboxamide) is a chemical based on the nicotinamide structure, but in which the amide is in the 4-position and not the 3-position.

Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Cefaclor monohydrate

ID: T1495



Semisynthetic, broad-spectrum antibiotic derivative of cephalexin.

Size	2mg	5mg	20mg	100mg	1ml/10mM
Price(\$)	25	49	123	505	84

Acetylspiramycin

ID: T1557




Acetylspiramycin targets 50S ribosome to inhibit protein synthesis.

Size	5mg	50mg	100mg	1g	1ml/10mM
Price(\$)	27	49	88	167	57

Pentamidine isethionate

ID: T1654



Antiprotozoal agent effective in trypanosomiasis, leishmaniasis, and some fungal infections; used in treatment of PNEUMOCYSTIS pneumonia in HIV-infected patients. PENTAMIDINE ISETHIONATE may cause diabetes mellitus, central nervous system damage, and other toxic effects.

Size	5mg	50mg	100mg	1ml/10mM
Price(\$)	27	49	88	57

Doxycycline

ID: T1687

Doxycycline is a synthetic tetracycline derivative with similar antimicrobial activity.



Size	5mg	50mg	100mg	1g	1ml/10mM
Price(\$)	27	49	88	167	57

Sulfaquinoxaline

ID: T1177

An antiprotozoal agent used to combat coccidial infections of swine, cattle, fowl, and other veterinary animals.



Size	5mg	25mg	100mg	250mg	1ml/10mM
Price(\$)	31	51	82	132	44

Pimaricin

ID: T0709

Natamycin is a Polyene Antimicrobial. The chemical classification of natamycin is Polyenes. from FDA Pharm Classes



Size	10mg	50mg	100mg	1ml/10mM
Price(\$)	36	58	95	27

Sulbactam

ID: T1631

A beta-lactamase inhibitor with very weak antibacterial action.



Size	2mg	10mg	50mg	1ml/10mM
Price(\$)	36	78	237	56

Neomycin Sulphate B

ID: T2096

Neomycin belongs to aminoglycoside class of antibiotics that contain two or more aminosugars connected by glycosidic bonds.



Size	10mg	50mg	100mg	1ml/10mM
Price(\$)	36	85	133	56

Aztreonam

ID: T1029

A monocyclic beta-lactam antibiotic originally isolated from Chromobacterium violaceum.



Size	10mg	50mg	100mg	1ml/10mM
Price(\$)	40	58	95	42

Antibiotic/Antibacterial

Methacycline HCl

ID: T0518



Methacycline HCl is a tetracycline antibiotic, and also an inhibitor of epithelial–mesenchymal transition (EMT) with IC₅₀ of roughly 5 μM, used to treat various infections.

Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	42	67	106	177	99

Amorolfine HCl

ID: T0187



Amorolfine Hydrochloride is an antifungal reagent.

Size	2mg	10mg	50mg	1ml/10mM
Price(\$)	45	95	282	99

Netilmicin sulfate

ID: T1036




Netilmicin Sulfate is a member of the aminoglycoside family of antibiotics.

Size	1mg	5mg	20mg	1ml/10mM
Price(\$)	47	133	394	133

Monensin sodium salt

ID: T1033



Sodium Monensin, isolated from *Streptomyces cinnamomensis*, is a well-known representative of naturally polyether ionophore antibiotics.

Size	2mg	5mg	10mg	1ml/10mM
Price(\$)	57	84	108	99

Terconazole

NEW



Arecoline is a muscarinic acetylcholine receptor agonist.

Size	2mg	5mg	10mg	1ml/10mM
Price(\$)	59	88	113	82

Furacilin

ID: T0897




A topical anti-infective agent effective against gram-negative and gram-positive bacteria.

Size	2mg	10mg	25mg	1ml/10mM
Price(\$)	78	148	282	84

Solithromycin

NEW

ID: T2331



Solithromycin is an antibiotic compound.

Size	2mg	5mg	10mg	50mg	1ml/10mM
Price(\$)	96	133	225	704	272

Antibacterial**Aminacrine**

ID: T0289



A highly fluorescent anti-infective dye interacted with DNA.

Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	13	24	37	52	39

Cefoperazone sodium

ID: T1218



Semisynthetic broad-spectrum cephalosporin with a tetrazolyl moiety that is resistant to beta-lactamase. It has been proposed especially against *Pseudomonas* infections.

Size	10mg	50mg	100mg	500mg	1ml/10mM
Price(\$)	13	24	42	74	27

Cefuroxime sodium

ID: T1224



Broad-spectrum cephalosporin antibiotic resistant to beta-lactamase. It has been proposed for infections with gram-negative and gram-positive organisms, GONORRHEA, and HAEMOPHILUS.

Size	10mg	50mg	100mg	500mg	1ml/10mM
Price(\$)	13	24	42	74	27

Ticarcillin disodium

ID: T1063



An antibiotic derived from penicillin similar to CARBENICILLIN in action.

Size	10mg	50mg	100mg	500mg	1ml/10mM
Price(\$)	13	24	42	74	27

4-Chlorophenol

ID: T0733



Chlorophenols are commonly used as pesticides, herbicides, and disinfectants.

Size	10mg	50mg	100mg	500mg	1g	1ml/10mM
Price(\$)	13	24	42	79	27	

Sisomicin Sulfate

ID: T1219

Gentamicin is an aminoglycoside antibiotic composed of a mixture of related gentamicin components and fractions and is used to treat many types of bacterial infections, particularly those caused by Gram-negative organisms.



Size	10mg	50mg	100mg	500mg	1ml/10mM
Price(\$)	13	24	42	74	27

Cresol

ID: T0041

It is mixture used as Local antiseptic.



Size	100ul	500ul	1ml	5ml
Price(\$)	13	24	42	122

Phenylmercuric acetate

ID: T0904



A phenyl mercury compound used mainly as a fungicide. Has also been used as a herbicide, slimicide, and bactericide.

Size	5mg	25mg	100mg	500mg	1ml/10mM
Price(\$)	13	24	61	172	27

Butylparaben

ID: T0927



Butylparaben is a Standardized Chemical Allergen.

Size	5mg	25mg	100mg	250mg	1g	1ml/10mM
Price(\$)	13	27	56	92	185	27

Methyl 3,5-dihydroxybenzoate

ID: T1355

phenolcarboxylic acids are types of aromatic acid compound



Size	5mg	25mg	100mg	250mg	1g	1ml/10mM
Price(\$)	13	27	56	92	185	27

Resorcin

ID: T0931



Resorcinol crystallizes from benzene as colorless needles that are readily soluble in water, alcohol, and ether, but insoluble in chloroform and carbon disulfide. It reduces Fehling's solution and ammoniacal silver solutions. It does not form a precipitate with lead acetate solution, as does the isomeric pyrocatechol.

Size	5mg	25mg	100mg	250mg	1g	1ml/10mM
Price(\$)	13	27	56	92	185	27

Azlocillin sodium

ID: T0049

Azlocillin is an acylampicillin with a broad spectrum against bacteria



Size	2mg	10mg	50mg	100mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	183	27

Ceftriaxone sodium

ID: T1223

A broad-spectrum cephalosporin antibiotic with a very long half-life and high penetrability to meninges, eyes and inner ears.



Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Cephalexin

ID: T1008

A semisynthetic cephalosporin antibiotic with antimicrobial activity.



Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Chloramphenicol

ID: T1205




An antibiotic first isolated from cultures of Streptomyces venezuelae, acts by interfering with bacterial protein synthesis and is mainly bacteriostatic.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Chlorhexidine HCl

ID: T1147



Chlorhexidine hydrochloride is an antiseptic effective against a wide variety of gram-negative and gram-positive organisms.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Cloxacillin sodium monohydrate

ID: T1031



Cloxacillin sodium (Cloxacap) is a sodium salt of cloxacillin that is a penicillinase-resistant, acid resistant, semi-synthetic penicillin.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Antibacterial**Colistin sulfate****ID: T1245**

Colistin is a cyclic cationic decapeptide linked to a fatty acid side chain, it belongs to a group of similarly structured bacterial antimicrobial peptides.



Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Enrofloxacin**ID: T1617**


Enrofloxacin is a fluoroquinolone antibiotic.



Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Erythromycin ethylsuccinate**ID: T0474**


Erythromycin Ethylsuccinate, an oral macrolide antibiotic produced by *Streptomyces erythreus*, reversibly binds to the 50S ribosome of bacteria, and inhibits protein synthesis.



Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Tobramycin**ID: T1255**

An aminoglycoside, broad-spectrum antibiotic produced by *Streptomyces tenebrarius*.



Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Benzalkonium chloride**ID: T0336**


Benzalkonium chloride is a cationic surface-acting agent belonging to the quaternary ammonium group.




Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	133	27

Teicoplanin**ID: T0967**

Glycopeptide antibiotic complex from *Actinoplanes teichomycetinus* active against gram-positive bacteria. It consists of five major components each with a different fatty acid moiety.



Size	2mg	10mg	50mg	1ml/10mM
Price(\$)	13	30	78	55


Cefmetazole sodium**ID: T1070**

A semisynthetic cephamycin antibiotic with a broad spectrum of activity against both gram-positive and gram-negative microorganisms.

Size	10mg	50mg	100mg	1ml/10mM
Price(\$)	13	30	78	84

Tylosin**ID: T1003**

Macrolide antibiotic obtained from cultures of *Streptomyces fradiae*. The drug is effective against many microorganisms in animals but not in humans.



Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	18	31	79	135	31


Cephalothin sodium**ID: T1122**

A cephalosporin antibiotic.


Size	2mg	10mg	25mg	1ml/10mM
Price(\$)	19	44	76	84

Imipenem**ID: T1505**

Semisynthetic thienamycin that has a wide spectrum of antibacterial activity against gram-negative and gram-positive aerobic and anaerobic bacteria, including many multiresistant strains.



Size	2mg	10mg	25mg	1ml/10mM
Price(\$)	19	44	76	84

Carbadox**ID: T0770**

An antibacterial agent that has been used in veterinary practice for treating swine dysentery and enteritis and for promoting growth.

Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Dimethylsulfamoyl chloride**ID: T0661**

Dimethylsulfamoyl Chloride is a kind of small molecular compounds with formula C2H6ClNO2S.

Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Ftaxilide**ID: T0144**

Ftaxilide has the property of antibacterial, used as antiseptic.



Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Nitroxoline**ID: T0400**

Nitroxoline is a urinary antibacterial agent active against susceptible gram-positive and gram-negative organisms commonly found in urinary tract infections. It is a fluoroquinolone that is active against bacterial gyrases.

Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Oxacillin sodium**ID: T0985**

An antibiotic similar to FLUCLOXACILLIN used in resistant staphylococci infections.

Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Methicillin sodium**ID: T0234**

One of the PENICILLINS which is resistant to PENICILLINASE but susceptible to a penicillin-binding protein. It is inactivated by gastric acid so administered by injection.

Size	2mg	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	25	49	79	119	67		

Trichloroisocyanuric acid**ID: T0886**


The compound is a disinfectant, algicide and bactericide mainly for swimming pools and dyestuffs, and is also used as a bleaching agent in the textile industry.

Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Sodium fusidate**ID: T1299**


An antibiotic isolated from the fermentation broth of *Fusidium coccineum*.

Size	2mg	10mg	25mg	1ml/10mM
Price(\$)	24	49	99	69

Sulfachloropyridazine**ID: T2148**


A sulfonamide antimicrobial used for urinary tract infections and in veterinary medicine.

Size	5mg	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	24	42	83	133	203	56

Tigecycline**ID: T1569**


Tigecycline is bacteriostatic and is a protein synthesis inhibitor by binding to the 30S ribosomal subunit of bacteria and thereby blocking entry of Aminoacyl-tRNA into the A site of the ribosome during prokaryotic translation.

Size	2mg	10mg	25mg	100mg	1ml/10mM
Price(\$)	36	88	162	333	59

Roxarsone**ID: T0736**


An arsenic derivative which has anticoccidial action and promotes growth in animals.

Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Thimerosal**ID: T0521**

Thimerosal is an organomercurial compound and derivative of thiosalicylic acid with antibacterial and antifungal properties.

Size	5mg	50mg	100mg	1g	1ml/10mM
Price(\$)	27	49	88	167	57


Nifuratel**ID: T1526**

Nifuratel(NF 113, SAP 113) is a broad antibacterial spectrum agent, which is used as an antibacterial, antifungal, and antiprotozoal (*Trichomonas*).

Size	5mg	50mg	100mg	1ml/10mM
Price(\$)	27	49	88	57

AHAS inhibitor BTB06584

NEW

ID: T1940

AHAS inhibitor is a novel acetoxyhydroxyacid synthase(AHAS) inhibitor, a promising drug target against *Mycobacterium tuberculosis* (MTB).

Size	2mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	52	80	112	148	68

Antibacterial/Antifungal

Cefoncid sodium

ID: T1228



A second-generation cephalosporin administered intravenously or intramuscularly.


Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Oritavancin diphosphate

NEW

ID: T2691

Oritavancin diphosphate is a novel semisynthetic glycopeptide antibiotic being developed for the treatment of serious Gram-positive bacterial infections.



Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	234	382	578	950	1666	394

LED209

NEW

ID: T2703



LED209, a specific inhibitor of quorum sensor QseC of GNB, to generate a multifunctional agent PAMAM-LED209.


Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	42	64	110	222	400	133

Dalbavancin HCl

NEW

ID: T2692


Dalbavancin is a semisynthetic lipoglycopeptide that was designed to improve upon the natural glycopeptides currently available, vancomycin and teicoplanin.



Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	234	382	578	950	1666	394

Clinafloxacin

ID: T1283



Clinafloxacin(PD-127391) is a fluoroquinolone antibiotic.

Size	2mg	5mg	10mg	50mg	1ml/10mM
Price(\$)	59	88	113	432	84

Chitosan

ID: T1715




Chitosan is a linear polysaccharide composed of randomly distributed β -(1-4)-linked D-glucosamine (deacetylated unit) and N-acetyl-D-glucosamine

Size	2mg	5mg	10mg	1ml/10mM
Price(\$)	59	88	113	84

Cefprozil hydrate

ID: T1118



Cefprozil hydrate (Cefzil) is a second-generation cephalosporin type antibiotic.


Size	5mg	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	78	127	203	330	545	99

Walrycin B

NEW

ID: T1832


Walrycin B is a novel antibacterial compound specifically targeting the essential WalR response regulator.



Size	2mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	170	286	665	1097	256

Cefditoren pivoxil

ID: T1405




Cefditoren is a third-generation cephalosporin antibiotic for oral use.

Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	36	88	259	507	56

Sulfamethazine

ID: T0741



A sulfanilamide anti-infective agent. It has a spectrum of antimicrobial action similar to other sulfonamides.

Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	27	88	338	582	56

Antifungal**Antifungal****Benzoic acid**

ID: T0833



Benzoic acid is a Nitrogen Binding Agent.

Size	10mg	50mg	500mg	1g	1ml/10mM
Price(\$)	13	24	42	67	27

Actidione

ID: T1225



Antibiotic substance isolated from streptomycin-producing strains of *Streptomyces griseus*.

Size	10mg	50mg	100mg	500mg	1ml/10mM
Price(\$)	13	24	42	74	27

Triacetin**ID: T0703**

It is an artificial chemical compound, commonly used as a food additive, for instance as a solvent in flavourings, and for its humectant function



Size	10mg	50mg	500mg	1g	1ml/10mM
Price(\$)	13	24	42	79	27

Zinc undecylenate**ID: T0744**

A synthetic antifungal agent.



Size	5mg	25mg	250mg	500mg	1ml/10mM
Price(\$)	13	24	57	133	27

Ethylparaben**ID: T0834**

Ethylparaben is a Standardized Chemical Allergen. The physiologic effect of ethylparaben is by means of Increased Histamine Release and Cell-mediated Immunity. The chemical classification of ethylparaben is Allergens. from FDA Pharm Classes

Size	10mg	50mg	100mg	500mg	1ml/10mM
Price(\$)	13	30	48	107	27

Bifonazole**ID: T1187**

Bifonazole is an azole antifungal drug.

Size	2mg	10mg	50mg	200mg	1g	1ml/10mM
Price(\$)	13	30	78	122	241	27

Butoconazole nitrate**ID: T1438**

Butoconazole is an imidazole antifungal used in gynecology.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Myclobutanol

NEW

ID: T2199

Myclobutanol is a triazole chemical used as a fungicide. It is a steroid demethylation inhibitor, specifically inhibiting ergosterol biosynthesis. Ergosterol is a critical component of fungal cell membranes.

Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	24	42	83	133	203	84

Climbazole**ID: T1403**


Climbazole is a broad-spectrum imidazole antifungal agent that can provide anti-dandruff benefits.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Tolnaftate**ID: T1094**

Tolnaftate is a synthetic thiocarbamate used as an antifungal agent.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Ketoconazole**ID: T0679**


Broad spectrum antifungal agent used for long periods at high doses, especially in immunosuppressed patients.

Size	5mg	25mg	100mg	500mg	1ml/10mM
Price(\$)	19	31	43	133	27

Econazole**ID: T0444**

A broad spectrum antimycotic with some action against Gram positive bacteria.

Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Hexetidine**ID: T0328**

A bactericidal and fungicidal antiseptic. It is used as a 0.1% mouthwash for local infections and oral hygiene.

Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Cancidas

NEW

ID: T1799

Caspofungin inhibits 1,3-beta-glucan synthase, resulting in decreased synthesis of beta(1,3)-D-glucan (an essential component of the fungal cell wall), weakening of the fungal cell wall, and fungal cell wall rupture.

Size	5mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	59	200	287	422	59

Antifungal/Antiparasitic

Chlorindanol

ID: T1253



Chlorindanol is an organic compound with molecular formula C9H9ClO.

Size	5mg	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	24	42	83	133	203	56

Imazalil

ID: T1113



Enilconazole (synonyms imazalil, chloramizole) is a fungicide widely used in agriculture, particularly in the growing of citrus fruits.

Size	5mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	25	76	133	234	40

Sulbentine

ID: T0202



Sulbentine is an antifungal agent.

Size	5mg	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	49	79	119	206	325	67

Micafungin sodium

NEW

ID: T1794



Micafungin Sodium is an inhibitor of 1, 3-beta-D-glucan synthesis, used as an antifungal drug.

Size	5mg	20mg	50mg	100mg	1ml/10mM
Price(\$)	87	145	274	422	87

Luliconazole

ID: T2411



Micafungin Sodium is an inhibitor of 1, 3-beta-D-glucan synthesis, used as an antifungal drug.

Size	5mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	96	169	486	112	

Isavuconazole

ID: T2305



Isavuconazole(BAL-4815; RO-0094815) is the active component of the new azole antifungal agent BAL8557, exhibits MIC(50)s/MIC(90)s ranged from 0.002/0.004 mg/liter for C. albicans to 0.25/0.5 mg/liter for C. glabrata.

Size	1mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	112	320	554	961	1478	333

Efinaconazole

ID: T2333




Efinaconazole(KP-103) is a novel triazole antifungal drug currently under development as a topical treatment for onychomycosis.

Size	1mg	5mg	10mg	50mg	1ml/10mM
Price(\$)	96	225	361	1171	218

Antiparasitic**Antiparasitic****Fenbendazole**

ID: T1141



An anthelmintic drug belonging to the benzimidazole group mainly used for the treatment of pinworm in animals.

Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	13	30	78	133	27

Pyrantel pamoate

ID: T1259



Pyrantel pamoate is a deworming agent in the treatment of hookworms (all species) and roundworms in domesticated animal; acts as a depolarizing neuromuscular blocking agent.

Size	2mg	10mg	1ml/10mM
Price(\$)	13	35	47

Nimorazole

NEW

ID: T2046



Nimorazole is a nitroimidazole anti-infective.

Size	1mg	5mg	20mg	50mg	1ml/10mM
Price(\$)	55	109	320	617	107

Abamectin

ID: T0956



Avermectin B1 (Abamectin) is a widely used insecticide and anthelmintic.

Size	2mg	5mg	10mg	50mg	1ml/10mM
Price(\$)	59	88	113	432	84

Fexinidazole

NEW

ID: T2112



Fexinidazole is an antiparasitic agent.

Size	2mg	5mg	10mg	50mg	1ml/10mM
Price(\$)	59	88	113	432	99

SelaMeerin

ID: T0124




Selamectin is a topical parasiticide and antihelminthic used on dogs and cats, distributed by Zoetis. Selamectin disables parasites by activating glutamate-gated chloride channels at muscle synapses.

Size	2mg	5mg	10mg	50mg	1ml/10mM
Price(\$)	59	88	113	432	99

Flumethrin

NEW

ID: T2214



Flumethrin is a pyrethroid insecticide.

Size	2mg	5mg	10mg	1ml/10mM
Price(\$)	59	88	113	82

Doramectin

ID: T0969



Doramectin is an antiparasitic agent.

Size	10mg	50mg	100mg	1ml/10mM
Price(\$)	84	255	316	99

Milbemycin oxime

ID: T1381



Milbemycin oxime is a veterinary drug from the group of milbemycins, used as a broad spectrum antiparasitic.

Size	10mg	50mg	100mg	1ml/10mM
Price(\$)	88	157	243	99

Antiprotozoal**Antiprotozoal****Dimetridazole**

ID: T0874



Dimetridazole is a drug that combats protozoan infections. It is a nitroimidazole class drug. It has been banned by the Canadian government as a livestock feed additive.

Size	5mg	25mg	100mg	250mg	1ml/10mM
Price(\$)	13	27	44	78	27

Ronidazole

ID: T1647



Antiprotozoal and antimicrobial agent used mainly in veterinary practice.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Clopidol

ID: T1044



Clopidol is an antiprotozoal agent.

Size	2mg	10mg	50mg	1ml/10mM
Price(\$)	13	30	78	27

2-Methyl-4-nitroimidazole

ID: T0638



2-Methyl-5-nitroimidazole is a kind of small molecular compounds.

Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Secnidazole

ID: T0195



Secnidazole (trade names Flagentyl, Sindose, Secnid) is a nitroimidazole anti-infective. Effectiveness in the treatment of dientamoebiasis has been reported. Secnidazole is structurally related to the commonly used 5-nitroimidazoles metronidazole and tinidazole.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	40	88	241	422	84

Antiviral**Antiviral****Dermofongin**

ID: T0509



5-Chloro-8-hydroxyquinoline, also called Cloxiquine, has the efficacy of anti-viral.

Size	20mg	100mg	500mg	1ml/10mM
Price(\$)	13	24	43	27

Oseltamivir phosphate

ID: T1486




An acetamido cyclohexene that is a structural homolog of SIALIC ACID and inhibits NEURAMINIDASE.

Size	2mg	10mg	25mg	100mg	1ml/10mM
Price(\$)	20	42	78	185	39

Tilorone 2HCl

ID: T0244



An antiviral agent used as its hydrochloride.

Size	2mg	5mg	10mg	25mg	1ml/10mM
Price(\$)	25	49	83	145	80

Tizoxanide

NEW

ID: T2279


Tizoxanide is the active metabolite of Nitazoxanide, which is a thiazolidine anti-infective compound against anaerobic bacteria, protozoa, and a range of viruses.

Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	45	73	148	267	80

Pritelivir (BAY 57-1293)

NEW

ID: T2504



Pritelivir (BAY 57-1293) is a potent helicase primase inhibitor, exhibiting antiviral effect on herpes simplex virus (HSV) with IC50 of 20 nM for both HSV-1 and HSV-2.

Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	77	127	242	364	99

CMV**CMV****Valganciclovir HCl**

ID: T1533




Valganciclovir (hydrochloride), the L-valyl ester of ganciclovir, is actually a prodrug for ganciclovir. Valganciclovir is an antiviral medication used to treat cytomegalovirus infections.

Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	36	88	160	283	84

HCV**HCV inhibitor****Daclatasvir, BMS790052**

ID: T1786



BMS-790052 is a highly selective inhibitor of HCV NS5A with EC50 of 9-50 pM, for a broad range of HCV replicon genotypes and the JFH-1 genotype 2a infectious virus in cell culture.

Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	97	160	281	400	96

PSI6206

NEW

ID: T2117

PSI-6206 (RO2433) is a selective HCV RNA polymerase inhibitor.



Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	148	246	419	628	167

HCMV

NEW

HCMV inhibitor

ID: T2162

Maribavir(GW257406X; BW1263W94; 1263W94) inhibits HCMV replication is by inhibition of an HCMV encoded protein kinase enzyme called UL97 or pUL97.



Size	2mg	5mg	10mg	50mg	1ml/10mM
Price(\$)	185	362	462	1380	360

HIV**AntiVirus**

ID: T2393



Efavirenz is a non-nucleoside reverse transcriptase inhibitor (NNRTI).

Size	5mg	10mg	50mg	1ml/10mM
Price(\$)	57	89	340	57

HSV**HSV****Famciclovir**

ID: T1646

Famciclovir is a guanine analogue antiviral drug used for the treatment of various herpes virus infections, most commonly for herpes zoster (shingles).



Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Brivudine

ID: T0718

Brivudine is an antiviral drug used in the treatment of herpes zoster.



Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	59	88	113	233	432	84

Rhinovirus


Rhinovirus

Pirodavir

NEW

ID: T1750

Pirodavir (R 77975) is the prototype of a novel class of broad-spectrum antipicornavirus compounds; potent human rhinovirus (HRV) capsid-binding inhibitor.



Size	2mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	195	370	640	995	256

Tuberculosis

Tuberculosis

Pyrazinamide

NEW

ID: T1426

Pyrazinamide (Pyrazinoic acid amide) is an agent used to treat tuberculosis.



Size	5mg	10mg	50mg	100mg	200mg	1ml/10mM
Price(\$)	78	127	244	402	665	99

Antibacterial

Bedaquiline(TMC207; R207910)

NEW

ID: T2585



Bedaquiline(TMC207; R207910) is an anti-tuberculosis drug which selectively inhibit the mycobacterial energy metabolism i.e. ATP synthesis and found to be effective against all states of Mycobacterium tuberculosis.

Size	1mg	5mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	56	194	316	803	1291	194

Influenza virus

Influenza virus

Arbidol HCl

ID: T0104

Arbidol HCl is an antiviral treatment for influenza infection.



Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	42	88	241	423	99

Zanamivir

ID: T2529

Zanamivir is an influenza viral neuraminidase inhibitor that is a structural analog of the sialic acid.



Size	2mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	49	85	133	195	84

Peramivir Trihydrate

ID: T2522



Peramivir Trihydrate is a trihydrate of the anti-infection agent peramivir (RWJ-270201,BCX-1812) which is a transition-state analogue and a potent, specific influenza viral neuraminidase inhibitor with an IC50 of median 0.09 nM.

Size	5mg	10mg	50mg	1ml/10mM
Price(\$)	133	233	707	133

Integrase

Integrase

Fluorouracil (5-Fluoracil, 5-FU)

ID: T0984

A pyrimidine analog that is an antineoplastic antimetabolite.




Size	2mg	10mg	25mg	100mg	200mg	1ml/10mM
Price(\$)	24	49	75	115	170	59

Integrase inhibitor

Raltegravir potassium

ID: T2239




Raltegravir potassium salt(MK0518 potassium salt) is a potent integrase (IN) inhibitor, used to treat HIV infection.

Size	5mg	20mg	100mg	1ml/10mM
Price(\$)	30	52	140	25

Elvitegravir(GS-9137, JTK-303)

ID: T2332

Elvitegravir (GS-9137, JTK-303) is an HIV integrase inhibitor for HIV-1 IIIB, HIV-2 EHO and HIV-2 ROD with IC50 of 0.7 nM, 2.8 nM and 1.4 nM in cell-free assays, respectively.



Size	10mg	50mg	100mg	1ml/10mM
Price(\$)	102	354	576	99

Dolutegravir sodium

NEW

ID: T2329

Dolutegravir (GSK1349572) is a two-metal-binding HIV integrase inhibitor with IC₅₀ of 2.7 nM in a cell-free assay, modest activity against raltegravir-resistant signature mutants Y143R, Q148K, N155H, and G140S/Q148H.



Size	2mg	5mg	10mg	50mg	1ml/10mM
Price(\$)	133	211	302	813	340

DHPS**Antibiotic****Sulfadiazine**

ID: T0930




Sulfadiazine is a sulfonamide antibiotic. It eliminates bacteria that cause infections by stopping the production of folic acid inside the bacterial cell, and is commonly used to treat urinary tract infections (UTIs).

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

DHFR**Antibiotic****Sulfamer**

ID: T0748




Long acting sulfonamide used in leprosy, urinary, and respiratory tract infections.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

DNA/RNA Synthesis**Antibiotic****Phthalylsulfathiazole**


ID: T0512



Phthalylsulfathiazole belongs to the group of drugs called sulfonamides. The drug is a broad spectrum antimicrobial that can treat different types of infections including intestinal.

Size	20mg	100mg	250mg	500mg	1ml/10mM
Price(\$)	13	24	42	78	27

GPCR/G Protein



GPCR/G Protein

5-HT Receptor

Detailed product information is on page 105

Histamine Receptor

Detailed product information is on page 134

Dopamine Receptor

Detailed product information is on page 111

Opioid Receptor

Detailed product information is on page 140

Melatonin receptor

Detailed product information is on page 139

Hedgehog/Smoothened

Detailed product information is on page 59

CaSR

CaSR activator


Cinacalcet HCl

ID: T2406

Cinacalcet HCl (AMG-073) is an orally active, second-generation calcimimetic compound; AMG 073 represents a new class of compounds for the treatment of hyperparathyroidism.



Size	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	96	160	280	499	57

CaSR antagonist**NPS 2143****ID: T1730**

NPS-2143 is a novel potent and selective antagonist of Ca(2+) receptor.

Size	1mg	5mg	1ml/10mM
Price(\$)	59	110	99

NEW**UNBS-5162****ID: T2477**

UNBS5162 is a novel naphthalimide that decreases CXCL chemokine expression in experimental prostate cancers; the mean antiproliferative activity IC50 value is 17.9 uM for 9 cancer cell lines; hydrolysis product of UNBS3157.

Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	85	133	244	402	99

NEW**CXCR****CXCR antagonist****SB225002****NEW****ID: T1955**

SB225002 is a potent, and selective CXCR2 antagonist with IC50 of 22 nM for inhibiting interleukin IL-8 binding to CXCR2, > 150-fold selectivity over the other 7-TMRs tested.

Size	1mg	5mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	40	66	92	326	569	65

Plerixafor**NEW****ID: T1776**

Plerixafor is a bicyclam with hematopoietic stem cell-mobilizing activity. Plerixafor blocks the binding of stromal cell-derived factor (SDF-1alpha) to the cellular receptor CXCR4, resulting in hematopoietic stem cell (HSC) release from bone marrow and HSC movement into the peripheral circulation.

Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	55	80	160	293	55

WZ811**NEW****ID: T1739**

WZ811 is a novel small molecular and potency CXCR4 antagonist with EC50 of 0.3 nM.

Size	5mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	76	137	283	455	76

SRT3109**NEW****ID: T3047**

SRT3109 is a CXCR2 ligand for use in the treatment of chemokine mediated diseases and conditions.

Size	1mg	5mg	10mg	25mg	1ml/10mM
Price(\$)	94	234	422	831	246

NEW**Adenosine Receptor****Adenosine Receptor****NEW****ID: T2373**


Vipadenant(BIIB-014) is an adenosine A2A antagonist with Ki of 1.3 nM; less potent for A1(Ki=69 nM).

Size	1mg	5mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	112	357	542	1555	2291	365

Adenosine Receptor Agonist**Gabapentin****ID: T0702**

Gabapentin (brand name Neurontin) is a medication originally developed for the treatment of epilepsy.

Size	5mg	25mg	100mg	1ml/10mM
Price(\$)	29	58	162	39

Regadenoson**NEW****ID: T2671**

Regadenoson is an adenosine derivative and selective A2A adenosine receptor agonist with coronary vasodilating activity.

Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	47	80	137	278	517	133

Adenosine receptor antagonist**Theobromine****ID: T0625**

3,7-Dimethylxanthine. The principle alkaloid in Theobroma cacao (the cacao bean) and other plants.

Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	13	30	78	122	27

Theophylline

ID: T1083



A methyl xanthine derivative from tea with diuretic, smooth muscle relaxant, bronchial dilation, cardiac and central nervous system stimulant activities.

Size	10mg	50mg	100mg	500mg	1ml/10mM
Price(\$)	13	30	78	133	27

Aminophylline

ID: T1681

Aminophylline is a drug combination that contains THEOPHYLLINE and ethylenediamine.



Size	2mg	10mg	25mg	100mg	500mg
Price(\$)	37	66	95	283	519

Picropodophyllin (PPP)

NEW

ID: T1825



Reversine, a small synthetic purine analogue (2,6-disubstituted purine), is a potent inhibitor of Aurora A/B/C with IC50s of 150-500 nM.

Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	76	127	283	455	76

Adenosine Receptor inhibitor**Ticlopidine HCl**

ID: T0362



Ticlopidine HCl is a P2 receptor inhibitor against ADP-induced platelet aggregation with IC50 of ~2 μ M.

Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	13	30	78	133	27

Methyl protocatechuate

ID: T1368



Thermographic recording material with improved image tone

Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Ticagrelor

ID: T0179



Ticagrelor is the first reversibly binding oral P2Y12 receptor antagonist with Ki of 2 nM.

Size	2mg	10mg	25mg	100mg	1ml/10mM
Price(\$)	36	52	92	133	59

Adrenergic Receptor**Adrenergic Receptor****Indacaterol**

ID: T2320



Indacaterol(Onbrez; Arcapta) is an ultra-long-acting β -adrenoceptor agonist.

Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	49	91	123	199	69

Adrenalone HCl

ID: T0948




Adrenalone is an adrenergic agonist used as a topical vasoconstrictor and hemostatic, mainly acts on alpha-1 adrenergic receptors.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

L(-)- α -Methyldopa

ID: T0505




Methyldopa is an alpha-adrenergic agonist (selective for α -2-adrenergic receptors) psychoactive drug used as a sympatholytic or antihypertensive.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Phenylephrine HCl

ID: T0453




Phenylephrine HCl is a selective α -1-adrenergic receptor agonist.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Mirabegron

ID: T1671



Mirabegron is a selective β 3-adrenoceptor agonist with EC50 of 22.4 nM.

Size	5mg	50mg	100mg	1ml/10mM
Price(\$)	38	96	145	38

Fenspiride HCl

ID: T0383



Fenspiride is an oxazolidinone spiro compound used as a drug in the treatment of certain respiratory diseases.

Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	13	30	78	133	27

Adrenergic Receptor

Nicergoline

ID: T1132




An ergot derivative that has been used as a cerebral vasodilator and in peripheral vascular disease. It has been suggested to ameliorate cognitive deficits in cerebrovascular disease.

Size	2mg	10mg	50mg	1ml/10mM
Price(\$)	13	24	48	59

Ritodrine HCl

ID: T1433




Ritodrine HCl is a β -2 adrenergic receptor agonist. Ritodrine is a tocolytic drug, used to stop premature labor. Ritodrine can significantly prolong a short interval more quickly but with relatively more side effects than magnesium sulfate.

Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	13	30	78	122	42

Metoprolol succinate

ID: T0593




Metoprolol Succinate (Toprol XL) is a selective β 1 receptor blocker used in treatment of several diseases of the cardiovascular system, especially hypertension.

Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	24	55	97	145	51

Adrenergic Receptor agonist**Atenolol**

ID: T0007



A cardioselective beta-1 adrenergic blocker possessing properties and potency similar to PROPRANOLOL, but without a negative inotropic effect.

Size	10mg	50mg	100mg	500mg	1ml/10mM
Price(\$)	13	23	41	63	27

Noradrenaline bitartrate

ID: T0871



norepinephrine is the principal transmitter of most postganglionic sympathetic fibers and of the diffuse projection system in the brain arising from the locus ceruleus. It is also found in plants and is used pharmacologically as a sympathomimetic.

Size	10mg	50mg	100mg	500mg	1ml/10mM
Price(\$)	13	30	48	107	27

Orciprenaline sulfate

ID: T0277

A beta-2 adrenergic agonist used in the treatment of ASTHMA and BRONCHIAL SPASM.



Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	13	24	37	52	39

Metaraminol bitartrate

ID: T0279

A sympathomimetic agent that acts predominantly at alpha-1 adrenergic receptors.



Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	13	24	37	52	39

Salbutamol

ID: T1139

A short-acting beta-2 adrenergic agonist that is primarily used as a bronchodilator agent to treat ASTHMA.



Size	10mg	50mg	100mg	500mg	1ml/10mM
Price(\$)	13	24	42	74	27

Xylometazoline HCl

ID: T0042

A nasal vasoconstricting decongestant drug which acts by binding to the same receptors as adrenaline.



Size	2mg	10mg	50mg	100mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	183	27

(+,-)-Octopamine HCl

ID: T0469



Octopamine (OA), a biogenic monoamine structurally related to norepinephrine, acts as a neurohormone, a neuromodulator and a neurotransmitter in invertebrates.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Acebutolol HCl

ID: T1012

A cardioselective beta-1 adrenergic antagonist with little effect on the bronchial receptors.




Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Clonidine HCl**ID: T1247**

Clonidine Hydrochloride is a centrally acting alpha-agonist hypotensive agent.



Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	13	30	78	122	27

Esmolol HCl**ID: T1033**

Esmolol decreases the force and rate of heart contractions by blocking beta-adrenergic receptors of the sympathetic nervous system, which are found in the heart and other organs of the body.

Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	13	30	78	122	27

Naphazoline HCl**ID: T0446**

Naphazoline HCl is an ocular vasoconstrictor and imidazoline derivative sympathomimetic amine.



Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Noradrenaline bitartrate monohydrate**ID: T1064**

Noradrenaline bitartrate monohydrate is a direct alpha-adrenergic receptors stimulator.



Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Synephrine**ID: T1287**

Sympathetic alpha-adrenergic agonist with actions like PHENYLEPHRINE. It is used as a vasoconstrictor in circulatory failure, asthma, nasal congestion, and glaucoma.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Terbutaline Sulfate**ID: T1584**


A selective beta-2 adrenergic agonist used as a bronchodilator and tocolytic.



Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Metoprolol tartrate**ID: T0487**

Metoprolol Tartrate is a cardioselective β-adrenergic receptor blocker.



Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	13	30	78	122	27

Timolol Maleate**ID: T0475**

A beta-adrenergic antagonist similar in action to propranolol.



Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	13	30	78	122	27

Tolazoline HCl**ID: T1680**

Tolazoline(NSC35110; Imidaline) HCl is a non-selective competitive α-adrenergic receptor antagonist.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Buflomedil HCl

NEW

ID: T0317

Buflomedil HCl is a vasodilator used to treat claudication or the symptoms of peripheral arterial disease.

Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	13	30	78	133	27

Tetryzoline**ID: T0397**

Tetrahydrozoline is an alpha agonist and its main mechanism of action is the constriction of conjunctival blood vessels. This serves to relieve the redness of the eye caused by minor ocular irritants.

Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Xylazine HCl**ID: T1500**

An adrenergic alpha-2 agonist used as a sedative, analgesic and centrally acting muscle relaxant in VETERINARY MEDICINE.


Size	2mg	10mg	50mg	1ml/10mM
Price(\$)	13	30	78	27

Adrenergic Receptor

Doxazosin mesylate

ID: T0101

Doxazosin Mesylate is a selective, long-lasting antagonist of α 1-adrenergic receptor.




Size	2mg	10mg	50mg	1ml/10mM
Price(\$)	13	30	78	55

Phentolamine mesilate

ID: T1275


A nonselective alpha-adrenergic antagonist.



Size	2mg	10mg	50mg	1ml/10mM
Price(\$)	13	30	78	55

Tamsulosin HCl

ID: T0210




Tamsulosin is a selective antagonist at alpha-1A and alpha-1B-adrenoceptors in the prostate, prostatic capsule, prostatic urethra, and bladder neck.

Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	13	31	78	125	39

Labetalol HCl

ID: T0348



A salicylamide derivative that is a non-cardioselective blocker of BETA-ADRENERGIC RECEPTORS and ALPHA-1 ADRENERGIC RECEPTORS.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	39	78	153	39

Clorprenaline HCl

ID: T0248




Clorprenaline HCl is a β 2-receptor agonist, it has a significant expansion of the bronchial effect.

Size	1mg	5mg	10mg	1ml/10mM
Price(\$)	19	36	53	84

Nadolol

ID: T1203

A non-selective beta-adrenergic antagonist with a long half-life, used in cardiovascular disease to treat arrhythmias, angina pectoris, and hypertension.




Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Isoxsuprine HCl

ID: T0324

A beta-adrenergic agonist that causes direct relaxation of uterine and vascular smooth muscle.




Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Moxislyte HCl

ID: T0394


An alpha-adrenergic blocking agent that is used in Raynaud's disease.



Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Celiprolol HCl

ID: T1244




A cardioselective beta-1 adrenergic antagonist that has intrinsic sympathomimetic activity.

Size	2mg	10mg	50mg	1ml/10mM
Price(\$)	13	30	78	27

Nylidrin HCl

ID: T0173




A beta-adrenergic agonist. Nylidrin causes peripheral vasodilation, a positive inotropic effect, and increased gastric volume of gastric juice.

Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Silodosin

ID: T1504




Silodosin is an α 1-adrenoceptor antagonist with high uroselectivity.

Size	2mg	10mg	25mg	1ml/10mM
Price(\$)	19	44	76	84

Ractopamine HCl

ID: T1195



Ractopamine is a feed additive to promote leanness in animals raised for their meat. Pharmacologically, it is a beta-adrenergic agonist. It is the active ingredient in products known as Paylean for swine and Optaflexx for cattle, developed by Elanco Animal Health, a division of Eli Lilly and Company, for use in food animals for growth promotion.

Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	24	42	83	133	244	84

Ivabradine HCl

NEW

ID: T2535




Ivabradine hydrochloride, a new If inhibitor with IC₅₀ of 2.9 μM, which is a pure heart rate lowering agent.

Size	2mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	24	56	126	231	59

Betaxolol HCl

ID: T0226



A cardioselective beta-1-adrenergic antagonist with no partial agonist activity.

Size	2mg	10mg	20mg	50mg	100mg	1ml/10mM
Price(\$)	24	58	103	207	363	59

Amitraz

ID: T1632




Amitraz is a non-systemic acaricide and insecticide.

Size	5mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	25	76	133	234	40

Iloperidone

ID: T1539




Iloperidone is an atypical antipsychotic for the treatment of schizophrenia symptoms.

Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	24	58	197	345	59

Vilanterol (GW642444; GW 642444X)

NEW

ID: T2645



Vilanterol (GW642444; GW 642444X) is a novel, inhaled, long-acting β (2) agonist with inherent 24-h activity under development as a once-daily combination therapy with an inhaled corticosteroid for COPD and asthma.

Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	122	222	393	714	1233	246

2-(1-Piperazinyl)pyrimidine

ID: T1696




It is used as anti-anxiety drug.

Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

(±)-Bisoprolol hemifumarate

ID: T0143




A cardioselective beta-1 adrenergic blocker. It is effective in the management of HYPERTENSION and ANGINA PECTORIS.

Size	2mg	10mg	25mg	100mg	1ml/10mM	1ml/10mM
Price(\$)	24	58	103	267	59	59

Carteolol HCl

ID: T1282




A beta-adrenergic antagonist used as an anti-arrhythmia agent, an anti-angina agent, an antihypertensive agent, and an antiglaucoma agent.

Size	1mg	5mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	25	45	69	107	169	99

Tizanidine HCl

ID: T0290




Tizanidine hydrochloride is an α-2-adrenergic receptor agonist and inhibits neurotransmitter release from CNS noradrenergic neurons.

Size	2mg	10mg	100mg	1ml/10mM
Price(\$)	31	88	133	56

Indacaterol maleate

ID: T1239




Indacaterol is an ultra-long-acting β-adrenoceptor agonist with pKi of 7.36.

Size	5mg	50mg	100mg	1ml/10mM
Price(\$)	27	49	88	57

Dexmedetomidine

NEW

ID: T2524




Dexmedetomidine is a sedative medication used by intensive care units and anesthetists.

Size	5mg	10mg	50mg	1ml/10mM
Price(\$)	36	59	84	59

Naftopidil

ID: T0696



Naftopidil (INN, marketed under the brand name Flivas) is an antihypertensive drug which acts as a selective α-1-adrenergic receptor antagonist or alpha blocker.

Size	5mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	36	78	133	222	39

Adrenergic Receptor

Nebivolol HCl

ID: T0154



Nebivolol is a highly cardioselective vasodilatory beta1 receptor blocker used in treatment of hypertension. In most countries, this medication is available only by prescription.

Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	36	78	158	274	84

Methoxamine HCl

ID: T093

An alpha-1 adrenergic agonist that causes prolonged peripheral VASOCONSTRICTION.



Size	5mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	36	100	172	305	59

Guanfacine HCl

ID: T2150



A centrally acting antihypertensive agent with specificity towards α 2A-adrenoceptor.

Size	1mg	5mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	63	172	316	803	1291	194

Terazosin HCl

ID: T0197

Terazosin is a selective alpha1-antagonist used for treatment of symptoms of benign prostatic hyperplasia (BPH).



Size	5mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	47	77	120	201	59

Yohimbine HCl

ID: T2142

A plant alkaloid with alpha-2-adrenergic blocking activity. Yohimbine has been used as a mydriatic and in the treatment of ERECTILE DYSFUNCTION.



Size	1mg	2mg	5mg	1ml/10mM
Price(\$)	47	82	148	133

Droxidopa

NEW

ID: T2547


Droxidopa is a psychoactive drug and acts as a prodrug to the neurotransmitters norepinephrine (noradrenaline) and epinephrine (adrenaline).



Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	49	80	137	231	84

Alfuzosin HCl

ID: T0091




Alfuzosin(Uroxatral) is an alpha1 receptor antagonist used to treat benign prostatic hyperplasia (BPH). It works by relaxing the muscles in the prostate and bladder neck, making it easier to urinate.

Size	2mg	10mg	50mg	1ml/10mM
Price(\$)	39	78	237	55

Formoterol

NEW

ID: T2580



Formoterol is a novel highly β 2-selective adrenergic agonist and holds promise as a β 2-agonist that could impart selective beneficial metabolic effects.

Size	2mg	10mg	50mg	1ml/10mM
Price(\$)	49	97	377	84

Pronethalol

ID: T1271



Pronethalol is a non-selective beta-adrenergic blocking agent, protect against and to reverse Digitalis-induced ventricular arrhythmias.

Size	2mg	5mg	10mg	50mg	1ml/10mM
Price(\$)	59	88	113	432	84

Lofexidine HCl

ID: T1728




Lofexidine hydrochloride is an α 2A-adrenergic receptor agonist, commonly used to alleviate the physical symptoms of heroin and other types of opioid withdrawal.

Size	1mg	5mg	1ml/10mM
Price(\$)	59	110	99

Midodrine HCl

ID: T1577




An ethanalamine derivative that is an adrenergic alpha-1 agonist.

Size	1mg	5mg	10mg	25mg	1ml/10mM
Price(\$)	24	73	120	209	112

Idazoxan HCl

ID: T0115



A benzodioxane-linked imidazole that has alpha-2 adrenoceptor antagonist activity.


Size	1mg	5mg	10mg	25mg	1ml/10mM
Price(\$)	24	61	106	203	88

Adrenergic Receptor antagonist

Amiodarone HCl

ID: T1496

It increases the duration of ventricular and atrial muscle action by inhibiting POTASSIUM CHANNELS and VOLTAGE-GATED SODIUM CHANNELS.



Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

L-Adrenaline

ID: T1071




L-Adrenaline belongs to a group of the compounds known as catecholamines.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Urapidil HCl

ID: T0088



Urapidil HCl is an α -1-adrenoceptor antagonist and 5-HT1A receptor agonist.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	55	

Epinephrine bitartrate

ID: T1047




Epinephrine Bitartrate is an alpha- and beta-adrenergic receptor stimulator.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	133	27

Sotalol HCl

ID: T0483



An adrenergic beta-antagonist that is used in the treatment of life-threatening arrhythmias.

Size	5mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	13	43	58	101	27

Armodafinil

ID: T0417




Armodafinil(CRL 40982; CEP 10952) is an enantiopure drug consisting of just the active (-)-(R)-enantiomer of the racemic drug modafinil (Provigil).

Size	2mg	10mg	50mg	100mg	1g	1ml/10mM
Price(\$)	24	58	162	244	366	27

Paliperidone

ID: T0076

Paliperidone(Invaga) is an atypical antipsychotic. Chemically, paliperidone is the primary active metabolite of the older atypical antipsychotic risperidone. It is indicated for the acute and maintenance treatment of schizophrenia.



Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	24	42	78	133	56

Taxifolin (Dihydroquercetin)

ID: T1738



Taxifolin is a flavonoid in many plants such as Taxus chinensis, Siberian larch, Cedrus deodara and so on.

Size	5mg	50mg	100mg	1ml/10mM
Price(\$)	27	49	88	57

BMY 7378 2HCl

NEW

ID: T3046




BMY-7,378 is a 5-HT1A receptor weak partial agonist/antagonist and α 1-Adrenergic receptor antagonist.

Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	63	112	176	284	474	112

Isoproterenol HCl

ID: T1056



Isopropyl analog of EPINEPHRINE; beta-sympathomimetic that acts on the heart, bronchi, skeletal muscle, alimentary tract, etc. It is used mainly as bronchodilator and heart stimulant.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Cannabinoid Receptor

Cannabinoid Receptor Antagonist

NEW

AM251




AM251 block the inhibitory effects of endocannabinoids and synthetic cannabinoid agonists on transmitter release through an action at presynaptic cannabinoid 1 receptors in brain.

Size	5mg	20mg	50mg	100mg	1ml/10mM
Price(\$)	63	185	338	597	148

Cannabinoid Receptor/Endothelin Receptor/LPA receptor/OX Receptor

Rimonabant HCl

ID: T1519



Rimonabant(SR141716) is a selective central cannabinoid (CB1) receptor inverse agonist with Ki of 1.8 nM.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

AM281

NEW

ID: T2264



Cannabinoid antagonist AM 281 reduces mortality rate and neurologic dysfunction after cecal ligation and puncture in rats.

Size	2mg	5mg	10mg	50mg	1ml/10mM
Price(\$)	59	88	113	432	99

Otenabant (CP-945598) HCl

NEW

ID: T1796




Otenabant Hcl (CP-945598) is a recently discovered selective, high affinity, competitive CB1 receptor antagonist with Ki of 0.7 nM.

Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	69	124	259	464	94

Cannabinoid receptor modulator**Org 27569**

NEW

ID: T2635



Org 27569 is an allosteric modulator of cannabinoid CB1 receptor, induces a CB1 receptor state that is characterized by enhanced agonist affinity and decreased inverse agonist affinity.

Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	33	58	96	222	394	96

Endothelin Receptor**Endothelin Receptor antagonist****Ambrisentan**

ID: T1655




Ambrisentan is an Endothelin Receptor Antagonist.

Size	2mg	5mg	10mg	25mg	1ml/10mM
Price(\$)	27	48	82	133	59

Macitentan

NEW

ID: T2561



Macitentan is an orally active, non-peptide, dual ETA/ETB (endothelin) receptor antagonist with IC50 of 0.5 nM/391 nM.

Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	133	231	353	585	145

LPA receptor**LPA receptor antagonist****AM095**

ID: T2000



AM095 is a potent LPA1 receptor antagonist with IC50 values of 0.98 and 0.73 nM for recombinant human or mouse LPA1 respectively.

Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	172	283	604	1035	202

OX Receptor**OX Receptor antagonist****Almorexant**

ID: T2613



Almorexant(ACT078573) is a potent and competitive dual orexin 1 receptor (OX1)/orexin 2 receptor (OX2) antagonist with Ki values of 1.3 and 0.17 nM for OX1 and OX2, respectively.

Size	1mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	35	88	135	284	523	99

TCS 1102

ID: T2710




TCS 1102 is a potent, dual orexin receptor antagonist (Ki values are 0.2 and 3 nM for OX2 and OX1 receptors respectively).

Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	44	73	112	246	456	112

MK-4305 (Suvorexant)

ID: T2521




Suvorexant (MK-4305) is a potent dual OX receptor antagonist with Ki of 0.55 nM and 0.35 nM for OX1 receptor and OX2 receptor, respectively. Phase 3.

Size	5mg	10mg	50mg	1ml/10mM
Price(\$)	77	128	399	133

MK3697

ID: T1913



MK-3697 is an isonicotinamide small molecule, acting as a potent and selective Orexin 2 receptor antagonist with Ki = 0.95 nM.

Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	106	148	234	506	823	256

S1P receptor**S1P receptor agonist**

CYM5442

NEW

ID: T2026




CYM5442 is a S1P agonist, target to Sphingosine.

Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	55	87	172	318	84

SEW2871

ID: T2171




Sphingosine-1-phosphate receptor 1 agonist SEW2871 prolongs heterotopic heart allograft survival in mice.

Size	1mg	5mg	1ml/10mM
Price(\$)	96	183	242

S1P receptor antagonist**Fingolimod (FTY720) HCl**

NEW

ID: T2539



Fingolimod (FTY720) HCl is a S1P antagonist with IC50 of 0.033 nM in K562, and NK cells.

Size	1mg	5mg	10mg	50mg	1ml/10mM
Price(\$)	13	25	49	73	47

Sigma receptor**Sigma receptor****BD1047.2HBr**

ID: T1740



BD-1047 dihydrobromide is a selective antagonist of sigma receptors, shows antipsychotic activity in animal models predictive of efficacy in schizophrenia.

Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	82	148	246	389	81

Lu-28-179

NEW

ID: T1885




Siramesine(Lu-28-179) HCl is a selective sigma-2 receptor agonist, which has been shown to trigger cell death of cancer cells and to exhibit a potent anticancer activity in vivo.

Size	2mg	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	175	378	642	1042	1434	280

S1RA

NEW

ID: T1865



S1RA(E-52862) is a potent and selective sigma-1 receptor (σ 1R, Ki=17 nM) antagonist, showed good selectivity against σ 2R (Ki > 1000 nM).

Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	243	345	473	940	1454	390

TGR5 Receptor**TGR5 Receptor Agonist****TGR5**

NEW


ID: T1824



TGR5 Receptor Agonist, a potent TGR5(GPCR19) agonist, showed improved potency in the U2-OS cell assay (pEC50 = 6.8) and in melanophore cells (pEC50 = 7.5).

Size	1mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	123	291	499	826	1230	290

Endocrinology/ Hormones




GPR

GPR agonist

GTPL5846

NEW

ID: T2036



6-OAU(GTPL5846; 6-n-octylaminouracil) is a surrogate agonist of GPR84; activates human GPR84 in the presence of Gq11 chimera in HEK293 cells with an EC50 of 105 nM in the PI assay.

Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	59	88	113	432	99	

GW9508

NEW

ID: T1781




GW9508 is a potent and selective agonist for FFA1 (GPR40) with pEC50 of 7.32, 100-fold selective against GPR120, stimulates insulin secretion in a glucose-sensitive manner.

Size	5mg	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	93	124	259	427	670	94

GSK1292263

NEW

ID: T2701




GSK1292263 is a novel GPR119 agonist, showing potential for the treatment of type 2 diabetes. Phase 2.

Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	93	148	271	505	863	177

TAK875

NEW

ID: T2351




TAK-875 is a selective GPR40 agonist with EC50 of 14 nM in human GPR40 expressing CHO cell line, 400-fold more potent than oleic acid.

Size	5mg	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	123	222	828	1146	184	

MBX2982

NEW

ID: T1793



MBX-2982 is a selective, orally-available GPR119 agonist for the treatment of type 2 diabetes.

Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	171	286	665	995	171

GPR antagonist**ACT 058362; Palosuran**

NEW

ID: T2058



Palosuran (ACT-058362) is a new potent and specific antagonist of the human UT receptor with an IC50 of 3.6_ plasmn_0.2 nM.

Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	76	127	283	455	76

OC000459

NEW

ID: T2664




OC000459 is a potent and selective D prostanoid receptor 2 (DP2) antagonist with IC50 of 13 nM. Phase 2.

Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	122	222	345	603	1086	246

GPR inhibitor**APD 668**

NEW

ID: T2088




APD668 is a potent GPR119 agonist with EC50 of 2.7 nM and 33 nM for hGPR119 and ratGPR119 respectively.

Size	5mg	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	126	246	419	751	1318	125

RAAS**RAAS antagonist****Candesartan Cilexetil**

ID: T2400



Candesartan Cilexetil is an angiotensin II receptor antagonist with IC50 of 0.26 nM, used in the treatment of hypertension.

Size	10mg	50mg	200mg	1ml/10mM
Price(\$)	52	80	133	57

Fimasartan(BR-A-657)

ID: T2322

Fimasartan(BR-A-657) is a non-peptide angiotensin II receptor antagonist used for the treatment of hypertension and heart failure.



Size	2mg	5mg	10mg	50mg	1ml/10mM
Price(\$)	59	88	113	432	99

RAAS inhibitor**Benazepril HCl**

ID: T0180



Benazepril, brand name Lotensin, is a medication used to treat high blood pressure (hypertension), congestive heart failure, and chronic renal failure.

Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	13	30	78	122	27

Captopril

ID: T1462




A potent and specific inhibitor of PEPTIDYL-DIPEPTIDASE A. It blocks the conversion of ANGIOTENSIN I to ANGIOTENSIN II, a vasoconstrictor and important regulator of arterial blood pressure. Captopril acts to suppress the RENIN-ANGIOTENSIN SYSTEM and inhibits pressure responses to exogenous angiotensin.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Lisinopril

ID: T0706




One of the ANGIOTENSIN-CONVERTING ENZYME INHIBITORS (ACE inhibitors), orally active, that has been used in the treatment of hypertension and congestive heart failure.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Quinapril HCl

ID: T0805



Quinapril inhibits angiotensin converting enzyme, an enzyme which catalyses the formation of angiotensin II from its precursor, angiotensin I. Angiotensin II is a powerful vasoconstrictor and increases blood pressure through a variety of mechanisms.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

RAAS

Ramipril**ID: T1645**

Ramipril is an Angiotensin Converting Enzyme Inhibitor.



Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Perindoprilat**ID: T1484**

Perindoprilat is an Angiotensin Converting Enzyme Inhibitor. The mechanism of action of perindoprilat is as an Angiotensin-converting Enzyme Inhibitor.



Size	1mg	5mg	10mg	1ml/10mM
Price(\$)	13	40	70	99

Enalapril**ID: T1605**

Enalapril is an Angiotensin Converting Enzyme Inhibitor.



Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	18	31	79	135	31

Fosinopril sodium**ID: T1499**

A phosphinic acid-containing angiotensin-converting enzyme inhibitor that is effective in the treatment of hypertension.



Size	2mg	10mg	25mg	1ml/10mM
Price(\$)	20	43	78	80

Aliskiren hemifumarate**ID: T1520**

Aliskiren hemifumarate is a direct renin inhibitor



Size	5mg	20mg	50mg	100mg	1ml/10mM
Price(\$)	36	78	123	222	45

Azilsartan kaMedoxoMil**ID: T0481**

Azilsartan medoxomil(TAK 491) is an orally administered angiotensin II receptor type 1 antagonist with IC50 of 0.62 nM, which used in the treatment of adults with essential hypertension.



Size	5mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	24	40	67	109	39

Eprosartan Mesylate**ID: T2531**

Eprosartan is a nonpeptide angiotensin II receptor antagonist, [3H]-eprrosartan binds to the AT1 receptor with KD of 0.83 nM in rat vascular smooth muscle cells.



Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	24	36	73	133	59

Benicar**ID: T1518**

Olmesartan is an antihypertensive agent, which belongs to the class of medications called angiotensin II receptor blockers.



Size	2mg	10mg	25mg	100mg	1ml/10mM
Price(\$)	36	88	160	582	59

Candesartan**ID: T1461**

Candesartan is an angiotensin-receptor blocker (ARB) that may be used alone or with other agents to treat hypertension.



Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	36	88	259	507	56

Telmisartan**ID: T1570**

Telmisartan is an angiotensin II receptor antagonist (ARB) used in the management of hypertension.



Size	10mg	50mg	100mg	1ml/10mM
Price(\$)	39	58	95	39

LCZ696

NEW

ID: T2318

LCZ696, consisting of valsartan and sacubitril in 1:1 molar ratio, is an orally bioavailable, dual-acting angiotensin receptor-neprilysin inhibitor (ARNI) for hypertension and heart failure. Phase 3.



Size	1mg	5mg	10mg	50mg	1ml/10mM
Price(\$)	58	112	164	394	163

Trans-Tranilast

NEW

ID: T2270

Trans-Tranilast is an antiallergic drug, used to treat bronchial asthma, allergic rhinitis and atopic dermatitis.



Size	2mg	10mg	50mg	1ml/10mM
Price(\$)	63	96	244	70

Annexin A

Annexin A

Dexamethason acetate

ID: T0947

Dexamethasone is a potent synthetic member of the glucocorticoid class of steroid drugs that has anti-inflammatory and immunosuppressant properties.



Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Hydrocortisone butyrate

ID: T0270



Hydrocortisone is a steroid hormone or glucocorticoid produced by the adrenal gland.

Size	2m	10mg	50mg	100mg	1ml/10mM
Price(\$)	13	30	78	133	39

Annexin A agonist

Amcinonide

ID: T0261



Amcinonide is a corticosteroid.

Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	13	24	37	52	39

Hydrocortisone acetate

ID: T1243



Hydrocortisone is a steroid hormone or glucocorticoid produced by the adrenal gland.

Size	2mg	5mg	10mg	25mg	1ml/10mM
Price(\$)	13	24	42	61	59

Thioproline

ID: T0221



Thioproline, used as antioxidants.

Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Hydrocortisone

ID: T1614



Hydrocortisone is a steroid hormone or glucocorticoid produced by the adrenal gland.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Dexamethasone (DHAP)

ID: T1076



Dexamethasone (DHAP) is a potent synthetic member of the glucocorticoid class of steroid drugs, and an interleukin receptor modulator that has anti-inflammatory and immunosuppressant effects

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Antithyroid

thyroid inhibitor

Methylthiouracil

NEW

ID: T0304



A thiourea antithyroid agent that inhibits the synthesis of thyroid hormone.

Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	13	30	78	133	27

Aromatase

Aromatase Inhibitor

Formestane

ID: T1099



Formestane(Lentaron(R)) is a second generation selective aromatase inhibitor with an IC50 of 80 nM.

Size	2mg	10mg	50mg	200mg	1g	1ml/10mM
Price(\$)	13	30	78	122	241	27

Aminoglutethimide

ID: T1103



Aminoglutethimide is an aromatase inhibitor that is used in the treatment of advanced BREAST CANCER.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Letrozole

ID: T1590



Letrozole is an oral non-steroidal aromatase inhibitor that has been introduced for the adjuvant treatment of hormonally-responsive breast cancer. Estrogens are produced by the conversion of androgens through the activity of the aromatase enzyme.

Size	2mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	20	43	78	133	56

Aromatase/Noradrenaline/Estrogen Receptor

Anastrozole

ID: T0393

Anastrozole is a drug indicated in the treatment of breast cancer in postmenopausal women.



Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	24	78	196	264	56

Exemestane

ID: T1587



Exemestane is an oral steroidal aromatase inhibitor used in the adjuvant treatment of hormonally-responsive breast cancer in postmenopausal women.

Size	2mg	10mg	25mg	100mg	1ml/10mM
Price(\$)	25	58	112	234	59

Noradrenaline**Noradrenaline inhibitor****Guanethidine Monosulfate**

ID: T2575



Guanethidine is an antihypertensive drug that reduces the release of catecholamines, such as norepinephrine.

Size	5mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	13	24	73	122	47

Amitriptyline HCl

ID: T0678



Tricyclic antidepressant with anticholinergic and sedative properties.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Diosmin

ID: T0878



Diosmin is a semisynthetic phlebotropic agent and a member of the flavonoid family. Extracted from hesperidin; Store the product in sealed, cool and dry condition

Size	10mg	50mg	500mg	1g	1ml/10mM
Price(\$)	18	43	78	122	27

Mianserin HCl

ID: T0783




A tetracyclic compound with antidepressant effects.

Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	44	78	127	203	330	99

Amfepramone HCl

ID: T1450



A appetite depressant considered to produce less central nervous system disturbance than most drugs in this therapeutic category. It is also considered to be among the safest for patients with hypertension.

Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Desvenlafaxine

ID: T1580



Desvenlafaxine (O-desmethylvenlafaxine) the major active metabolite of venlafaxine, is an antidepressant from the serotonin-norepinephrine reuptake inhibitor (SNRI class).

Size	2mg	5mg	20mg	100mg	1ml/10mM
Price(\$)	25	49	123	505	84

Reboxetine

NEW

ID: T2579



Reboxetine is an antidepressant drug used in the treatment of clinical depression, panic disorder and ADD/ADHD. Its mesylate (i.e. methanesulfonate) salt is sold under tradenames including Edronax, Norebox, Prolift, Solvex, Davedax or Vesta. Reboxetine has two chiral centers, but it only exists as two enantiomers, (R,R)-(-) and (S,S)-(+)-reboxetine.

Size	2mg	10mg	50mg	1ml/10mM
Price(\$)	49	97	377	84

Estrogen Receptor**Estrogen Receptor agonist****Clomifene citrate**

ID: T1193



Clomifene Citrate is a selective estrogen receptor modulator.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Estradiol benzoate

ID: T0384



Estradiol benzoate is an estradiol analog which binds to the human, murine and chicken ER α with IC50 of 22-28 nM.

Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	13	30	78	133	27

Ethinyl estradiol

ID: T1424



Ethinyl estradiol is an orally bio-active estrogen used in almost all modern formulations of combined oral contraceptive pills. EE is hormonally effective by activating the estrogen receptor and thus is an estrogen. It finds its most common use in the estrogen-progestin combination preparations of oral contraceptives.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Farlutin

ID: T1261

A synthetic progestin that is derived from 17-hydroxyprogesterone.



Size	2mg	10mg	50mg	1ml/10mM
Price(\$)	13	30	78	55

Diethylstilbestrol

ID: T1216



A synthetic nonsteroidal estrogen used in the treatment of menopausal and postmenopausal disorders.

Size	2mg	10mg	50mg	1ml/10mM
Price(\$)	23	58	162	39

5Beta-Pregnane-3Alpha,20alpha-Diol

ID: T1688

An inactive metabolite of PROGESTERONE by reduction at C5, C3, and C20 position.



Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	24	42	83	133	203	84

Estropipate

ID: T0345



Estropipate is a form of estrogen.

Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Dienestrol

ID: T0035



Dienestrol is a synthetic, non-steroidal estrogen. It is an estrogen receptor agonist. Estrogens work partly by increasing a normal clear discharge from the vagina and making the vulva and urethra healthy.

Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	24	42	83	133	56

Quinestrol

ID: T0040

The 3-cyclopentyl ether of ETHINYL ESTRADIOL. After gastrointestinal absorption, it is stored in ADIPOSE TISSUE, slowly released, and metabolized principally to the parent compound.



Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	24	42	83	133	56

17-Beta-Estradiol-3,17-Dipropionate

ID: T2231

Estradiol dipropionate is a synthetic ester, specifically the 3,17-dipropanoyl ester, of the natural estrogen, estradiol.



Size	5mg	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	24	42	83	133	203	56

Promestriene

ID: T1536

Promestriene (INN) is a synthetic estrogen and glucocorticoid used topically in a 1% cream formulation. It is described as a tropic agent and antiseborrheic.



Size	5mg	50mg	100mg	1ml/10mM
Price(\$)	27	49	88	57

Estrogen Receptor antagonist**Raloxifene HCl**

ID: T1549

Second generation selective estrogen receptor modulator (SERM) used to prevent osteoporosis in postmenopausal women. It has estrogen agonist effects on bone and cholesterol metabolism but behaves as a complete estrogen antagonist on mammary gland and uterine tissue.



Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	13	30	78	133	27

Methyldienedione

ID: T1377

Dienedione (estr-4,9-diene-3,17-dione) is an anabolic steroid and a precursor to dienolone.



Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Estrogen Receptor/Androgen Receptor

Estrogen Receptor modulator

Toremifene citrate

ID: T1464

Toremifene Citrate is an oral selective estrogen receptor modulator (SERM) which helps oppose the actions of estrogen in the body.



Size	2mg	10mg	25mg	100mg	1ml/10mM
Price(\$)	20	42	78	185	39

Toremifene

ID: T0139

Toremifene Citrate is an oral selective estrogen receptor modulator (SERM) which helps oppose the actions of estrogen in the body.



Size	2mg	10mg	25mg	100mg	1ml/10mM
Price(\$)	36	75	122	219	39

Androgen Receptor

Androgen Receptor agonist

Testosterone

ID: T0842

A potent androgenic steroid and major product secreted by the LEYDIG CELLS of the TESTIS.



Size	10mg	50mg	100mg	500mg	1ml/10mM
Price(\$)	13	30	48	107	27

Testosterone propionate

ID: T0419

An ester of TESTOSTERONE with a propionate substitution at the 17-beta position.



Size	2mg	10mg	50mg	100mg	500mg	1ml/10mM
Price(\$)	13	30	78	133	244	27

Fluoxymesterone

ID: T2581



Fluoxymesterone is an Androgen. The mechanism of action of fluoxymesterone is as an Androgen Receptor Agonist. The chemical classification of fluoxymesterone is Androstanes.

Size	5mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	49	85	133	194	99

Estradiol valerate

ID: T0135



Estradiol is a synthetic ester used to treat menopausal symptoms and hormone deficiencies.

Size	2mg	10mg	50mg	1ml/10mM
Price(\$)	13	30	78	27

Estradiol

ID: T1048



Estradiol is a synthetic ester used to treat menopausal symptoms and hormone deficiencies.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

17-Methyltestosterone

ID: T2572



17 α -Methyltestosterone has similar binding affinity to AR and similar androgenic and anabolic activities as testosterone.

Size	5mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	16	24	61	97	59

Dehydroepiandrosterone acetate

ID: T0856



Dehydroepiandrosterone (DHEA) is a major C19 steroid produced by the adrenal cortex.

Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Stanozolol

ID: T0079




A synthetic steroid that has anabolic and androgenic properties.

Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	33	49	88	133	56

Andarine

ID: T2108



Andarine is a selective non-steroidal androgen receptor (AR) agonist with Ki of 4 nM, tissue-selective for anabolic organs. Phase 3.

Size	5mg	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	133	225	706	1157	133	

Oxandrolone

ID: T2566

Oxandrolone(SC11585) is a synthetic hormone with anabolic and androgenic properties.



Size	5mg	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	61	118	246	456	798	84

Androgen Receptor antagonist**Nilutamide**

ID: T0272



Nilutamide is an antineoplastic hormonal agent primarily used in the treatment of prostate cancer. Nilutamide is a pure, nonsteroidal anti-androgen with affinity for androgen receptors (but not for progestogen, estrogen, or glucocorticoid receptors).

Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	13	24	37	52	39

Chlormadinone acetate

ID: T1596



An orally active synthetic progestational hormone used often in combinations as an oral contraceptive.

Size	10mg	50mg	100mg	500mg	1ml/10mM
Price(\$)	13	24	42	74	27

Abbolactone

ID: T0476



A potassium sparing diuretic that acts by antagonism of aldosterone in the distal renal tubules.

Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	13	30	78	122	27

Cyproterone acetate

ID: T1167



An agent with anti-androgen and progestational properties.

Size	10mg	50mg	100mg	250mg	1ml/10mM
Price(\$)	13	31	55	112	27

Flutamide

ID: T0489



Flutamide is an antiandrogen drug, with its active metabolite binding at androgen receptor.

Size	10mg	50mg	100mg	1ml/10mM
Price(\$)	18	30	43	44

Bicalutamide

ID: T0380



Bicalutamide is an oral non-steroidal anti-androgen for prostate cancer. It binds to the androgen receptor.

Size	10mg	50mg	100mg	1ml/10mM
Price(\$)	39	95	162	39

RU58841

ID: T2236



A specific androgen receptor antagonist or anti-androgen; RU 58841 has a dramatic effect on hair regrowth.

Size	2mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	112	286	468	735	216

MK-2866 (GTx-024)

ID: T2408



Enobosarm is a non-steroidal agent with anabolic activity.

Size	5mg	10mg	50mg	1ml/10mM
Price(\$)	133	242	730	133

Adrenosterone

ID: T2207



Adrenosterone is a steroid hormone with weak androgenic effect.

Size	2mg	10mg	50mg	1ml/10mM
Price(\$)	13	24	48	59

Androgen Receptor inhibitor**ARN-509**

ARN-509 is a selective and competitive androgen receptor inhibitor with IC50 of 16 nM in a cell-free assay, useful for prostate cancer treatment. Phase 3.

Size	5mg	10mg	50mg	1ml/10mM
Price(\$)	123	223	790	174

Androgen/progestogen Receptor agonist**Epiandrosterone**

ID: T2195



Epiandrosterone is a steroid hormone with weak androgenic activity, is a natural metabolite of DHEA.

Size	2mg	10mg	50mg	1ml/10mM
Price(\$)	13	28	48	59

Progesterone receptor

Progesterone receptor agonist

Drospirenone

ID: T1541



Drospirenone is a synthetic progestin that is an analog to spironolactone. It is found in a number of birth control formulations.

Size	2mg	10mg	25mg	100mg	1ml/10mM
Price(\$)	36	88	162	333	59

Progesterone receptor modulator

Ulipristal acetate

ID: T2527



Ulipristal acetate(CDB2914) is a novel selective progesterone receptor modulator (SPRM) for the treatment of benign gynecological conditions such as uterine myoma.

Size	5mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	110	157	573	939	133

Corticosteroid Receptor

Corticosteroid Receptor inhibitor

Diammonium Glycyrrhizinate

ID: T0522



Diammonium glycyrrhizinate is a widely used anti-inflammatory agent isolated from the licorice root.

Size	5mg	50mg	100mg	1ml/10mM
Price(\$)	27	49	88	57

Estrogen/progestogen Receptor

Estrogen/progestogen Receptor agonist

Altrenogest

ID: T0870



Altrenogest is a progestogen structurally related to veterinary steroid trenbolone.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Tamoxifen citrate

ID: T0835

One of the selective estrogen receptor modulators (SERM) with tissue-specific activities for the treatment and prevention of estrogen receptor positive breast cancer. Tamoxifen acts as an anti-estrogen (inhibiting agent) in the mammary tissue, but as an estrogen (stimulating agent) in cholesterol metabolism, bone density, and cell proliferation in the endometrium.



Size	5mg	25mg	100mg	250mg	1ml/10mM
Price(\$)	13	27	44	78	27

Aquacrine

ID: T1009

Estrone is an estrogenic hormone.



Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Estriol

ID: T1571


Estriol is an antagonist of the G-protein coupled estrogen receptor in estrogen receptor-negative breast cancer cells.



Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Ethyndiol diacetate

ID: T0996




Ethyndiol diacetate is one of the first synthetic progestogens used in contraceptive pills.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Mestranol

ID: T1579



Mestranol is the 3-methyl ether of ethynodiol diacetate. It was the estrogen used in many of the first oral contraceptives.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Ethisterone

ID: T0301



Ethisterone is a progestogen hormone being considered to treat prostate cancer.

Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	13	30	78	133	27

Chlorotrianisene**NEW****ID: T2569**

Chlorotrianisene is a powerful synthetic, non-steroidal estrogen.



Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	42	57	122	225	99

Depofemin**ID: T0168**

Estradiol cypionate is the 17 β -cyclopentylpropionate ester of estradiol, which inhibits ET-1 synthesis via estrogen receptor.

Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	13	30	78	133	27

Levonorgestrel**ID: T1263**

Levonorgestrel is a synthetic progestin used as an active ingredient in some hormonal contraceptives.

Size	2mg	10mg	50mg	1ml/10mM
Price(\$)	13	30	78	55

Norethynodrel**ID: T0171**

A synthetic progestational hormone with actions and uses similar to those of PROGESTERONE.

Size	5mg	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	24	42	83	133	203	56

Danazol**ID: T1480**


A synthetic steroid with antigonadotropic and anti-estrogenic activities that acts as an anterior pituitary suppressant by inhibiting the pituitary output of gonadotropins.

Size	5mg	10mg	25mg	1ml/10mM
Price(\$)	24	42	83	84

Norgestrel**ID: T2597**

Norgestrel is a synthetic progestin commonly used alone or in combination with an estrogen for contraception. Norgestrel suppresses the secretion of luteinizing and follicle-stimulating hormones (LH and FSH), thickens cervical mucus, and slows the transit of ova through the fallopian tubes.

Size	10mg	50mg	100mg	1ml/10mM
Price(\$)	24	49	73	59

Thymopentin**ID: T2598**

THYMOPENTIN is an immunomodulator which has been studied for possible use in the treatment of rheumatoid arthritis, AIDS, and other primary immunodeficiencies.

Size	10mg	50mg	100mg	1ml/10mM
Price(\$)	24	49	73	59

Hydroxyprogesterone**ID: T1429**

17-Hydroxyprogesterone (17-OHP) is an endogenous progestogen as well as chemical intermediate in the biosynthesis of other steroid hormones, including the corticosteroids and the androgens and the estrogens.

Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Gestodene**ID: T1490**


Estrogens and progestins are female hormones. T

Size	2mg	10mg	25mg	1ml/10mM
Price(\$)	36	88	133	80

Norethindrone**ID: T1514**

A synthetic progestational hormone with actions similar to those of PROGESTERONE but functioning as a more potent inhibitor of ovulation.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

DY-131**NEW****ID: T2250**

DY131(GSK 9089) is a novel selective agonist of ERR_beta_ and ERR_gamma_ displays minimal activity at ERR_alpha_, ER_alpha_ and ER_beta_ at concentrations up to 30 μ M.

Size	2mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	45	112	222	394	89

Allylestrenol**ID: T2559**

Allylestrenol is a synthetic steroid with progestational activity.

Size	5mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	49	80	231	488	84

Estrogen/progestogen Receptor/Glucocorticoid Receptor

Etonogestrel

ID: T2567


Etonogestrel is a steroidal progestin used in hormonal contraceptives.



Size	5mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	56	97	377	568	84

Misoprostol

ID: T2573



Misoprostol (SC29333) is a synthetic prostaglandin E1 (PGE1) analog that is used to prevent gastric ulcers, to treat missed miscarriage, to induce labor, and to induce abortion.

Size	5mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	56	97	377	568	84

Endoxifen

NEW

ID: T2280

Endoxifen inhibits hERG tail currents at 50 mV in a concentration-dependent manner with IC50 values of 1.6 uM.



Size	2mg	5mg	10mg	50mg	1ml/10mM
Price(\$)	59	88	113	432	99

Dienogest

ID: T2577

Dienogest is an orally active synthetic progestrone, used for contraception and the treatment of endometriosis.



Size	5mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	66	92	231	417	99

Estrogen/progestogen Receptor antagonist**Fulvestrant**

ID: T2146



Fulvestrant is a drug treatment of hormone receptor-positive metastatic breast cancer in post-menopausal women with disease progression following anti-estrogen therapy.

Size	1mg	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	47	89	146	209	357	56

Mifepristone

ID: T1102



Mifepristone is a progestational and glucocorticoid hormone antagonist. I

Size	2mg	10mg	50mg	1ml/10mM
Price(\$)	55	78	140	84

Estrogen/progestogen Receptor modulator**Bazedoxifene acetate**

ID: T2544

Bazedoxifene HCl is a novel, non-steroidal, indole-based estrogen receptor modulator (SERM) binding to both ER α and ER β with IC50 of 23 nM and 89 nM, respectively.



Size	5mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	84	149	549	961	99

Glucocorticoid Receptor**Glucocorticoid Receptor agonist****Cortisone acetate**

ID: T0034

Cortisone acetate is a steroid hormone that has both glucocorticoid and mineral corticoid activities.



Size	2mg	10mg	50mg	500mg	1ml/10mM
Price(\$)	13	30	78	122	27

Flumethasone

ID: T1124



Flumethasone is a glucocorticoid receptor agonist, this complex binds to the nucleus causing a variety of genetic activation and repressions.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Halcinonide

ID: T0107



Halcinonide is a high potency corticosteroid used in topical preparations as an anti-inflammatory agent.

Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	13	30	78	122	27

Methylprednisolone

ID: T1171



Methylprednisolone is a synthetic corticosteroid with anti-inflammatory and immunomodulating properties.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Triamcinolone acetonide

ID: T0820



Triamcinolone acetonide is an antiinflammatory steroid that inhibits the IgE-dependent release of histamine. This is done by human basophils and the growth of NEL-M1 human melanoma cells.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Medrysone

ID: T0977



Medrysone is a corticosteroid used in ophthalmology.

Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	24	42	83	133	244	84

Clobetasol propionate

ID: T1561



A derivative of PREDNISOLONE with high glucocorticoid activity and low mineralocorticoid activity.

Size	2mg	10mg	50mg	1ml/10mM
Price(\$)	13	30	78	27

Megestrol acetate

ID: T1284



Megestrol acetate is a progestogen with actions and uses similar to those of the progestogens in general.

Size	2mg	10mg	50mg	1ml/10mM
Price(\$)	13	30	78	27

Betamethasone 17-valerate

ID: T1163



Betamethasone Valerate is a moderately potent glucocorticoid steroid with anti-inflammatory and immunosuppressive properties.

Size	2mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	20	43	78	133	56

Hydrocortisone Valerate

ID: T0276



Cortisol is a steroid hormone, in the glucocorticoid class of hormones, and is produced in humans by the zona fasciculata of the adrenal cortex within the adrenal gland.

Size	2mg	10mg	20mg	50mg	100mg	1ml/10mM
Price(\$)	24	58	103	207	363	59

Betamethasone

ID: T1652



A glucocorticoid given orally, parenterally, by local injection, by inhalation, or applied topically in the management of various disorders in which corticosteroids are indicated.

Size	2mg	10mg	50mg	1ml/10mM
Price(\$)	13	30	78	27

Flunisolide

ID: T1573



Flunisolide (marketed as AeroBid, Nasalide, Nasarel) is a Corticosteroid often prescribed as treatment for allergic rhinitis.

Size	1mg	5mg	10mg	25mg	1ml/10mM
Price(\$)	25	83	133	255	99

Bclomethasone dipropionate

ID: T1127



An anti-inflammatory, synthetic glucocorticoid. It is used topically as an anti-inflammatory agent and in aerosol form for the treatment of ASTHMA.

Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	26	46	70	108	34

Desonide

ID: T1168



Desonide is a low potency topical corticosteroid.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	36	88	170	394	69

Loteprednol etabonate

ID: T0181



Loteprednol (as Loteprednol Etabonate) is a topical corticoid antiinflammatory.

Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	39	88	256	460	86

Prednisone

ID: T1018



Prednisone (Adasone) is a synthetic corticosteroid agent that is particularly effective as an immunosuppressant compound.

Size	5mg	25mg	50mg	1ml/10mM
Price(\$)	43	79	140	44

Glucocorticoid Receptor

Diflorasone

ID: T2548

Diflorasone is a Corticosteroid Hormone Receptor Agonist.



Size	5mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	49	80	231	488	84

Ciclesonide(RPR251526)

ID: T2526

Ciclesonide(RPR251526) is a glucocorticoid used to treat obstructive airway diseases.



Size	5mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	61	97	377	568	77

Glucocorticoid Receptor antagonist

Prednisolone

ID: T1560

Prednisolone Acetate is a synthetic corticosteroid drug that is particularly effective as an immunosuppressant agent.




Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Prednisolone-21-acetate

ID: T0337

Prednisolone Acetate is a synthetic corticosteroid drug that is particularly effective as an immunosuppressant agent.



Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	13	30	78	133	27

Prednisolone phosphate sodium

ID: T0208

Prednisolone Acetate is a synthetic corticosteroid drug that is particularly effective as an immunosuppressant agent.



Size	10mg	50mg	100mg	1ml/10mM
Price(\$)	14	25	44	27

Budesonide

ID: T0094




Budesonide is an anti-inflammatory corticosteroid. Budesonide has shown the potent glucocorticoid activity and little mineralocorticoid activity. In addition, Budesonide has been reported to have a wide range of inhibitory activities against multiple cell types and mediators involved in allergic and nonallergic-mediated inflammatory. Besides, the anti-inflammatory action of budesonide has been revealed to contribute to the efficacy in asthma.

Size	2mg	10mg	100mg	50mg	1ml/10mM
Price(\$)	19	25	39	94	55

Deflazacort

ID: T0485

Deflazacort is a glucocorticoid used as an anti-inflammatory and immunosuppressant.




Size	10mg	50mg	100mg	1ml/10mM
Price(\$)	24	41	67	39

Methylprednisolone Sodium Succinate

ID: T0294

A water-soluble ester of METHYLPREDNISOLONE used for cardiac, allergic, and hypoxic emergencies.



Size	2mg	5mg	1ml/10mM
Price(\$)	24	42	80

AL082D06

NEW

ID: T1749

AL 082D06(D-06) is the first selective, nonsteroidal glucocorticoid receptor (GR) antagonist with Ki of 210 nM, exhibits excellent selectivity against AR, PR, MR and ER(Ki > 10 uM).



Size	2mg	5mg	10mg	25mg	100mg	1ml/10mM
Price(\$)	234	357	493	825	2310	387

Triamcinolone

ID: T0798

A glucocorticoid given, as the free alcohol or in esterified form, orally, intramuscularly, by local injection, by inhalation, or applied topically in the management of various disorders in which corticosteroids are indicated.




Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Glucocorticoid Receptor inhibitor

Betamethasone dipropionate

ID: T1559

Betamethasone Dipropionate is a glucocorticoid steroid with anti-inflammatory and immunosuppressive abilities.



Size	10mg	50mg	250mg	500mg	1ml/10mM
Price(\$)	13	24	49	78	36

Mometasone furoate

ID: T1531

Mometasone furoate is a glucocorticosteroid used topically to reduce inflammation of the skin or in the airways.



Size	2mg	10mg	50mg	1ml/10mM
Price(\$)	28	42	58	27

Mineralocorticoid Receptor

Mineralocorticoid Receptor antagonist

Canrenone

ID: T0354

A synthetic pregnadiene compound with anti-aldosterone activity.



Size	2mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Fluticasone propionate

ID: T0188

Fluticasone Propionate is a synthetic glucocorticoid, used to treat non-allergic and allergic rhinitis.



Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	24	73	207	363	72

Eplerenone

ID: T0083

Eplerenone, an aldosterone receptor antagonist similar to spironolactone.



Size	2mg	10mg	25mg	1ml/10mM
Price(\$)	36	78	133	55

Prostaglandin Receptor

Prostaglandin Receptor

Alprostadil

ID: T1626

Alprostadil is a Prostaglandin Analog and Prostaglandin E1 Agonist.



Size	1mg	5mg	10mg	1ml/10mM
Price(\$)	24	80	133	84

Somatostatin receptor

Somatostatin receptor

Octreotide Acetate

ID: T2584

Octreotide is a more potent inhibitor of growth hormone, glucagon, and insulin than somatostatin.



Size	5mg	10mg	50mg	1ml/10mM
Price(\$)	61	88	305	99

Thyroid hormone receptor

Thyroid hormone receptor agonist

Deracil

ID: T1310



Occurs in seeds of Brassica and Crucifera species. Thiouracil has been used as antithyroid, coronary vasodilator, and in congestive heart failure although its use has been largely supplanted by other drugs.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Methimazole

ID: T0840




Methimazole is an antithyroid medicine.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Liothyronine sodium

ID: T1669



Liothyronine Sodium is the most potent form of thyroid hormone acting on the body to increase the basal metabolic rate, affect protein synthesis.

Size	2mg	10mg	50mg	1ml/10mM
Price(\$)	13	30	78	27

Tiratricol

ID: T1604



Tiratricol (also known as TRIAC or triiodothyroacetic acid) is a thyroid hormone analogue.

Size	2mg	10mg	50mg	1ml/10mM
Price(\$)	13	30	78	27

Lyiothyronine

ID: T1653



Lyiothyronine is a T3 thyroid hormone normally synthesized and secreted by the thyroid gland in much smaller quantities than thyroxine (T4).

Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	24	42	83	133	203	84

L-Thyroxine

ID: T0864



L-Thyroxine is a synthetic form of thyroxine and a hormone replacement drug.

Size	5mg	25mg	100mg	1ml/10mM
Price(\$)	24	58	133	39

Propylthiouracil

ID: T1309



Propylthiouracil is a Thyroid Hormone Synthesis Inhibitor. A thiourea antithyroid agent. Propylthiouracil inhibits the synthesis of thyroxine and inhibits the peripheral conversion of thyroxine to tri-iodothyronine. It is used in the treatment of hyperthyroidism. (From Martindale, The Extra Pharmacopeia, 30th ed, p534)

Size	2mg	10mg	50mg	1ml/10mM
Price(\$)	36	78	237	56

Vasopressin Receptor antagonist

Tolvaptan

ID: T2326



Tolvaptan is an orally effective nonpeptide arginine vasopressin V2 receptor antagonist with IC50 of 3 nM, used to treat hyponatremia.

Size	2mg	10mg	50mg	1ml/10mM
Price(\$)	96	133	361	158

Vasopressin Receptor**Vasopressin Receptor agonist****Felypressin**

NEW

ID: T2568



It is used as a vasoconstrictor in local anaesthetic injections for dental use, and is an ingredient of preparations that have been used for treatment of pain and inflammation of the mouth.

Size	5mg	10mg	50mg	1ml/10mM
Price(\$)	49	85	133	133

Thyroid peroxidase**Thyroid peroxidase inhibitor****Carbimazole**


ID: T0952



An imidazole antithyroid agent. Carbimazole is metabolized to METHIMAZOLE, which is responsible for the antithyroid activity.

Size	25mg	50mg	100mg	500mg	1ml/10mM
Price(\$)	19	31	49	73	57

Metabolism




MAO

MAO inhibitor

Urethane

ID: T0051

Urethane has been used as an antineoplastic agent and for other medicinal purposes.




Size	10mg	25mg	250mg	1g	1ml/10mM
Price(\$)	13	24	49	90	27

Linezolid

ID: T0391

Linezolid is a synthetic antibiotic, the first of the oxazolidinone class.



Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	19	56	157	255	44

Modaline sulfate

ID: T0235

Modaline, 2-methyl-3-piperidinopyrazine derivative, was found to inhibit monoamine oxidase (MAO) and showed therapeutic anti-depressant activity. This compound potentiated convulsions induced by tryptamine and hyperthermia induced by dopa similar to other MAO inhibitors




Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	13	24	42	78	27

Clorgyline HCl

ID: T1117

Clorgyline HCl is a white powder used as monoamine oxidase inhibitor.



Size	2mg	5mg	10mg	25mg	1ml/10mM
Price(\$)	24	42	83	133	84

MAO/CYP

Sennoside A**ID: T0966**

Sennoside A, a kind of irritant laxative isolated from *rhei* rhizome, causes purgative actions in the intestine.




Size	1mg	2mg	5mg	20mg
Price(\$)	36	55	96	171

Paraglyline**ID: T0300**

A monoamine oxidase inhibitor with antihypertensive properties.



Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Nialamide**ID: T1455**

An MAO inhibitor that is used as an antidepressive agent.

Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Parglyline HCl**ID: T1578**

A monoamine oxidase inhibitor with antihypertensive properties.



Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Moclobemide (Ro 111163)**ID: T0084**

A reversible inhibitor of monoamine oxidase type A.



Size	10mg	5mg	50mg	1ml/10mM
Price(\$)	58	45	208	82

Ethaverine HCl**ID: T0369**

Ethaverine, a homologue of papaverine, has inhibitory effects on monoamine oxidase activity in mouse brain. [1]



Size	5mg	50mg	100mg	1ml/10mM
Price(\$)	27	49	88	57

Torezolid

NEW

ID: T1747

Torezolid (TR-701; tedizolid) is a novel oxazolidinone for gram-positive infections.



Size	5mg	10mg	25mg	100mg	1ml/10mM
Price(\$)	36	61	95	146	36

Iproniazid Phosphate**ID: T0821**


Iproniazid is a non-selective, irreversible monoamine oxidase inhibitor (MAOI) of the hydrazine class. It was discontinued in most of the world in the 1960s, but remained in use in France up until fairly recently.

Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Hydralazine HCl**ID: T1613**

Hydralazine HCl is a hydrochloride salt of hydralazine (Apresoline) that is a direct-acting smooth muscle relaxant.

Size	2mg	10mg	25mg	100mg	1ml/10mM
Price(\$)	36	79	155	333	59

MAO inhibitors**Furazolidone****ID: T0751**


A nitrofuran derivative with antiprotozoal and antibacterial activity. Furazolidone acts by gradual inhibition of monoamine oxidase.

Size	10mg	50mg	100mg	500mg	1ml/10mM
Price(\$)	13	27	43	74	27

Harmine**ID: T1711**

Alkaloid isolated from seeds of *Peganum harmala* L., Zygophyllaceae.

Size	5mg	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	24	42	83	133	203	56

CYP**CYP inhibitor****Naringin****ID: T0595**

Naringin is a flavanone glycoside, which exerts a variety of pharmacological effects such as antioxidant activity, blood lipid lowering, anticancer activity, and inhibition of cytochrome P450 enzymes.

Size	5mg	50mg	100mg	1g	1ml/10mM
Price(\$)	13	49	88	167	57

(-)Sparteine sulfate pentahydrate**ID: T0792**

Sparteine is a class 1a antiarrhythmic agent; a sodium channel blocker. It is an alkaloid and can be extracted from scotch broom.



Size	10mg	50mg	100mg	1ml/10mM
Price(\$)	13	30	48	27

Allotropal**ID: T0387**

3-Methyl-1-pentyn-3-ol has the potential property to inhibit CYP3A.



Size	100ul	250ul	500ul	1ml
Price(\$)	24	42	83	133

Ambroxol**ID: T0920**

Ambroxol is indicated as "secretolytic therapy in bronchopulmonary diseases associated with abnormal mucus secretion and impaired mucus transport.



Size	5mg	25mg	100mg	500mg	1ml/10mM
Price(\$)	13	33	80	197	27

Borneol**ID: T3038**

Extracted from *Cinnamomum cassia*; Suitability: Ethanol, ether, petroleum ether, benzene, toluene, acetone, decalin, tetralin; Store the product in sealed, cool and dry condition

Size	5mg	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	29	51	90	160	284	40

Beta-Tetralone**ID: T0660**

2-Tetralone is an organic chemical compound with the molecular formula C10H10O.

Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Tauroursodeoxycholic Acid**ID: T2532**

Tauroursodeoxycholic acid is the more hydrophilic form of ursodeoxycholic acid, which is the more abundant naturally produced bile acid in humans.



Size	10mg	50mg	100mg	1ml/10mM
Price(\$)	61	169	255	59

Apigenin**ID: T2175**

Apigenin is a potent P450 inhibitor for CYP2C9 with Ki of 2 μ M.



Size	5mg	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	22	35	54	83	127	63

Benzbromarone**ID: T1274**

Uricosuric that acts by increasing uric acid clearance. It is used in the treatment of gout.



Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Proadifen HCl**ID: T1597**

An inhibitor of drug metabolism and CYTOCHROME P-450 ENZYME SYSTEM activity.



Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

PDE**PDE inhibitor****Amlodipine Besylate****ID: T2031**

Amlodipine Besylate is a long-acting calcium channel blocker, used to lower blood pressure and prevent chest pain.



Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	13	24	42	78	27

Methylisobutylxanthine**ID: T1713**

3-Isobutyl-1-methylxanthine is a potent cyclic nucleotide phosphodiesterase inhibitor.



Size	2mg	10mg	50mg	1ml/10mM
Price(\$)	13	24	48	59

Trapidil**ID: T0080**

A coronary vasodilator agent.



Size	1mg	5mg	10mg	25mg	1ml/10mM
Price(\$)	13	30	50	92	56

PDE

Dipyphylline**ID: T0892**

Dipyphylline is a xanthine derivative with bronchodilator and vasodilator effects.



Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Doxophylline**ID: T0480**

Doxophylline is a phosphodiesterase inhibitor and a xanthine derivative drug for asthma.



Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	13	30	78	122	27


Milrinone**ID: T1096**

A positive inotropic cardiotonic agent with vasodilator properties. It inhibits cAMP phosphodiesterase type 3 activity in myocardium and vascular smooth muscle.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Sildenafil**ID: T1164**

Sildenafil is a vasoactive agent used to treat erectile dysfunction and reduce symptoms in patients with pulmonary arterial hypertension (PAH). Sildenafil elevates levels of the second messenger, cGMP, by inhibiting its breakdown via phosphodiesterase type 5 (PDE5).




Size	5mg	25mg	100mg	500mg	1ml/10mM
Price(\$)	13	33	80	197	27

Vinpocetine**ID: T0167**

Vinpocetine is a selective inhibitor of cyclic GMP phosphodiesterase (PDE).



Size	2mg	10mg	20mg	100mg	1ml/10mM
Price(\$)	20	42	78	207	59


Cilostazol**ID: T0462**

Cilostazol is a medication used in the alleviation of the symptom of intermittent claudication in individuals with peripheral vascular disease.

Size	2mg	10mg	25mg	100mg	1ml/10mM
Price(\$)	13	42	78	207	39

Sildenafil citrate**ID: T0467**


Sildenafil, a selective inhibitor of cyclic guanosine monophosphate (cGMP)-specific phosphodiesterase type 5 (PDE5), is a well-tolerated and highly effective treatment for erectile dysfunction.



Size	2mg	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	13	39	58	88	147	27

Heptaminol HCl**ID: T0045**

An amino alcohol that has been used as a myocardial stimulant and vasodilator and to relieve bronchospasm.



Size	10mg	25mg	100mg	500mg	1ml/10mM
Price(\$)	20	33	57	100	27

2-(Hydroxymethyl)pyridine**ID: T1112**

2-Pyridylmethanol is an organic compound.



Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Anagrelide**ID: T0160**

Anagrelide is a Platelet-reducing Agent. The mechanism of action of anagrelide is as a Phosphodiesterase 3 Inhibitor.


Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Papaverine HCl**ID: T0742**

An alkaloid found in opium but not closely related to the other opium alkaloids in its structure or pharmacological actions.



Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Vardenafil HCl Trihydrate**ID: T0096**

Vardenafil HCl Trihydrate is a new type PDE inhibitor with IC50 of 0.7 and 180 nM for PDE5 and PDE1, respectively.

Size	2mg	10mg	50mg	1ml/10mM
Price(\$)	36	73	134	99

Felodipine**ID: T0145**

A dihydropyridine calcium antagonist with positive inotropic effects.



Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	36	78	237	390	84

Anavafil**ID: T2334**

Anavafil is a highly selective PDE5 inhibitor with IC50 of 5.2 nM, >121-fold selectivity over other PDEs.



Size	2mg	10mg	50mg	1ml/10mM
Price(\$)	36	56	77	99

Cialis**ID: T1398**

Tadalafil is a PDE5 inhibitor with an IC50 value of 1.8 nM.



Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	40	56	88	133	27


Ibudilast**ID: T2137**

Ibudilast(KC-404;AV-411;MN-166) is a relatively nonselective phosphodiesterase inhibitor which has been marketed for treating asthma.


Size	1mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	47	83	133	234	84

Zaprinast**ID: T2129**

Zaprinast was an unsuccessful clinical drug candidate that was a precursor to the chemically related PDE5 inhibitors, such as sildenafil (Viagra), which successfully reached the market.



Size	1mg	2mg	5mg	10mg
Price(\$)	47	86	128	229

Roflumilast**ID: T0244**

Roflumilast is a phosphodiesterase-4 (PDE-4) inhibitor. Due to its selective inhibition of the PDE4 isoenzyme in lung cells, roflumilast is indicated for the management of chronic obstructive pulmonary disease (COPD) exacerbations.

Size	2mg	5mg	10mg	1ml/10mM
Price(\$)	49	73	133	112

Dipyridamole**ID: T1618**

A phosphodiesterase inhibitor that blocks uptake and metabolism of adenosine by erythrocytes and vascular endothelial cells.



Size	5mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	68	107	162	341	112

Pimobendan**ID: T1708**

Pimobendan is a selective inhibitor of PDE3 with IC50 of 0.32 μ M.




Size	5mg	10mg	50mg	1ml/10mM
Price(\$)	133	225	706	145

TAK-063


NEW

ID: T1745

TAK-063 is a highly potent, selective and orally active PDE10A inhibitor with IC50 of 0.30 nM; >15000-fold selectivity over other PDEs.




Size	2mg	5mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	261	402	598	1768	2310	397

PPAR**PPAR****Rosiglitazone maleate****ID: T1622**

Rosiglitazone, a member of the thiazolidinedione class of antihyperglycaemic agents, is a high-affinity selective agonist of the peroxisome proliferator-activated receptor- γ .

Size	2mg	10mg	25mg	1ml/10mM
Price(\$)	20	62	115	52

Rosiglitazone**ID: T0334**

Rosiglitazone is a potent antihyperglycemic agent and a potent thiazolidinedione insulin sensitizer with IC50 of 12, 4 and 9 nM for rat, 3T3-L1 and human adipocytes, respectively.

Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	24	40	67	116	27

PPAR**Pioglitazone****ID: T0214**

Pioglitazone is a selective peroxisome proliferator-activated receptor-gamma (PPAR γ) agonist, used to treat diabetes.



Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	36	78	133	203	59

PPAR activator**Ibuprofen****ID: T1394**

Ibuprofen (Motrin) is an anti-inflammatory inhibitor targeting COX-1 and COX-2, of which is used for pain relief, fever reduction and for reducing swelling.




Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

WY-14643 (Pirinixic Acid)**NEW****ID: T2269**

WY 14643 (Pirinixic Acid) is a potent peroxisome proliferator and activator of PPAR α with EC50 of 1.5 μ M.

Size	2mg	10mg	50mg	1ml/10mM
Price(\$)	34	50	86	59

PPAR agonist**Clofibrate****ID: T1298**

A fibric acid derivative used in the treatment of HYPERLIPOPROTEINEMIA TYPE III and severe HYPERTRIGLYCERIDEMIA.


Size	10mg	50mg	250mg	1g	1ml/10mM
Price(\$)	13	27	58	90	27

Clofibrac acid**ID: T0061**

Clofibrac acid is a PPAR α agonist and hypolipidemic agent.



Size	2mg	10mg	50mg	100mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	183	27

Bezafibrate**ID: T0841**

An antilipemic agent that lowers CHOLESTEROL and TRIGLYCERIDES. It decreases LOW DENSITY LIPOPROTEINS and increases HIGH DENSITY LIPOPROTEINS.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Gemfibrozil**ID: T1415**

Gemfibrozil is an activator of peroxisome proliferator-activated receptor-alpha (PPAR α), used for the treatment of hypercholesterolemia and hypertriglyceridemia.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Glipizide**ID: T1603**


Glipizide is used to treat high blood sugar levels caused by a type of diabetes mellitus.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Indometacin**ID: T0458**

Indomethacin is a non-steroidal antiinflammatory agent (NSAIA) with antiinflammatory, analgesic and antipyretic activity.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Repaglinide**ID: T1088**

Repaglinide is an oral antihyperglycemic agent used for the treatment of non-insulin-dependent diabetes mellitus (NIDDM). It belongs to the meglitinide class of short-acting insulin secretagogues, which act by binding to cells of the pancreas to stimulate insulin release. Repaglinide induces an early insulin response to meals decreasing postprandial blood glucose levels.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Ciprofibrate**ID: T1264**

Ciprofibrate is a peroxisome proliferator-activated receptor agonist.

Size	2mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	20	43	78	133	56

GSK0660**NEW**

GSK0660 is an antagonist and inverse agonist of PPAR β/δ .

Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	47	80	137	278	517	133

PPAR antagonist

GW9662

NEW

ID: T2260



GW9662 is a selective PPAR antagonist for PPAR γ with IC₅₀ of 3.3 nM in a cell-free assay, with at least 100 to 1000-fold functional selectivity in cells with PPAR γ versus PPAR α and PPAR δ .

Size	2mg	10mg	20mg	50mg	100mg	1ml/10mM
Price(\$)	39	55	93	128	202	42

PPAR inhibitor

ZLN005

NEW

ID: T1802



ZLN005 is a potent and tissue-specific PGC-1 α transcriptional activator.

Size	2mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	40	92	145	224	49

GSK3787

NEW

ID: T1941



GSK3787 is a selective and irreversible antagonist of PPAR δ with pIC₅₀ of 6.6, with no measurable affinity for hPPAR α or hPPAR γ .

Size	2mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	44	94	222	385	71

RXR/RAR

RXR/RAR agonist

Etodolac

ID: T1002



A nonsteroidal anti-inflammatory agent with potent analgesic and antiarthritic properties.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Adapalene

ID: T1093




Adapalene is a topical retinoid primarily used in the treatment of acne and is also used (off-label) to treat keratosis pilaris as well as other skin conditions.

Size	2mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	20	43	78	133	56

Tretinoin

ID: T1051



An important regulator of GENE EXPRESSION during growth and development, and in NEOPLASMS.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

RXR/RAR inhibitor

Isotretinoin

ID: T1611




It was developed to be used as a chemotherapy medication for the treatment of brain cancer, pancreatic cancer and more.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Acitretin

ID: T1330




An oral retinoid effective in the treatment of psoriasis.

Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	17	27	41	63	357	84

Fenretinide

ID: T1872



Fenretinide (4-HPR) is a synthetic retinoid derivative. 4-HBR is shown to exhibit binding to the retinoic acid receptors (RAR) at concentrations necessary to induce cell death.

Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	30	49	86	123	112

TTNPB (Arotinoid Acid)

ID: T1288



TTNPB (Arotinoid Acid) is a potent RAR agonist, and inhibits binding of [3H]TRA with IC₅₀ of 5.1 nM, 4.5 nM, and 9.3 nM for human RAR α , β , and γ , respectively.

Size	5mg	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	66	112	234	382	636	112

Factor Xa

Factor Xa inhibitor

2-Methoxyphenothiazine

ID: T0642



2-Methoxy Phenothiazine is Light yellow or light gray solid.

Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Factor Xa/Casein Kinase

Apixaban

ID: T1736



Apixaban is a highly selective, reversible inhibitor of Factor Xa with Ki of 0.08 nM and 0.17 nM in human and rabbit, respectively.

Size	5mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	24	43	118	201	24

Rivaroxaban

ID: T1184




Rivaroxaban is an anticoagulant and the first orally active direct factor Xa inhibitor. Unlike warfarin, routine lab monitoring of INR is not necessary.

Size	1mg	5mg	10mg	50mg	1ml/10mM
Price(\$)	61	133	207	517	133

Edoxaban Tosylate Monohydrate

ID: T2368



Edoxaban is a selective factor Xa inhibitor with Ki of 0.561 nM, >10 000-fold selectivity over thrombin and FXa, and is also an orally bioavailable anticoagulant drug.

Size	5mg	10mg	50mg	1ml/10mM
Price(\$)	76	133	502	110

Casein Kinase

Casein Kinase inhibitor

Ellagic acid

ID: T0465



Activates Factor XII of the blood clotting system which also causes kinin release; used in research and as a dye.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

TBB(NSC 231634)

NEW

ID: T2695



TBB(NSC 231634) is a highly selective, ATP/GTP-competitive inhibitor of casein kinase-2 (CK2) with IC50s of 0.9 and 1.6 μ M for rat liver and human recombinant CK2 respectively).

Size	1mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	24	37	59	123	197	63

PF670462

NEW

ID: T3073



PF-670462 is a potent ($IC_{50} = 7.7 \pm 2.2$ nM) and selective (>30-fold with respect to 42 additional kinases) inhibitor of CK1 ϵ in isolated enzyme preparations.

Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	39	88	132	276	512	118

D 4476

NEW

ID: T2449



D 4476 is a potent, selective, and cell-permeable CK1 (casein kinase 1) inhibitor with IC_{50} of 200 nM and 300 nM in a cell-free assay for CK1 from *Schizosaccharomyces pombe* and CK1 δ , respectively. Also acts as an ALK5 inhibitor with IC_{50} of 500 nM.

Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	61	107	202	347	84

LH-846

NEW

ID: T1877




LH846 is a selective inhibitor of CK1 δ (IC_{50} values are 290 nM, 1.3 μ M and 2.5 μ M for CK1 δ , ϵ and α); displays no inhibitory activity at CK2.

Size	5mg	10mg	50mg	1ml/10mM
Price(\$)	69	165	307	68

IC261

NEW

ID: T2440



IC261 is a novel inhibitor of CK1, triggers the mitotic checkpoint control. The IC_{50} of IC261 for CK1 was 16 μ M and for Cdk5 is 4.5 mM.

Size	2mg	5mg	10mg	50mg	1ml/10mM
Price(\$)	69	94	166	568	112

TTP 22

NEW

ID: T1828




TTP 22 is a high affinity, ATP-competitive casein kinase 2 (CK2) inhibitor with IC_{50}/Ki of 0.1 μ M/40 nM; shows selectivity for CK2 over JNK1, ROCK1, and MET($IC_{50}>10$ μ M).

Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	69	117	259	494	89

CX-4945 (Silmitsasertib)

NEW

ID: T2259



CX-4945 (Silmitsasertib) is a potent and selective inhibitor of CK2 (casein kinase 2) with IC_{50} of 1 nM in a cell-free assay, less potent to Flt3, Pim1 and CDK1 (inactive in cell-based assay). Phase 1/2.

Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	123	234	419	751	1306	260

Dehydrogenase

Dehydrogenase agonist

Alda-1

NEW

ID: T2662



Alda-1 is an ALDH2 agonist, cell-permeable activator of both the wild-type ALDH2*1 and the asian E487K mutant ALDH2*2 forms of mitochondrial aldehyde dehydrogenase 2 (mtALDH2).

Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	34	54	74	148	253	84

Dehydrogenase inhibitor

Tryptamine

ID: T0647




Tryptamine is a monoamine alkaloid found in plants, fungi, and animals. Tryptamine is found in trace amounts in the brains of mammals and is believed to play a role as a neuromodulator or neurotransmitter.

Size	5mg	25mg	100mg	250mg	500mg	1ml/10mM
Price(\$)	13	24	36	57	133	27

Disulfiram

ID: T0054



Disulfiram is a specific inhibitor of aldehyde-dehydrogenase (ALDH1), used for the treatment of chronic alcoholism by producing an acute sensitivity to alcohol.

Size	2mg	10mg	50mg	100mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	183	27

Tetramisole HCl

ID: T0494



Tetramisole is a mixture of dextro- and levo isomers used as an anthelmintic.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Isovaleramide

ID: T0361



Isovaleramide is an anticonvulsant molecule isolated from Valeriana pavanii, it inhibits the liver alcohol dehydrogenases.

Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	13	30	78	133	27

Dicumarol

ID: T0809



An oral anticoagulant that interferes with the metabolism of vitamin K.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	153	27

Mycophenolic acid

ID: T1335



An antibiotic substance derived from Penicillium stoloniferum, and related species.

Size	2mg	10mg	50mg	1ml/10mM
Price(\$)	13	30	78	55

Enoxolone

ID: T0036



Enoximone is a selective phosphodiesterase inhibitor with vasodilating and positive inotropic activity that does not cause changes in myocardial oxygen consumption.

Size	10mg	50mg	100mg	500mg	1ml/10mM
Price(\$)	13	34	57	122	39

Hexachlorophene

ID: T1019



A chlorinated bisphenol antiseptic with a bacteriostatic action against Gram-positive organisms, but much less effective against Gram-negative organisms.

Size	2mg	10mg	50mg	1ml/10mM
Price(\$)	20	33	79	59

Gimeracil

ID: T0987



Gimeracil is an inhibitor of dihydropyrimidine dehydrogenase, which inhibits the early step in homologous recombination for double strand breaks repair.

Size	2mg	10mg	25mg	100mg	1ml/10mM
Price(\$)	20	42	78	185	39

4-Methylpyrazole

ID: T0765




Fomepizole is a competitive inhibitor of alcohol dehydrogenase, the enzyme that catalyzes the initial steps in the metabolism of ethylene glycol and methanol to their toxic metabolites.

Size	5mg	10mg	25mg	100mg	1ml/10mM
Price(\$)	24	42	83	133	244

Dehydrogenase**Diethanol sulfide**

ID: T0329



Thiodiglycol has both polar and nonpolar solvent properties. It is used as a solvent in a variety of applications ranging from dyeing textiles to inks in some ballpoint pens.

Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

D-Mannitol


ID: T0414

A diuretic and renal diagnostic aid related to sorbitol.

Size	2mg	10mg	50mg	100mg	1g	1ml/10mM
Price(\$)	24	58	162	244	366	27

Mycophenolate mofetil

ID: T0245



Mycophenolate mofetil is the 2-morpholinoethyl ester of mycophenolic acid (MPA), an immunosuppressive agent, inosine monophosphate dehydrogenase (IMPDH) inhibitor.

Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	25	53	72	122	56

Atovaquone

ID: T1491

A hydroxynaphthoquinone that has antimicrobial activity and is being used in antimalarial protocols.



Size	2mg	10mg	50mg	1ml/10mM
Price(\$)	36	78	237	80

Trilostane

ID: T1473




Trilostane is an inhibitor of 3 beta-hydroxysteroid dehydrogenase used in the treatment of Cushing's syndrome. It was withdrawn from the United States market in April 1994.

Size	2mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	36	80	140	246	99

Vidofludimus(4SC-101; SC12267)

ID: T2601

Vidofludimus (4SC-101, SC12267) is a novel small molecule inhibitor of dihydroorotate dehydrogenase (DHODH) with an IC₅₀ value of 134nmol/L for human DHODH.




Size	5mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	122	207	657	1096	133

Enasidenib

NEW

ID: T2346

Enasidenib is a oral potent, selective, reversible inhibitor of mutant IDH2.



Size	1mg	5mg	10mg	50mg	1ml/10mM
Price(\$)	59	128	206	704	174

Nitisinone

ID: T1684



Nitisinone(SC0735) is an inhibitor of the enzyme 4-hydroxyphenylpyruvate dioxygenase.

Size	10mg	25mg	50mg	1ml/10mM
Price(\$)	64	148	246	49

BVT 2733

ID: T2057




BVT 2733 is a new, small molecule, non-steroidal, isoform-selective inhibitor of 11beta-hydroxysteroid dehydrogenase type 1 (11 β -HSD1).

Size	5mg	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	74	120	246	432	776	99

AGI-6780

ID: T1809



AGI-6780 is a potent and selective inhibitor of IDH2 R140Q mutant with IC₅₀ of 23 nM.

Size	5mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	80	113	422	975	79

AVN944

ID: T1979



AVN-944(VX-944) is a selective, noncompetitive inhibitor of the enzyme directed against human IMPDH with Ki of 6-10 nM for IMPDH1/IMPDH2.

Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	112	186	333	554	828	256

NSC 14613

NEW

ID: T1869




PluriSIn #1 is an inhibitor of the stearoyl-CoA desaturase 1 (SCD1), which is able to selectively eliminate hPSCs.

Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	52	83	145	223	63

MK-8245

ID: T2650



MK-8245 is an liver-targeting inhibitor of stearoyl-CoA desaturase (SCD) with IC₅₀ of 1 nM for human SCD1 and 3 nM for both rat SCD1 and mouse SCD1, with anti-diabetic and anti-dyslipidemic efficacy. Phase 2.

Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	122	222	345	603	1086	246

AGI-5198 (IDH-C35)

ID: T2014

AGI-5198 is the first highly potent and selective inhibitor of IDH1 R132H/R132C mutants with IC₅₀ of 0.07 μM/0.16 μM.



Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	158	264	419	790	200

IDH1-IN-1

ID: T2043

Mutant IDH1-IN-1 is a potent mutant IDH1 R132H inhibitor with IC₅₀ < 0.1 μM (a level in Patent); more bioactivity information in Patent WO2012009678A1 (Example 135).




Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	234	357	493	1109	1478	305

Farnesoid X receptor**Farnesoid X receptor agonist**

ID: T0847


A bile acid, usually conjugated with either glycine or taurine.



Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

L-Carnitine HCl

ID: T2203



Constituent of striated muscle and liver. It is used therapeutically to stimulate gastric and pancreatic secretions and in the treatment of hyperlipoproteinemia.


Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

GW 4064

NEW

ID: T2233

GW4064 is an agonist of farnesoid X receptor (FXR) with EC₅₀ of 65 nM in CV1 cell line.




Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	55	90	160	259	205

Fexaramine

NEW

ID: T2015

Fexaramine is a small molecule farnesoid X receptor (FXR) agonist with 100-fold increased affinity relative to natural compounds.




Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	124	222	419	685	123

Farnesoid X receptor antagonist**Obeticholic Acid**

NEW

ID: T1789

INT-747(Obeticholic acid; 6-ECDCA) is a potent and selective FXR agonist(EC₅₀=99 nM) endowed with anticholestatic activity.




Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	77	127	283	455	77

HMG-CoA Reductase**HMG-CoA Reductase inhibitor****Pravastatin sodium**

ID: T0672

An antilipemic fungal metabolite isolated from cultures of *Nocardia autotrophica*. It acts as a competitive inhibitor of HMG CoA reductase.




Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	133	27

Mevastatin

ID: T0683

Mevastatin is a competitive inhibitor of HMG-Coenzyme A (HMG-CoA) reductase with a binding affinity 10,000 times greater than the HMG-CoA substrate itself.



Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

HMG-CoA Reductase/Xanthine oxidase

Lovastatin**ID: T1207**

Lovastatin is a HMG-CoA Reductase Inhibitor.



Size	2mg	10mg	50mg	200mg	1g	1ml/10mM
Price(\$)	13	30	78	122	241	27

Fluvastatin sodium salt**ID: T1487**

Fluvastatin sodium is an inhibitor of 3-hydroxy-3-methylglutaryl coenzyme A (HMG-CoA) reductase.



Size	2mg	10mg	50mg	1ml/10mM
Price(\$)	13	30	78	55

Dicrotalic acid**ID: T1664**

MEGLUTOL is an antilipemic agent which lowers cholesterol, triglycerides, serum beta-lipoproteins and phospholipids.



Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	24	42	83	133	203	84

Rosuvastatin calcium**ID: T1510**


A selective, competitive inhibitor of HMG-CoA reductase, that is also antilipemic.

Size	1mg	5mg	10mg	25mg	1ml/10mM
Price(\$)	24	61	111	185	99

Simvastatin**ID: T0687**

Simvastatin is an HMGCR (HMG-CoA reductase) inhibitor with anti-proliferative properties. This compound has been shown to modulate purified bovine pituitary 20 S proteasome via mild stimulation of chymotrypsin-like activity and inhibition of peptidylglutamylpeptide hydrolyzing activity.

Size	5mg	25mg	100mg	1ml/10mM
Price(\$)	36	78	207	44

Rosuvastatin**ID: T1676**

Rosuvastatin is a competitive inhibitor of HMG-CoA reductase with IC50 of 11 nM in a cell-free assay.

Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	51	89	126	201	84

Xanthine oxidase**Xanthine oxidase inhibitor****Oxypurinol****ID: T1694**

Oxypurinol, an inhibitor of xanthine oxidase, is a metabolite of allopurinol.




Size	5mg	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	24	42	83	133	203	56

4-Methoxy-2-oxo-1,2-dihydro-pyridine-3-carbonitrile**ID: T1363**

1,2-Dihydro-4-methoxy-2-oxo-3-pyridinecarbonitrile was reported as xanthine oxidase inhibitor.



Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Febuxostat**ID: T0773**

Febuxostat is a Xanthine Oxidase Inhibitor. The mechanism of action of febuxostat is as a Xanthine Oxidase Inhibitor, from FDA Pharm Classes

Size	2mg	10mg	25mg	100mg	1ml/10mM
Price(\$)	36	88	162	406	56

Allopurinol**ID: T0692**

An anti-uricolytic Xanthine oxidase inhibitor that decreases uric acid production and is used in treatment of hyperuricemia and chronic gout.



Size	5mg	25mg	100mg	1ml/10mM
Price(\$)	36	95	282	56

Topiroxostat**ID: T2397**

Topiroxostat(FYX-051) is a novel and potent xanthine oxidoreductase (XOR) inhibitor with IC50 value of 5.3 nM.

Size	5mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	238	390	1536	2149	360

AhR**AhR activator****UM729**

NEW

ID: T1964

UM729 is an enhancer of aryl hydrocarbon receptor (AhR) antagonists.



Size	5mg	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	85	148	259	480	901	181

YL-109**ID: T1960**


YL-109 is a novel anticancer agent which has ability to inhibit breast cancer cell growth and invasiveness in vitro and in vivo.

Size	2mg	10mg	50mg	1ml/10mM
Price(\$)	188	416	744	308

AhR agonist**Mexiletine HCl****ID: T1046**

Antiarrhythmic agent pharmacologically similar to LIDOCAINE.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Nimodipine**ID: T0343**

A calcium channel blocker with preferential cerebrovascular activity. It has marked cerebrovascular dilating effects and lowers blood pressure.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Leflunomide**ID: T1159**

Leflunomide is a pyrimidine synthesis inhibitor belonging to the DMARD (disease-modifying antirheumatic drug) class of drugs, which are chemically and pharmacologically very heterogeneous.

Size	10mg	50mg	100mg	500mg	1ml/10mM
Price(\$)	24	56	115	357	39

AhR antagonist**StemRegenin 1 (SR1)**

NEW

ID: T1831

StemRegenin 1 is an aryl hydrocarbon receptor (AhR) inhibitor with IC50 of 127 nM in a cell-free assay.

Size	5mg	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	43	62	148	197	357	42

CH 223191

NEW

ID: T2448

CH-223191 is a potent and specific aryl hydrocarbon receptor (AhR) antagonist with IC50 of 30 nM.

Size	2mg	10mg	50mg	1ml/10mM
Price(\$)	61	100	307	99

Biliation**Biliation activator****Ezetimibe****ID: T1593**

Ezetimibe appears to bind to a critical mediator of cholesterol absorption, the Niemann-Pick C1-Like 1 (NPC1L1) protein on the gastrointestinal tract epithelial cells as well as in hepatocytes.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Taurocholic acid sodium salt hydrate**ID: T1138**

The product of conjugation of cholic acid with taurine, the sodium salt is the chief ingredient of the bile of carnivorous animals. It acts as a detergent to solubilize fats for absorption and is itself absorbed.

Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	203	56

Hemicholinium-3

NEW

ID: T2227

A potent inhibitor of the high affinity uptake system for CHOLINE.

Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	24	42	83	133	203	84

Bilirubin/CCK/CETP/DHFR

Genipin

ID: T2210



Genipin is an active aglycone derived from an iridoid glycoside called geniposide, which is found in the fruit of *Gardenia jasminoides* Ellis.

Size	1mg	5mg	10mg
Price(\$)	24	73	122

Osalmid

ID: T0353



Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	24	77	120	243	56

Sodium tauroglycocholate


ID: T0523



Size	5mg	50mg	100mg	1g	1ml/10mM
Price(\$)	27	49	88	167	57

Pitavastatin calcium

ID: T2534



Pitavastatin calcium is a novel member of the medication class of statins.

Size	5mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	49	80	231	488	84

Bilirubin inhibitor**Ursodeoxycholic acid**

ID: T0700



An epimer of chenodeoxycholic acid. It is a mammalian bile acid found first in the bear and is apparently either a precursor or a product of chenodeoxycholate.

Size	5mg	20mg	50mg	1ml/10mM
Price(\$)	19	29	45	27

CCK**CCK antagonist****Loxiglumide**

NEW



Loxiglumide is CCK receptor antagonist. Cholecystokinin receptors or CCK receptors are a group of G-protein coupled receptors which bind the peptide hormones cholecystokinin (CCK) or gastrin.

Size	2mg	5mg	10mg	50mg	1ml/10mM
Price(\$)	59	88	113	432	99

Proglumide

ID: T1052



Proglumide (Mild) is a drug that inhibits gastrointestinal motility and reduces gastric secretions. It acts as a cholecystokinin antagonist, which blocks both the CCKA and CCKB subtypes. It was used mainly in the treatment of stomach ulcers.

Size	10mg	50mg	100mg	500mg	1ml/10mM
Price(\$)	13	24	42	74	27

CETP**CETP inhibitor****Anacetrapib (MK-0859)**

NEW

ID: T1928



Anacetrapib (MK0859) is a potent, selective, reversible rhCETP and mutant CETP(C13S) inhibitor with IC50 of 7.9 nM and 11.8 nM, increases HDL-C and decreases LDL-C, does not increase aldosterone or blood pressure. Phase 3.

Size	5mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	71	113	256	422	70

Torcetrapib

NEW

ID: T2499



Torcetrapib is a CETP inhibitor with IC50 of 37 nM, elevates HDL-C and reduces nonHDL-C in plasma. Phase 3.

Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	85	133	244	402	99

DHFR**DHFR inhibitor****Trimethoprim**

ID: T1153



Trimethoprim is a Dihydrofolate Reductase Inhibitor Antibacterial.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Pyrimethamine

ID: T0849



Pyrimethamine is a dihydrofolate reductase(DHFR) inhibitor with an IC50 of 15.4 nM.

Size	2mg	10mg	50mg	1ml/10mM
Price(\$)	30	78	237	44

Methotrexate

ID: T1485



Methotrexate, a folate antagonist, is a potent anti-inflammatory agent when used weekly in low concentrations, the anti-phlogistic action of which is due to increased adenosine release at inflamed sites.

Size	10mg	50mg	100mg	500mg	1ml/10mM
Price(\$)	24	43	78	153	39

Gentamycin sulfate

ID: T1326



Gentamycin Sulfate is a broad-spectrum, aminoglycoside antibiotic used for cell culture which inhibits protein synthesis in sensitive organisms.

Size	5mg	10mg	20mg	100mg	250mg	1ml/10mM
Price(\$)	24	43	67	177	329	27

EP4**EP4 antagonist**

GW 627368X

NEW

ID: T1978



GW627368(GW627368X) is a novel, potent and selective competitive antagonist of prostanoid EP4 receptor(Ki=100 nM) with additional human TP receptor affinity(Ki=150 nM).

Size	1mg	5mg	10mg	25mg	1ml/10mM
Price(\$)	51	186	333	773	95

FAAH**FAAH inhibitor**

JNJ-1661010

NEW

ID: T2684



JNJ-1661010 is a potent and selective FAAH inhibitor with IC50 of 10 nM (rat) and 12 nM (human), exhibits >100-fold selectivity for FAAH-1 when compared to FAAH-2.

Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	42	64	99	205	357	84

JZL195

NEW

ID: T2338



JZL195 is a selective and efficacious dual FAAH/MAGL inhibitor with IC50 of 13 nM and 19 nM for mouse brain FAAH and MAGL respectively.


Size	2mg	5mg	10mg	50mg	1ml/10mM
Price(\$)	42	73	94	334	99

EPAC**EPAC inhibitor**

ESI-09

NEW

ID: T2244



ESI-09 is a specific exchange protein directly activated by cAMP (EPAC) inhibitor with IC50 of 3.2 μ M and 1.4 μ M for EPAC1 and EPAC2, respectively, >100-fold selectivity over PKA.


Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	84	128	222	394	83

Ferroptosis**Ferroptosis activator**

Erastin

NEW

ID: T1765



Erastin is a ferroptosis activator by acting on mitochondrial VDAC, exhibiting selectivity for tumor cells bearing oncogenic RAS.


Size	5mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	137	265	697	959	136

Ferroptosis inhibitor

Liproxstatin-1

NEW

ID: T2376




Liproxstatin-1 is a potent ferroptosis inhibitor

Size	5mg	25mg	100mg	1ml/10mM
Price(\$)	116	357	828	133

Fatty acid synthase**Fatty acid synthase inhibitor**

Orlistat

ID: T0686



Orlistat is a drug designed to treat obesity. Its primary function is preventing the absorption of fats from the human diet, thereby reducing caloric intake. Orlistat works by inhibiting pancreatic lipase, an enzyme that breaks down triglycerides in the intestine. Without this enzyme, triglycerides from the diet are prevented from being hydrolyzed into absorbable free fatty acids and are excreted undigested.

Size	5mg	25mg	100mg	1ml/10mM
Price(\$)	36	78	207	44

Triclosan

ID: T1314



A diphenyl ether derivative used in cosmetics and toilet soaps as an antiseptic.


Size	5mg	25mg	100mg	250mg	1g	1mL/10mM
Price(\$)	13	27	56	92	185	27

Farnesyltransferase**Farnesyltransferase inhibitor**

FTI 277 HCl

NEW

ID: T2700



FTI 277 HCl is the methyl ester of FTI 277, which is a potent and selective farnesyltransferase (FTase) inhibitor with IC50 of 500 pM, about 100-fold selectivity over the closely related GGTase I.

Size	2mg	5mg	10mg	25mg	50mg	1mL/10mM
Price(\$)	80	123	222	408	714	148

Farnesyl pyrophosphate synthase**Farnesyl pyrophosphate synthase inhibitor****Risedronic Acid**

ID: T0379



Risedronic acid (Risedronate) is a pyridinyl biphosphonate which inhibits osteoclast-mediated bone resorption.

Size	5mg	50mg	100mg	1mL/10mM
Price(\$)	27	49	88	57

Phospholipase**Phospholipase inhibitor**

Varespladib (LY315920)

NEW

ID: T2044



Varespladib (LY315920) is a potent and selective human non-pancreatic secretory phospholipase A2 (hnsPLA) inhibitor with IC50 of 7 nM. Phase 3.


Size	5mg	10mg	25mg	50mg	100mg	1mL/10mM
Price(\$)	85	133	260	530	776	133

ULK1 kinase**ULK1 kinase inhibitor**

SBI-0206965

NEW

ID: T2128



SBI-0206965 is a potent, selective and cell permeable autophagy kinase ULK1 inhibitor with IC50 of 108 nM for ULK1 kinase activity and 711 nM for the highly related kinase ULK2.

Size	2mg	5mg	10mg	50mg	1mL/10mM
Price(\$)	104	147	269	1084	204

Transferase**Transferase inhibitor**

FK866 (APO866, Daporinad)

NEW

ID: T2644



FK866 (APO866, Daporinad) effectively inhibits nicotinamide phosphoribosyltransferase (NMPRTase) with IC50 of 0.09 nM in a cell-free assay. Phase 1/2.

Size	2mg	5mg	10mg	25mg	50mg	1mL/10mM
Price(\$)	47	80	148	320	517	133

LB42708

ID: T2678



LB42708 is an orally active farnesyltransferase (FTase) inhibitor with IC50 of 0.8, 1.2, and 2.0 nM toward H-ras, N-ras, and K-ras, respectively.

Size	2mg	5mg	10mg	25mg	50mg	1mL/10mM
Price(\$)	47	92	137	246	433	99

Thiamine**Thiamin antagonist****Ampronilum**

ID: T0872



Veterinary coccidiostat that interferes with thiamine metabolism. It may cause thiamine deficiency.

Size	5mg	10mg	25mg	50mg	200mg	1mL/10mM
Price(\$)	24	42	83	133	244	56

GLUT**GLUT inhibitor****STF-31**

NEW

ID: T2363STF-31 is an inhibitor of glucose transporter 1 (GLUT1, IC₅₀ = 1 uM).

Size	2mg	10mg	50mg	1ml/10mM
Price(\$)	59	112	334	110

HAP**HAP antagonist****Sodium etidronate****ID: T1210**

A diphosphonate which affects calcium metabolism. It inhibits ectopic calcification and slows down bone resorption and bone turnover.



Size	10mg	50mg	100mg	500mg	1ml/10mM
Price(\$)	13	24	42	74	27

Risedronate Sodium**ID: T1041**


Risedronate Sodium, a nitrogen-containing bisphosphonate, inhibits osteoclast-mediated bone resorption and modulates bone metabolism, used in the treatment of osteoporosis.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Pamidronate disodium salt**ID: T1337**

A bisphosphonate antiresorptive agent and a bone resorption inhibitor.

Size	2mg	10mg	50mg	1ml/10mM
Price(\$)	13	30	78	27

Ibandronic acid**ID: T1599**

Ibandronate inhibits osteoclast-mediated bone resorption.

Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	20	36	55	90	39

IDO**IDO inhibitor****INCB024360 analogue**

NEW

ID: T2647

INCB024360 analogue is a potent, competitive IDO1 (indoleamine-(2,3)-dioxygenase) inhibitor with IC₅₀ of 67 nM. Phase 2.

Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	47	80	137	260	517	133

NLG919

NEW

ID: T1806

NLG919 is a potent IDO (indoleamine-(2,3)-dioxygenase) pathway inhibitor with Ki/EC50 of 7 nM/75 nM in cell-free assays. Phase 1.

Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	69	113	259	422	85

Lipid**Lipid****Sodium dehydrocholate****ID: T0516**

A semisynthetic bile acid made from cholic acid. It is used as a cholangogue, hydrocholeretic, diuretic, and as a diagnostic aid.

Size	5mg	25mg	100mg	1ml/10mM
Price(\$)	13	24	56	27

Taurine**ID: T0022**

A conditionally essential nutrient, important during mammalian development.

Size	2mg	10mg	50mg	500mg	1ml/10mM
Price(\$)	13	30	78	122	27

Probucol**ID: T0254**

A drug used to lower LDL and HDL cholesterol yet has little effect on serum-triglyceride or VLDL cholesterol.

Size	5mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	24	36	78	146	59

Dehydrocholic acid

ID: T0408



A semisynthetic bile acid made from cholic acid. It is used as a cholagogue, hydrocholeretic, diuretic, and as a diagnostic aid.

Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Fenipentol

ID: T0857



Fenipentol has the property of Cholagogues and Choleretics.

Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

MFO**MFO****Piperonyl butoxide**

ID: T0727



An insecticide synergist, especially for pyrethrins and ROTENONE.

Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

MGA**MGA inhibitor**

Miglitol

ID: T1529



Miglitol is an oral anti-diabetic drug that acts by inhibiting the ability of the patient to breakdown complex carbohydrates into glucose.

Size	2mg	10mg	25mg	100mg	1ml/10mM
Price(\$)	36	88	162	333	59

PDHK**PDHK inhibitor**

NEW

ID: T2447



AZD7545 is a potent PDHK inhibitor with IC50 of 36.8 nM and 6.4 nM for PDHK1 and PDHK2, respectively.

Size	5mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	183	317	840	1427	207

Carbonic anhydrase

Carbonic anhydrase inhibitor

Chlorothiazide

ID: T0677



Chlorothiazide is a diuretic and antihypertensive.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Hydrochlorothiazide

ID: T1449




Hydrochlorothiazide is a first line diuretic compound of the thiazide class.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Methocarbamol

ID: T1409



A centrally acting muscle relaxant whose mode of action has not been established.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Tioxolone

ID: T0515



Tioxolone is a metalloenzyme carbonic anhydrase I inhibitor.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Methazolamide

ID: T0106




A carbonic anhydrase inhibitor that is used as a diuretic and in the treatment of glaucoma.

Size	2mg	10mg	50mg	1ml/10mM
Price(\$)	13	30	78	55

Bendroflumethiazide

ID: T1204




A thiazide diuretic with actions and uses similar to those of HYDROCHLOROTHIAZIDE.

Size	10mg	50mg	100mg	1ml/10mM
Price(\$)	19	34	58	27

Acetazolamide

ID: T0813




Acetazolamide is a potent carbonic anhydrase (CA) inhibitor; best-studied agent for the amelioration of acute mountain sickness (AMS).

Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Benzthiazide

ID: T0782




Benzthiazide is used to treat hypertension and edema.

Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Mafenide HCl

ID: T1026




A sulfonamide that inhibits the enzyme carbonic anhydrase and is used as topical anti-infective, especially in burn therapy.

Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Brinzolamide

ID: T0142



Brinzolamide is a highly specific, non-competitive, reversible carbonic anhydrase inhibitor. Carbonic anhydrase (CA) is an enzyme found in many tissues of the body including the eye. It catalyzes the reversible reaction involving the hydration of carbon dioxide and the dehydration of carbonic acid. In humans, carbonic anhydrase exists as a number of isoenzymes, the most active being carbonic anhydrase II (CA-II). Inhibition of carbonic anhydrase in the ciliary processes of the eye decreases aqueous humor secretion, presumably by slowing the formation of bicarbonate ions with subsequent reduction in sodium and fluid transport. The result is a reduction in intraocular pressure. Brinzolamide is indicated in the treatment of elevated intraocular pressure in patients with ocular hypertension or open-angle glaucoma.

Size	2mg	10mg	20mg	50mg	1ml/10mM
Price(\$)	24	58	103	207	59

Dorzolamide HCl

ID: T2134



Dorzolamide is a carbonic anhydrase (CA) inhibitor. It is used in ophthalmic solutions (Trusopt) to lower intraocular pressure (IOP) in open-angle glaucoma and ocular hypertension.

Size	1mg	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	47	89	146	209	357	56

U-104

NEW

ID: T2017

U-104 is a potent carbonic anhydrase (CA) inhibitor for CA IX and CA XII with Ki of 45.1 nM and 4.5 nM; low inhibition for CA I and CA II.



Size	5mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	82	272	443	614	82

NADPH**Nitrofurantoin****ID: T1313**

A urinary anti-infective agent effective against most gram-positive and gram-negative organisms.



Size	5mg	25mg	100mg	250mg	1g	1ml/10mM
Price(\$)	13	27	56	92	185	27

Acetohexamide**ID: T0816**

A sulfonylurea hypoglycemic agent that is metabolized in the liver to 1-hydrohexamide.



Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

CHS 828

NEW

ID: T1998

GMX1778(CHS-828) is a potent inhibitor of NAD+ biosynthesis enzyme NAMPT with IC50 <25 nM.



Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	87	160	308	521	87

Cathepsin K**Cathepsin K inhibitor****Balicatib**

NEW

ID: T1850


Balicatib is an inhibitor of cathepsin K with IC50 value of 1.4nM [1]



Size	5mg	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	105	172	320	517	669	117

LXR**LXR agonist****SR9243**

NEW

ID: T1801

SR9243 is a LXR inverse agonist that induces LXR corepressor interaction; shows anticancer activity and selectively targets the warburg effect and lipogenesis

Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	40	62	92	177	307	133

LXR623

NEW

ID: T1783


WAY-252623 (LXR-623) is a highly selective and orally bioavailable synthetic modulator of LXR.

Size	5mg	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	102	172	320	517	850	101

CzcO-like**CzcO-like inhibitor****Clofazimine****ID: T0377**

A fat-soluble riminophenazine dye used for the treatment of leprosy.

Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	13	30	78	133	27

DHPS**DHPS****Sulfalene****ID: T0026**

Sulfalene is a long-acting sulfonamide antibiotic used for the treatment of chronic bronchitis, urinary tract infections and malaria.

Size	5mg	10mg	50mg	100mg	500mg	1ml/10mM
Price(\$)	13	24	35	56	145	24

Sulfapyridine**ID: T0767**

Antibacterial, potentially toxic, used to treat certain skin diseases.

Size	2mg	10mg	50mg	200mg	1g	1ml/10mM
Price(\$)	13	30	78	122	357	27

Sulfamerazine**ID: T0913**


Sulfamerazine is a sulfonamide antibacterial.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Sulfanilamide**ID: T0123**


Sulfanilamide is a molecule containing the sulfonamide functional group attached to an aniline.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Sulfisoxazole**ID: T0750**


A short-acting sulfonamide antibacterial with activity against a wide range of gram-negative and gram-positive organisms.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Sulfanitran**ID: T1248**

Sulfanitran is a sulfonamide antiinfective drug.

Size	5mg	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	24	42	83	133	203	56

DHPS inhibitor**Sulfamethizole****ID: T0744**


Sulfamethizole is a sulfathiazole antibacterial agent.

Size	2mg	10mg	50mg	200mg	1g	1ml/10mM
Price(\$)	13	30	78	122	357	27

Sulfadoxine**ID: T0836**


It is often used in combination with pyrimethamine to treat or prevent malaria. Both drugs are antifolates; they inhibit the production of enzymes involved in the synthesis of folic acid within the parasites. Either drug by itself is only moderately effective in treating malaria, because the parasite Plasmodium falciparum may be able to use exogenous folic acid, i.e. folic acid which is present in the parasite's environment, while in combination, the two substances have a synergistic effect which outbalances that ability.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Sulfaguanidine**ID: T0510**

Sulfaguanidine is a sulfonamide used as an anti-infective agent.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Sulfamethoxazole**ID: T0885**


A bacteriostatic antibacterial agent that interferes with folic acid synthesis in susceptible bacteria.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Sulfathiazole**ID: T0747**

Sulfathiazole is a short-acting sulfa drug. It used to be a common oral and topical antimicrobial until less toxic alternatives were discovered.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Sulfacetamide sodium salt hydrate**ID: T0087**

An anti-infective agent that is used topically to treat skin infections and orally for urinary tract infections

Size	2mg	10mg	50mg	1ml/10mM
Price(\$)	13	30	78	55

2-Aminobenzenesulfonamide

ID: T2178


Sulfanilamide is a molecule containing the sulfonamide functional group attached to an aniline.



Size	5mg	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	24	42	83	133	203	56

Succinylsulfathiazole

ID: T0749



Succinylsulfathiazole is a sulfonamide, it is an ultra long acting drug.

Size	5mg	50mg	100mg	1g	1ml/10mM
Price(\$)	27	49	88	167	57

Thonzonium Bromide

ID: T2188



Thonzonium bromide is a monocationic detergent.

Size	2mg	5mg	10mg	50mg	1ml/10mM
Price(\$)	57	84	108	385	82

Endopeptidase

Endopeptidase inhibitor

Racecadotril

ID: T1176

Racecadotril, also known as acetorphan, is an antidiarrheal drug which acts as a peripherally acting enkephalinase inhibitor.



Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Hexokinase

Hexokinase inhibitor

Lonidamine

ID: T0239

Lonidamine is an orally administered small molecule hexokinase inactivator.



Size	2mg	5mg	10mg	1ml/10mM
Price(\$)	31	58	100	67

Hydrogenase

Hydrogenase inhibitor

Metronidazole

ID: T1079

Metronidazole, a synthetic antibacterial and antiprotozoal agent of the nitroimidazole class, is used against protozoa.



Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Hydrolase

Hydrolase

Delta-Gluconolactone

ID: T0933

Gluconolactone is a naturally-occurring food additive used as a sequestrant, an acidifier, or a curing, pickling, or leavening agent. It is a cyclic ester of D-gluconic acid.



Size	5mg	25mg	100mg	250mg	1g	1ml/10mM
Price(\$)	13	27	56	92	185	27

Valpramide

ID: T0355

Valpramide is a carboxamide derivative of valproic acid used in the treatment of epilepsy and some affective disorders.



Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	24	77	120	243	84


Hydroxylase

Hydroxylase inhibitor

Fenclonine

ID: T1447

Fenclonine, also known as para-chlorophenylalanine (PCPA), acts as a selective and irreversible inhibitor of tryptophan hydroxylase, which is a rate-limiting enzyme in the biosynthesis of serotonin




Size	10mg	50mg	100mg	500mg	1ml/10mM
Price(\$)	13	24	42	74	27

Dimethyloxaloylglycine (DMOG)

NEW

ID: T1939




DMOG is an antagonist of α -ketoglutarate cofactor and inhibitor for HIF prolyl hydroxylase.

Size	2mg	5mg	10mg	50mg	1ml/10mM
Price(\$)	59	88	113	432	101

Ro 61-8048

NEW

ID: T1896




Ro 61-8048 is a potent and selective inhibitor of kynurenine hydroxylase with IC50 of 37 nM.

Size	5mg	10mg	50mg	1ml/10mM
Price(\$)	71	130	246	70

MPO**MPO inhibitor****Cefdinir**

ID: T0133



Cefdinir is a bacteriocidal antibiotic.

Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	13	30	78	122	27

Sodium nitrite

ID: T1316



Sodium nitrite is a myeloperoxidase inhibitor with IC50 of 1.3 μM .

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Aminopar

ID: T1296




4-aminosalicylic acid, commonly known as PAS, is an antibiotic used to treat tuberculosis.

Size	5mg	25mg	100mg	500mg	1ml/10mM
Price(\$)	13	33	80	197	27

sGC**sGC activator**

NEW

ID: T1984




Cinaciguat (BAY 58-2667) is the first of a new class of soluble guanylyl cyclase (sGC) activators in clinical development for acute decompensated heart failure.

Size	1mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	101	234	419	733	1343	256

SMO**SMO inhibitor****Terbinafine HCl**

ID: T1411



Terbinafine hydrochloride is a synthetic allylamine antifungal, which is highly active against dermatophytes, mold, other basic fungi, and some strains of yeast.

Size	2mg	10mg	50mg	200mg	1g	1ml/10mM
Price(\$)	13	30	78	122	244	27

Naftifine HCl

ID: T1543




Naftifine is an allylamine antifungal drug for the topical treatment of tinea pedis, tinea cruris, and tinea corporis, probably involves selectively blocking sterol biosynthesis via inhibition of the squalene 2,3-epoxidase enzyme.

Size	1mg	5mg	10mg	25mg	1ml/10mM
Price(\$)	20	62	108	185	99

Oxidosqualene cyclase**Oxidosqualene cyclase inhibitor****Ro 48-8071 fumarate**

ID: T1771



Ro 48-8071 fumarate is an inhibitor of OSC(Oxidosqualene cyclase; IC50=6.5 nM) that has low-density lipoprotein (LDL) cholesterol lowering activity.

Size	5mg	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	49	86	148	246	460	54


Peroxiredoxin-5

Peroxiredoxin-5

Diminazene Aceturate

ID: T1145

Diminazene is a di-amidine also known as 4,4-(1-Triazene-1,3-diy) bis(benzenecarboximidamide), used as an effective trypanocidal agent.



Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	13	30	78	122	27

Phosphorylase

Phosphorylase inhibitor

ID: T0665

A purine base found in most body tissues and fluids, certain plants, and some urinary calculi.



Size	5mg	25mg	100mg	250mg	500mg	1ml/10mM
Price(\$)	13	24	57	133	242	27

Disodium monofluorophosphate

ID: T0745



Sodium Monofluorophosphate is a competitive inhibitor of pyruvate kinase and alkaline phosphatase with Ki of 3.4 mM and 69 μ M, respectively, which also irreversibly inhibits phosphorylase phosphatase with Ki of 0.5 mM.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	39

PP2A

PP2A inhibitor

LB-100

NEW

ID: T2068



LB-100 is a water soluble protein phosphatase 2A (PP2A) inhibitor. Phase 1.

Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	91	123	209	395	628	163

Reductase

Reductase inhibitor

Ethinamide

ID: T1165

A second-line antitubercular agent that inhibits mycolic acid synthesis.



Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Isoniazid

ID: T0972




Isoniazid is a prodrug and must be activated by bacterial catalase.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Finasteride

ID: T0488


An orally active testosterone 5-alpha-reductase inhibitor.



Size	10mg	50mg	100mg	200mg	1ml/10mM
Price(\$)	20	40	58	95	27

Dutasteride

ID: T1499



Dutasteride belongs to a class of drugs called 5-alpha-reductase inhibitors, which block the action of the 5-alpha-reductase enzymes that convert testosterone into dihydrotestosterone (DHT).

Size	1mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	24	70	96	164	289	99

2-Picolinyl hydrazide


ID: T1374



Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Epalrestat

ID: T1458



Epalrestat is an aldose reductase inhibitor.

Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	36	95	160	283	84

Isoliquirigenin**ID: T0725**

Iisoliquirigenin, an anti-tumor flavonoid from the root of Glycyrrhiza glabra, inhibits aldose reductase with an IC₅₀ of 320 nM.

Size	2mg	50mg	100mg	1ml/10mM
Price(\$)	27	49	88	57

Ponalrestat**NEW****ID: T2013**

ponalrestat, an aldose reductase inhibitor, activates lipoprotein lipase (LPL) activity in the adipose tissue and alleviates the cachectic symptoms induced by B16 melanoma in mice

Size	2mg	5mg	10mg	50mg	1ml/10mM
Price(\$)	59	88	113	432	99

Squalene epoxidase**Squalene epoxidase inhibitor****Liranafate****ID: T1497**

Liranafate is a squalene epoxidase inhibitor with anti-fungicidal activities.

Size	2mg	10mg	50mg	1ml/10mM
Price(\$)	36	88	160	84

Tyrosinase**Tyrosinase inhibitor****Monobenzone****ID: T0759**

Monobenzone is a compound used as a topical agent for medical depigmentation.

Size	10mg	50mg	500mg	1g	1ml/10mM
Price(\$)	13	24	42	67	27

Potassium iodide**ID: T0357**

Potassium iodide is used to treat overactive thyroid and to protect the thyroid gland from the effects of radiation from inhaled or swallowed radioactive iodine.

Size	2mg	10mg	50mg	200mg	1g	1ml/10mM
Price(\$)	13	30	78	133	244	27

Arbutin**ID: T0473**

Arbutin is glucosylated hydroquinone, and may carry similar cancer risks, although there are also claims that arbutin reduces cancer risk. It prevents the formation of melanin.

Size	2mg	10mg	25mg	100mg	1ml/10mM
Price(\$)	25	63	95	282	56

VKOR**VKOR inhibitor****Warfarin****ID: T0815**

An anticoagulant that acts by inhibiting the synthesis of vitamin K-dependent coagulation factors.

Size	10mg	50mg	100mg	500mg	1ml/10mM
Price(\$)	13	30	48	107	27

Phenylindione**ID: T0514**

An indandione that has been used as an anticoagulant.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Others**Others****CP 640186****NEW****ID: T1889**

CP-640186 is an isozyme-nonspecific Acetyl-CoA carboxylase (ACCase) inhibitor with IC₅₀s of 53 nM and 61 nM for rat liver ACC1 and rat skeletal muscle ACC2 respectively; with improved metabolic stability vs CP-610431.

Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	123	185	270	493	850	256

Mitotan**ID: T1199**

A derivative of the insecticide DICHLORODIPHENYLCHLOROETHANE that specifically inhibits cells of the adrenal cortex and their production of hormones.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Ipriflavone (Osteofix)**ID: T0309**

Ipriflavone (7-Isopropoxyisoflavan) is used to inhibit bone resorption.

Size	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	27	58	27

Ascomycin (FK520)**NEW****ID: T2481**

Ascomycin (FK520), an FK-506 analog, is a neutral macrolide immunosuppressant, which prevents rejection after an organ transplant. Phase 3.

Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	92	158	302	499	99

HA130**NEW****ID: T2646**

HA130 is a selective ATX (autotaxin) inhibitor with IC₅₀ of 28 nM.

Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	52	107	160	284	467	112

PTC-209**NEW****ID: T2345**

PTC-209 is a potent and selective BMI-1 inhibitor with IC₅₀ of 0.5 μ M in HEK293T cell line, and results in irreversible reduction of cancer-initiating cells (CICs).

Size	2mg	5mg	10mg	50mg	1ml/10mM
Price(\$)	96	234	361	1171	218

Ubenimex**ID: T1257**

Bestatin is a competitive protease inhibitor. It is an inhibitor of aminopeptidase B, leukotriene A4 hydrolase, aminopeptidase N. It is being studied for use in the treatment of acute myelocytic leukemia.

Size	2mg	10mg	50mg	1ml/10mM
Price(\$)	36	78	133	69

O-Acetyl-L-carnitine HCl**ID: T2563**

O-Acetyl-L-carnitine hydrochloride is an acetic acid ester of CARNITINE that facilitates movement of ACETYL COA into the matrices of mammalian MITOCHONDRIA during the oxidation of FATTY ACIDS.

Size	5mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	49	85	228	364	84

ID-8**NEW****ID: T2431**

ID-8 is a DYRK inhibitor, and sustains embryonic stem cell self-renewal in long-term culture.

Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	49	85	170	267	84

4-Fluoroaniline**ID: T0655**

4-fluoroaniline is used as the intermediate of medicine, dyestuff, pesticide synthesis

Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

MI-2 (MALT1 inhibitor)**NEW****ID: T2350**

MI-2 (MALT1 inhibitor) is an irreversible MALT1 inhibitor with IC₅₀ of 5.84 μ M.

Size	2mg	5mg	10mg	50mg	1ml/10mM
Price(\$)	59	88	133	432	99

7ACC2**NEW****ID: T1768**

7ACC2 is a new potent MCT inhibitor with IC₅₀ of 11 nM for inhibition of [¹⁴C]-lactate influx; new antitumor treatment targeting lactate transport in cancer cells.

Size	1mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	112	357	517	924	1478	387

OTSSP167

NEW

ID: T1759

OTSSP167 is an inhibitor of maternal embryonic leucine zipper kinase (MELK) with IC₅₀ value of 0.41nM.



Size	2mg	5mg	10mg	50mg	1ml/10mM
Price(\$)	122	203	306	706	247

MSDC-0160

NEW

ID: T2607

MSDC-0160 is a prototype mTOT-modulating insulin sensitizer being studied to treat diabetes and Alzheimer's disease. Phase 2.

Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	81	133	203	398	709	148

O4I1

NEW

ID: T2439

O4I1 is a potent Oct3/4 inducer.

Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	73	107	202	347	99

O4I2

NEW

ID: T2437

O4I2 is a potent Oct3/4 inducer in various human cell lines including human fibroblasts.

Size	5mg	10mg	50mg	1ml/10mM
Price(\$)	122	207	657	133

SBC-115076

NEW

ID: T2626

SBC-115076 is a potent extracellular proteopain convertase subtilisin kexin type 9 (PCSK9) antagonist.

Size	1mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	64	160	282	544	883	194

Sucralfate**ID: T1338**

Sucralfate is a cytoprotective agent, an oral gastrointestinal medication primarily indicated for the treatment of active duodenal ulcers.

Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

PKF-015

NEW

ID: T2455

PKF-015 is an effective inhibitor of PFKFB3 with IC₅₀ of 110 nM (recombinant PFKB3) and inhibits PFKFB3 activity in cancer cells with IC₅₀ of 20 nM.

Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	49	85	170	267	84

4-aminobenzoic acid**ID: T1311**

An aminobenzoic acid isomer that combines with pteridine and GLUTAMIC ACID to form FOLIC ACID.

Size	50mg	100mg	500mg	1g	1ml/10mM
Price(\$)	13	24	44	67	27

Daidzein**ID: T1238**

Daidzein is a natural isoflavone phytoestrogen found in Leguminosae, used as a component of foods and dietary supplements.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

CCT007093

NEW

ID: T1927

CCT007093 is a potent PPM1D (WIP1) inhibitor with IC₅₀ of 8.4 μ M.

Size	10mg	25mg	50mg	1ml/10mM
Price(\$)	107	215	362	81

8-Azaguanine**ID: T2218**

Azaguanine-8 is a purine analogs showing antineoplastic activity by competing with guanine in the metabolism.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Azeliragon

NEW

ID: T2507

TTP488 is an antagonist at the Receptor for Advanced Glycation End products, is evaluated as a potential treatment for patients with mild-to-moderate Alzheimer_acute_s disease (AD).

Size	5mg	10mg	50mg	1ml/10mM
Price(\$)	133	255	694	169

Others**6-Hydroxypurine**

ID: T1362



A purine and a reaction intermediate in the metabolism of adenosine and in the formation of nucleic acids by the salvage pathway.

Size	5mg	25mg	100mg	500mg	1ml/10mM
Price(\$)	13	33	80	197	27

Aptal

ID: T0774



Chlorocresol is an activator of ryanodine receptor

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

1,3-Propanedisulfonic disodium

ID: T0382



AA amyloidosis is a form of amyloidosis, a disease characterized by the abnormal deposition of fibers of insoluble protein in the extracellular space of various tissues and organs.

Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

D-Sorbitol

ID: T0332



A polyhydric alcohol with about half the sweetness of sucrose.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	133	27

GSK650394

NEW

ID: T2622



GSK650394 is a serum-and glucocorticoid-regulated kinase-1 inhibitor with IC50 of 62 nM and 103 nM for SGK1 and SGK2, respectively.

Size	1mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	31	84	160	339	591	112

Dimethyl sulfoxide

ID: T0341



A highly polar organic liquid, that is used widely as a chemical solvent

Size	10mg	50mg	100mg	200mg	1ml/10mM
Price(\$)	13	30	78	133	27

SRPIN340

NEW

ID: T1954



SRPIN340 is a serine/arginine-rich protein kinase (SRPK)-specific inhibitor with an IC50 value of 0.89 μM (SRPK1); no significant inhibitory activity against more than 140 other kinases.

Size	5mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	116	182	517	820	115

Acarbose

ID: T0247



Acarbose is an inhibitor of intestinal alpha-glucosidase, used to treat type 2 diabetes mellitus.

Size	2mg	10mg	50mg	1ml/10mM
Price(\$)	13	30	78	27

Phenol Red

ID: T0347



Red dye, pH indicator, and diagnostic aid for determination of renal function. It is used also for studies of the gastrointestinal and other systems.

Size	10mg	50mg	250mg	1ml/10mM
Price(\$)	11	24	40	27

Mefexamide HCl

ID: T0273



Mefexamide is a psychostimulant.

Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	13	24	37	52	39

Citiolone

ID: T0316



Citiolone is a drug used in liver therapy. It is a derivative of the amino acid cysteine.

Size	5mg	10mg	50mg	1ml/10mM
Price(\$)	13	24	35	84

Birch-Me

ID: T0399



Methyl salicylate (oil of wintergreen or wintergreen oil) is an organic ester naturally produced by many species of plants, particularly wintergreens.

Size	10mg	50mg	100mg	500mg	1ml/10mM
Price(\$)	13	24	36	133	27

Pyrantel tartrate

ID: T0395

Broad spectrum anthelmintic for livestock.



Size	10mg	50mg	100mg	500mg	1ml/10mM
Price(\$)	13	24	36	133	27

Bephenium Hydroxynaphthoate

ID: T0286




Bephenium hydroxynaphthoate (INN, trade names Alcopara, Alcopar, Befenium, Debefenium, Francin, Nemex) is an antihelminthic agent formerly used in the treatment of hookworm infections and ascariasis.

Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	13	24	37	52	39

Digitoxin

ID: T0295


A cardiac glycoside sometimes used in place of DIGOXIN. It has a longer half-life than digoxin; toxic effects, which are similar to those of digoxin, are longer lasting.



Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	13	24	37	52	39

Iodipamide

ID: T0271




A water-soluble radiographic contrast media for cholecystography and intravenous cholangiography.

Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	13	24	37	52	39

Methylene Blue trihydrate

ID: T0006



A compound consisting of dark green crystals or crystalline powder, having a bronze-like luster. Solutions in water or alcohol have a deep blue color.

Size	10mg	50mg	250mg	1g	1ml/10mM
Price(\$)	13	23	42	64	27

Meticrane

ID: T0275

Meticrane (INN) is a diuretic.



Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	13	24	37	52	39

Metyrapone

ID: T0293



An inhibitor of the enzyme steroid 11-beta-monooxygenase.

Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	13	24	37	52	39

Procodazole


ID: T0288

Procodazole is an organic compound.

Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	13	24	37	52	39

Bromisoval

ID: T0227



Bromisoval is a sedative and mild hypnotic with potentially toxic effects.

Size	10mg	50mg	100mg	500mg	1ml/10mM
Price(\$)	13	24	39	104	84

1-Aminohydantoin HCl

ID: T0668



1-Amino Hydantoin Hydrochloride is an organic compound.

Size	10mg	50mg	100mg	250mg	1ml/10mM
Price(\$)	13	24	40	71	27

Cinchonidine


ID: T1317

Cinchonidine is an alkaloid found in Cinchona officinalis.

Size	10mg	50mg	250mg	500mg	1ml/10mM
Price(\$)	13	24	42	69	27

Dibutyl carbonate

ID: T2152



Size	10mg	50mg	250mg	500mg	1ml/10mM
Price(\$)	13	24	42	69	27

Methyl carbamate

ID: T2151



Methyl carbamate is a white crystals


Size	10mg	50mg	250mg	500mg	1ml/10mM
Price(\$)	13	24	42	69	27

Others**Ethamivan****ID: T0233**

Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	13	24	42	78	27

Sulfanilylurea**ID: T0241**

Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	13	24	42	78	27

Glutathione**ID: T1085**

Size	5mg	25mg	100mg	1ml/10mM
Price(\$)	13	24	42	39

Khellin**ID: T1431**

Size	5mg	25mg	100mg	1ml/10mM
Price(\$)	13	24	42	39

Cinene**ID: T1295**

Size	100ul	500ul	1ml
Price(\$)	13	24	42

2-Aminoethanethiol**ID: T1080**

Size	10mg	50mg	100mg	500mg	1ml/10mM
Price(\$)	13	24	42	74	27

Allantoin**ID: T0925**

Size	10mg	50mg	100mg	500mg	1ml/10mM
Price(\$)	13	24	42	74	27

2'-Deoxyinosine**ID: T1709**

Size	10mg	50mg	100mg	500mg	1ml/10mM
Price(\$)	13	24	42	74	27

Ethidium bromide**ID: T1220**

Size	10mg	50mg	100mg	500mg	1ml/10mM
Price(\$)	13	24	42	74	27

Mexenone**ID: T0016**

Size	10mg	25mg	100mg	500mg	1ml/10mM
Price(\$)	13	24	42	74	27

N-Acetylneurameric acid**ID: T1638**

Size	10mg	50mg	100mg	500mg	1ml/10mM
Price(\$)	13	24	42	74	27

PAMBA**ID: T1252**

Size	10mg	50mg	100mg	500mg	1ml/10mM
Price(\$)	13	24	42	74	27

Benzyl benzoate**ID: T0729**

Size	10mg	50mg	500mg	1g	1ml/10mM
Price(\$)	13	24	42	79	27

Diolane**ID: T0763**

Size	100ul	500ul	1ml	5ml	1ml/10mM
Price(\$)	13	24	43	64	27

Amidrine

ID: T0043



Octodrine is a stimulant drug whose pharmacology was briefly studied in the early 1950s. A platinum complex form of the molecule was also investigated as a possible anti-tumor drug

Size	20mg	25mg	100mg	500mg	1ml/10mM
Price(\$)	13	24	42	77	27

Iodoquinol

ID: T0513



One of the halogenated 8-quinolinolines widely used as an intestinal antiseptic, especially as an antiamebic agent. It is also used topically in other infections and may cause CNS and eye damage. It is known by very many similar trade names world-wide.

Size	20mg	100mg	250mg	500mg	1ml/10mM
Price(\$)	13	24	42	78	27

Amylenhydrate

ID: T0761



A branched pentanol used primarily as a pharmaceutical or pigment solvent.

Size	100ul	500ul	1ml	5ml
Price(\$)	13	24	43	64

Styrene oxide

ID: T0641



Styrene oxide is an epoxide derived from styrene. It can be prepared by epoxidation of styrene with peroxybenzoic acid.

Size	100ul	500ul	1ml	5ml
Price(\$)	13	24	43	64

Ethyl vanillin

ID: T0491



As a flavorant, ethylvanillin is about three times as potent as vanillin and is used in the production of chocolate.

Size	20mg	100mg	500mg	1ml/10mM
Price(\$)	13	24	43	27

L-Pyroglutamic acid

ID: T0507



A cyclized derivative of L-GLUTAMIC ACID. Elevated blood levels may be associated with problems of GLUTAMINE or GLUTATHIONE metabolism.

Size	20mg	100mg	500mg	1ml/10mM
Price(\$)	13	24	43	27

Oxybenzone

ID: T0499



Oxybenzone is an organic compound used in sunscreens. It is a derivative of benzophenone. It forms colorless crystals that are readily soluble in most organic solvents. It is used as an ingredient in sunscreen and other cosmetics because it absorbs UV-A ultraviolet rays.

Size	20mg	100mg	500mg	1ml/10mM
Price(\$)	13	24	43	27

Tyrosine

ID: T0493



A non-essential amino acid. In animals it is synthesized from PHENYLALANINE.

Size	20mg	100mg	500mg	1ml/10mM
Price(\$)	13	24	43	27

Dibutyl phthalate

ID: T0619



Dibutyl phthalate is a plasticizer used in most plastics and found in water, air, soil, plants and animals. It may have some adverse effects with long-term exposure.

Size	100ul	500ul	1ml
Price(\$)	13	24	43

Trimetazidine 2HCl

ID: T0988



A vasodilator used in angina of effort or ischemic heart disease.

Size	5mg	25mg	100mg	500mg	1ml/10mM
Price(\$)	13	24	45	113	27

Iopromide

ID: T1522



Size	2mg	10mg	50mg	1ml/10mM
Price(\$)	13	24	48	59

2,3-Dihydrofuran

ID: T0654



2,3-Dihydrofuran is a heterocyclic compound. It is one of the simplest enol ethers.

Size	5mg	25mg	250mg	500mg	1ml/10mM
Price(\$)	13	24	57	133	27

Others**2-Naphthol**

ID: T0671



2-Naphthol, or β -naphthol, is a fluorescent colorless crystalline solid with the formula C₁₀H₇OH.

Size	5mg	25mg	250mg	500mg	1ml/10mM
Price(\$)	13	24	57	133	27

Cyasorb

ID: T0698



Dioxybenzene (benzophenone-8) is an organic compound used in sunscreen to block UVB and short-wave UVA (ultraviolet) rays.[2] It is a derivative of benzophenone. It is a yellow powder with a melting point of 68 °C. It is insoluble in water, but moderately soluble in ethanol and isopropanol.

Size	5mg	25mg	250mg	500mg	1ml/10mM
Price(\$)	13	24	57	133	27

Adipic acid

ID: T2228



From an industrial perspective, it is the most important dicarboxylic acid, mainly as a precursor for the production of nylon.

Size	5mg	25mg	100mg	500mg	1ml/10mM
Price(\$)	13	25	49	133	27

Orotic acid

ID: T0746



Orotic acid (OA) is an intermediate in pyrimidine metabolism. Orotic acid(6-Carboxyuracil) is a heterocyclic compound and an acid.

Size	10mg	50mg	100mg	500mg	1ml/10mM
Price(\$)	13	27	43	74	27

Erythrosine

ID: T0305



A tetraiodofluorescein used as a red coloring in some foods (cherries, fish), as a disclosure of DENTAL PLAQUE, and as a stain of some cell types.

Size	10mg	50mg	250mg	1ml/10mM
Price(\$)	13	27	43	27

Dehydroacetic acid

ID: T0899



It is used to reduce pickle bloating as a preservative for squash and strawberries. Also used in antienzyme toothpastes.

Size	5mg	25mg	100mg	250mg	1ml/10mM
Price(\$)	13	27	44	78	27

Tetrahydroxyquinone

ID: T0223



Tetrahydroxy-1,4-benzoquinone, also called tetrahydroxy-p-benzoquinone, tetrahydroxybenzoquinone, or tetrahydroxyquinone (THBQ, THQ), is an organic compound with formula C₆O₂(OH)₄.

Size	2mg	10mg	25mg	100mg	1ml/10mM
Price(\$)	13	30	53	91	27

Alpha-Chloralose

ID: T1315



A derivative of CHLORAL HYDRATE that was used as a sedative but has been replaced by safer and more effective drugs.

Size	5mg	25mg	100mg	250mg	1g	1ml/10mM
Price(\$)	13	27	56	92	185	27

Rutin

ID: T0795



Rutin, a flavonol glycoside found in many plants including buckwheat; tobacco; forsythia; hydrangea; viola, etc., which possesses healthy effects for human.

Size	10mg	50mg	100mg	1ml/10mM
Price(\$)	13	30	48	27

Benzyladenine

ID: T1004



It is an inhibitor of respiratory kinase in plants, and increases post-harvest life of green vegetables.

Size	5mg	25mg	100mg	250mg	1ml/10mM
Price(\$)	13	27	56	92	27

Iohexol

ID: T1554



An effective non-ionic, water-soluble contrast agent which is used in myelography, arthrography, nephroangiography, arteriography, and other radiographic procedures.

Size	10mg	50mg	250mg	1g	1ml/10mM
Price(\$)	13	27	58	90	27

Butylated hydroxyanisole

ID: T0787



Butylated hydroxyanisole (BHA) is an antioxidant consisting of a mixture of two isomeric organic compounds, 2-tert-butyl-4-hydroxyanisole and 3-tert-butyl-4-hydroxyanisole.

Size	10mg	50mg	100mg	1ml/10mM
Price(\$)	13	30	48	27

4-Butoxyphenol

ID: T1350



4-Butoxyphenol is an organic compound.

Size	5mg	25mg	100mg	250mg	1g	1ml/10mM
Price(\$)	13	27	56	92	185	27

Guaiacol

ID: T1301



Guaiacol is a precursor to various flavorants, such as eugenol and vanillin.

Size	5mg	25mg	100mg	250mg	1g	1ml/10mM
Price(\$)	13	27	56	92	185	27

Protonamide

ID: T1161



Antitubercular agent similar in action and side effects to ETHIONAMIDE.

Size	2mg	10mg	50mg	200mg	1g	1ml/10mM
Price(\$)	13	30	78	122	241	27

Acipimox

ID: T1162



Acipimox is a niacin derivative used as a hypolipidemic agent.

Size	2mg	10mg	50mg	200mg	1g	1ml/10mM
Price(\$)	13	30	78	122	27	

Adenosine 5'-triphosphate disodium salt

ID: T1352



ATP is a disodium salt form of adenosine-triphosphate which is a multifunctional nucleoside triphosphate.

Size	2mg	10mg	50mg	200mg	1g	1ml/10mM
Price(\$)	13	30	78	122	27	

Betamipron

ID: T1430



Betamipron is a chemical compound which is used together with panipenem to inhibit panipenem uptake into the renal tubule and prevent nephrotoxicity.

Size	2mg	10mg	50mg	200mg	1g	1ml/10mM
Price(\$)	13	30	78	122	27	

Bromhexine HCl

ID: T0828



A mucolytic agent used in the treatment of respiratory disorders associated with viscid or excessive mucus.

Size	2mg	10mg	50mg	200mg	1g	1ml/10mM
Price(\$)	13	30	78	122	27	

Carbazochrome sodium sulfonate

ID: T0852



Carbazochrome sodium sulfonate (AC-17) is an antihemorrhagic for use in the treatment of hemorrhoids

Size	2mg	10mg	50mg	200mg	1g	1ml/10mM
Price(\$)	13	30	78	122	27	

Chlorpropamide

ID: T0490



Chlorpropamide is a sulfonylurea class drug for type 2 diabetes mellitus.

Size	2mg	10mg	50mg	200mg	1g	1ml/10mM
Price(\$)	13	30	78	122	27	

Clorsulon

ID: T1137



Clorsulon is used in the treatment of Fasciola hepatica infections in calves and sheep.

Size	2mg	10mg	50mg	200mg	1g	1ml/10mM
Price(\$)	13	30	78	122	27	

Creatinine

ID: T0496



Creatinine is a break-down product of creatine phosphate in muscle, and is usually produced at a fairly constant rate by the body.

Size	2mg	10mg	50mg	200mg	1g	1ml/10mM
Price(\$)	13	30	78	122	27	

Cyclamic acid

ID: T0941



Cyclamic acid in the form of its sodium or calcium salt is one of the most widely used artificial sweeteners.

Size	2mg	10mg	50mg	200mg	1g	1ml/10mM
Price(\$)	13	30	78	122	27	

Ethambutol 2HCl

ID: T0810



Nocodazole is an inhibitor of microtubule polymerization which inhibits insulin-stimulated glucose transport. It impairs the morphology and directionality of migrating medial ganglionic eminence cells and disrupts microtubules by binding to β-tubulin.

Size	2mg	10mg	50mg	200mg	1g	1ml/10mM
Price(\$)	13	30	78	122	27	

Others**Cyromazine****ID: T0845**

Cyromazine is a triazine insect growth regulator used as an insecticide and an acaricide.



Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Diclazuril**ID: T1172**

Diclazuril is an anti-coccidial drug.



Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Dropopropizine**ID: T0452**

Dropopropizine is a racemic non-opiate antitussive agent, it is used as a cough suppressant.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Erdosteine**ID: T1229**

Erdosteine is a mucolytic. Erdosteine is a thiol derivative developed for the treatment of chronic obstructive bronchitis, including acute infective exacerbation of chronic bronchitis.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Ethacridine lactate monohydrate**ID: T1440**

Ethacridine lactate monohydrate is an aromatic organic compound based on acridine used as an antiseptic agent.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Ferrous fumarate**ID: T0001**

Iron(II) fumarate, also known as ferrous fumarate, is the iron(II) salt of fumaric acid, occurring as a reddish-orange powder, used to supplement iron intake.

Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	13	30	78	122	27

L(-)-Carnitine**ID: T0846**

Actions Carnitine is a quaternary amine that occurs naturally in most mammalian tissue.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Lactulose**ID: T0799**

A synthetic disaccharide used in the treatment of constipation and hepatic encephalopathy.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Lauroseptol**ID: T0497**

Cetrimonium Bromide is a known component of the broad-spectrum antiseptic cetrimide, which is a mixture of different quaternary ammonium salts.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Meglumine**ID: T0503**

Meglumine is an amino sugar derived from sorbitol. It is often used as an excipient in pharmaceuticals and in conjunction with iodinated compounds in contrast media such as diatrizoate meglumine and Iodipamide meglumine.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Mesna**ID: T1414**

M2-mercaptoethane sulfonate (Mesna), is a synthetic small molecule, widely used as a systemic protective agent against chemotherapy toxicity, but is primarily used to reduce hemorrhagic cystitis induced by cyclophosphamide.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Sodium Nitroprusside**ID: T0003**

a potent vasodilator working through releasing NO spontaneously in blood

Size	2mg	10mg	50mg	500mg	1ml/10mM
Price(\$)	13	30	78	122	27

Sucralose

ID: T1399



Sucralose is an artificial and noncaloric sweetener, not broken down by the body, so it is noncaloric.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Tiopronin

ID: T1630



Tiopronin (trade name Thiola) is a prescription thiol drug used to control the rate of cystine precipitation and excretion in the disease cystinuria. Due to the rarity of the disorder, tiopronin falls under the classification of an orphan drug.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Zoxazolamine

ID: T0922



Zoxazolamine acts centrally as a muscle relaxant, but the mechanism of its action is not understood.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Allylthiourea

ID: T0418



Allylthiourea is a metabolic inhibitor that selectively inhibits ammonia oxidation.

Size	2mg	10mg	50mg	100mg	500mg	1ml/10mM
Price(\$)	13	30	78	133	244	27

Diclofenac diethylamine

ID: T0432



Diclofenac diethylamine is a nonsteroidal anti-inflammatory drug taken to reduce inflammation and as an analgesic reducing pain in certain conditions.

Size	2mg	10mg	50mg	100mg	500mg	1ml/10mM
Price(\$)	13	30	78	133	244	27

Guanidine HCl

ID: T0415



A strong organic base existing primarily as guanidinium ions at physiological pH.

Size	2mg	10mg	50mg	100mg	500mg	1ml/10mM
Price(\$)	13	30	78	133	244	27

Sodium gluconate

ID: T0416



Sodium gluconate is the sodium salt of gluconic acid widely used in food and pharmaceutical industry.

Size	2mg	10mg	50mg	100mg	500mg	1ml/10mM
Price(\$)	13	30	78	133	244	27

Chromocarbe

ID: T0259



Chromocarb is a vascular protective agent used in the treatment of venous disorders and microvascular affections.

Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	13	30	78	133	27

Cinepazide maleate

ID: T0368



Cinepazide maleate is a maleate salt form of cinepazide which is a vasodilator.

Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	13	30	78	133	27

Dibenzothiophene

ID: T0352



Dibenzothiophene (DBT) is a model compound for organic sulfur in fossil fuels.

Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	13	30	78	133	27

Toltrazuril

ID: T1061



Toltrazuril is an antiprotozoal agent that acts upon Coccidia parasites.

Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	13	30	78	133	27

Anethole trithione

ID: T1285



Choleretic used to allay dry mouth and constipation due to tranquilizers.

Size	2mg	10mg	50mg	1ml/10mM
Price(\$)	13	30	78	27

Others**Fudosteine****ID: T1481**

Fudosteine is a novel mucoactive agent and a MUC5AC mucin hypersecretion inhibitor.



Size	2mg	10mg	50mg	1ml/10mM
Price(\$)	13	30	78	27

Aceglutamide**ID: T0769**

Aceglutamide is a psychostimulant and nootropic used to improve memory and concentration. Chemically, it is the acetyl derivative of the amino acid L-glutamine.

Size	5mg	25mg	100mg	250mg	1ml/10mM
Price(\$)	13	31	56	105	27

Ethoxyquin**ID: T0756**

Antioxidant; also a post-harvest dip to prevent scald on apples and pears.

Size	5mg	25mg	100mg	250mg	1ml/10mM
Price(\$)	13	31	56	105	27

Metacetamol**ID: T0914**

METACETAMOL is an organic compound.

Size	5mg	25mg	100mg	500mg	1ml/10mM
Price(\$)	13	33	80	197	27

Iopanoic acid**ID: T0960**

Iopanoic acid is an iodine-containing radiocontrast medium used in cholecystography.

Size	25mg	50mg	100mg	500mg	1g	1ml/10mM
Price(\$)	18	31	47	73	105	47

Mogusteine**ID: T1169**

Mogusteine is a novel peripheral non-narcotic antitussive drug.


Size	10mg	50mg	100mg	250mg
Price(\$)	16	40	73	133

2,8-Quinolinedioi**ID: T2291**

Size	2mg	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	17	39	70	133	255	27

Fludrocortisone acetate**ID: T1666**

Fludrocortisone Acetate is a synthetic mineralocorticoid, used to control the amount of sodium and fluids in your body.



Size	2mg	10mg	50mg	1ml/10mM
Price(\$)	13	35	60	47

Theophylline-7-acetic acid**ID: T2205**

Theophylline-7-acetic acid is a stimulant drug of the xanthine chemical class. It acts as an adenosine receptor antagonist.



Size	5mg	25mg	100mg	500mg	1ml/10mM
Price(\$)	13	33	80	197	27

Crotamiton**ID: T0376**

Crotamiton is a scabicidal and antipruritic agent available as a cream or lotion for topical use only. It is a colorless to slightly yellowish oil, having a faint amine-like odor. It is miscible with alcohol and with methanol.

Size	10mg	50mg	100mg	1g	1ml/10mM
Price(\$)	13	36	54	89	27

L-Tryptophan**ID: T0439**

An essential amino acid that is necessary for normal growth in infants and for NITROGEN balance in adults.

Size	10mg	50mg	100mg	500mg	1g	1ml/10mM
Price(\$)	13	36	54	133	244	27

Dulcitol**ID: T0529**

Galactitol is a naturally occurring product of plants obtained following reduction of GALACTOSE.

Size	10mg	50mg	200mg	1ml/10mM
Price(\$)	14	27	58	27

Carbetapentane citrate**ID: T0464**

Pentoxyverine Citrate is an antitussive (cough suppressant) commonly used for cough associated with illnesses like common cold.

Size	10mg	50mg	100mg	200mg	1ml/10mM
Price(\$)	18	40	58	101	27

Nifekalant HCl

NEW

ID: T2712



Nifekalant (INN) is a class III antiarrhythmic agent approved in Japan for the treatment of arrhythmias and ventricular tachycardia. It has the brand name Shinbit.

Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	18	36	60	101	172	39

Kinetin

ID: T2223


Kinetin is a type of cytokinin, a class of plant hormone that promotes cell division.



Size	10mg	50mg	100mg	1ml/10mM
Price(\$)	19	34	58	27

DL-Glutamine

ID: T0326



A non-essential amino acid present abundantly throughout the body and is involved in many metabolic processes.

Size	10mg	50mg	100mg	1ml/10mM
Price(\$)	19	36	56	27

Anthralin

ID: T1068



An anthracene derivative that disrupts MITOCHONDRIA function and structure and is used for the treatment of DERMATOSES, especially PSORIASIS. It may cause FOLLICULITIS.

Size	2mg	10mg	25mg	1ml/10mM
Price(\$)	19	44	76	84

Metaxalone

ID: T1610



Metaxalone is a muscle relaxant used to relax muscles and relieve pain caused by strains, sprains, and other musculoskeletal conditions.

Size	2mg	10mg	25mg	1ml/10mM
Price(\$)	19	44	76	84

Chlorhexidine

ID: T1000




A disinfectant and topical anti-infective agent used also as mouthwash to prevent oral plaque.

Size	10mg	50mg	100mg	1l/10mM
Price(\$)	22	39	66	27

Closantel

ID: T0237



Closantel is a gram positive antibacterial activity inhibitor, inhibiting the KinA/SpoOF system with IC50 of 3.8 μ M.

Size	1mg	2mg	5mg	10mg	1ml/10mM
Price(\$)	24	39	72	108	84

Pamabrom

ID: T1230



Pamabrom is a common over-the-counter diuretic used for relief of menstrual-associated symptoms.

Size	10mg	50mg	100mg	1ml/10mM
Price(\$)	22	44	71	33

Saccharin

ID: T0889




Flavoring agent and non-nutritive sweetener.

Size	10mg	50mg	500mg	1ml/10mM
Price(\$)	20	34	61	27

Octyl 4-methoxycinnamate

ID: T0073



Its primary use is in sunscreens and other cosmetics to absorb UV-B rays from the sun, protecting the skin from damage. It is also used to reduce the appearance of scars.

Size	100ul	500ul	1ml
Price(\$)	24	42	78

DNP (2,4-Dinitrophenol)

ID: T2165



2,4-dinitrophenol is a toxic dye, chemically related to trinitrophenol (picric acid), used in biochemical studies of oxidative processes where it uncouples oxidative phosphorylation.

Size	20mg	50mg	100mg	1ml/10mM
Price(\$)	23	51	84	57

Vanatone

ID: T0021



It is a substrate of An arylketone monooxygenase purified from *Pseudomonas putida* JD1 by ion exchange and affinity chromatography.

Size	5mg	10mg	25mg	250mg	1ml/10mM
Price(\$)	24	40	74	118	39

Others

Leucocystal Violet**ID: T1343**

Leuco Gentian Violet is a small molecular with formula C25H31N3.



Size	10mg	50mg	100mg	1ml/10mM
Price(\$)	22	44	71	33

Mefloquine HCl**ID: T0860**

Mefloquine HCl is a blood schizonticide by inhibiting hemozoin formation, used as an antimalarial drug.



Size	10mg	50mg	100mg	500mg	1ml/10mM
Price(\$)	24	42	78	153	39

Fluocinolone acetonide**ID: T0367**

Fluocinolone Acetonide is a corticosteroid that binds to the cytosolic glucocorticoid receptor.



Size	5mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	120	56

4-Hydroxy-3-methoxymandelic acid**ID: T0611**

Vanillyl mandelic acid (VMA) is a chemical intermediate in the synthesis of artificial vanilla flavorings[1] and is an end-stage metabolite of the catecholamines, epinephrine, and norepinephrine. It is produced via intermediary metabolites.

Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	24	42	83	133	84

Hydrastinine HCl**ID: T1607**

Hydrastinine is a semisynthetic alkaloid from the hydrolysis of the alkaloid hydrastine, which was found naturally in small quantities in Hydrastis canadensis L. (Ranunculaceae).

Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	24	42	83	133	203	84

Methomyl Oxime**ID: T1375**

Methomyl is the active ingredient in commercial fly bait granules which are mixed with a cola drink to kill bothersome raccoon, skunk and opossum.

Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	24	42	83	133	203	84

Mephenesin**ID: T0015**


Mephenesin is a centrally acting muscle relaxant.

Size	5mg	10mg	25mg	100mg	500mg	1ml/10mM
Price(\$)	24	40	74	118	207	39

Vanitiolide**ID: T0243**

it is pale yellow crystalline powder, used as chalagogue.

Size	5mg	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	24	42	83	133	206	56

2-Aminoheptane**ID: T0359**

Tuaminoheptane is a nasal decongestant drug which is a sympathomimetic stimulant and vasoconstrictor. However, it can cause skin irritation, which limits its usefulness as a nasal decongestant.

Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

3,4-Dimethoxybenzyl alcohol**ID: T0657**

3,4-Dimethoxybenzyl Alcohol is an organic compound.

Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

4-Methylmorpholine N-oxide**ID: T0636**

N-Methylmorpholine N-oxide (more correctly 4-methylmorpholine 4-oxide), NMO or NMNO is an organic compound. This heterocyclic amine oxide and morpholine derivative is used in organic chemistry as a co-oxidant and sacrificial catalyst in oxidation reactions for instance in osmium tetroxide oxidations and the Sharpless asymmetric dihydroxylation or oxidations with TPAP.

Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Acedoben**ID: T0315**

Acedoben (4-acetamidobenzoic acid) is a chemical compound with the molecular formula of C9H9NO3. It is the acetyl derivative of para-aminobenzoic acid (PABA).

Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Acetrizoic acid

ID: T0803



Acetrizoic acid is a molecule used as a contrast medium.

Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Afalanine

ID: T1106




N-Acetyl-DL-phenylalanine is a kind of Amino Acids and Derivatives.

Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Antascarin

ID: T0314



A substituted dihydroxybenzene used topically as an antiseptic for the treatment of minor skin infections.

Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Basibrol

ID: T0807



2,2,2-Tribromoethanol is white crystal or powder, sensitive to light and air.

Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Bispyrazolone

ID: T0659



Bispyrazolone is white or light yellow crystalline powder.

Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Diperodon HCl

ID: T0325



It is used as local anesthetic.

Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Cinromide

ID: T0413



Cinromide (3-bromo-N-ethylcinnanamide) is used as novel anticonvulsant agent.

Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Bucetin

ID: T0442



Bucetin is a pharmaceutical drug that acts as an analgesic and antipyretic. Chemically, it is similar to phenacetin with which it shares the risk of carcinogenesis. Bucetin was withdrawn from use in 1986 due to renal toxicity

Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Camylofine 2HCl

ID: T0346



Diclofenac diethylamine is a nonsteroidal anti-inflammatory drug taken to reduce inflammation and as an analgesic reducing pain in certain conditions.

Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Etofylline

ID: T0829



Etofylline is used as a Bronchodilator Agent.

Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Carbaglu

ID: T0755



Carglumic acid is an orphan drug used for the treatment of hyperammonaemia in patients with N-acetylglutamate synthase deficiency.

Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Carbenoxolone disodium

ID: T0992



An agent derived from licorice root. It is used for the treatment of digestive tract ulcers, especially in the stomach.

Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Fluoroethyl

ID: T1017



Fluroethyl (Indoklon) is a volatile liquid drug from the halogenated ether family, related to inhaled anaesthetic agents such as diethyl ether, but having the opposite effects, acting as a stimulant and convulsant.

Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Others**Denatonium benzoate****ID: T0708**

Denatonium is a quaternary ammonium cation



Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

DL-Carnitine**ID: T0743**

Constituent of striated muscle and liver. It is used therapeutically to stimulate gastric and pancreatic secretions and in the treatment of hyperlipoproteinemias.

Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Oxeladin citrate**ID: T0056**

Oxeladin is a cough suppressant. It is a highly potent and effective drug used to treat all types of cough of various etiologies. It is not related to opium or its derivatives, so treatment with oxeladin is free of risk of dependence or addiction.

Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Halazone**ID: T0037**

Stable, but may be light sensitive. Incompatible with strong oxidizing agents

Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Iodixanol**ID: T1196**

Iodixanol is a nonionic hydrophilic compound commonly used as a contrast agent during coronary angiography, particularly in individuals with renal dysfunction, as it is believed to be less toxic to the kidneys than most other intravascular contrast agents.

Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

L-Ornithine**ID: T0737**

An amino acid produced in the urea cycle by the splitting off of urea from arginine.

Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Drofenine HCl**ID: T0713**

Drofenine Hydrochloride is the Hydrochloride salt of Drofenine.



Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Lupetidin**ID: T1007**

2,6-Dimethylpiperidines are chemical compounds with the formula C5H8(CH3)2NH.




Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Oxiniac Acid**ID: T0067**

Compounds useful for inhibition of farnesyl protein transferase [US6689789]

Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Oxantel Pamoate**ID: T0323**

Oxantel pamoate is used as Antinematodal Agent.

Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Menbutone**ID: T1148**

Menbutone is an organic compound with formula C15H14O4.

Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Mepiroxol**ID: T0257**

3-PYRIDINEMETHANOL N-OXIDE, also called Mepiroxol used as antihyperlipidemic.

Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Nicotinic acid hydrazide**ID: T0664**

Nicotinohydrazide is a kind of small molecular compounds with formula C6H7N3O.

Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Mebeverine HCl

ID: T1053



Mebeverine is a drug whose major therapeutic role is in the treatment of irritable bowel syndrome (IBS) and the associated abdominal cramping.

Mebeverine is a drug whose major therapeutic role is in the treatment of irritable bowel syndrome (IBS) and the associated abdominal cramping.

Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Oxolamine citrate

ID: T0768



Oxolamine is a cough suppressant that is available as a generic drug in many jurisdictions.

Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Phenyl acetate

ID: T0650



Phenyl acetate is the ester of phenol and acetic acid. One way that it can be produced by decarboxylation of aspirin. Another way that it can be produced is by reacting phenol with acetic anhydride.

Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Phthalylsulfacetamide

ID: T0409



Parenteral sulfonamides for dysentery, enteritis, and prevention of intestinal infection after surgery.

Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Piroctone olamine

ID: T0721



Piroctone olamine, also known as Octopirox (Clariant) and piroctone ethanolamine, is a compound sometimes used in the treatment of fungal infections. Piroctone olamine is the ethanolamine salt of the hydroxamic acid derivative piroctone.

Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Retinol palmitate

ID: T1059



Vitamin A palmitate is a more stable, synthetic version of the essential nutrient vitamin A joined to palmitic acid.

Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Potassium antimonyl tartrate sesquihydrate

ID: T0831



Antimony potassium tartrate trihydrate is a powerful emetic, and used in the treatment of schistosomiasis and leishmaniasis.

Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Sulisobenzene

ID: T0691



Sulisobenzene (benzophenone-4) is an ingredient in some sunscreens which protects the skin from damage by UVB and short-wave UVA ultraviolet light.

Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Terpin Monohydrate

ID: T0910



Terpin hydrate is an expectorant, commonly used to loosen mucus in patients presenting with acute or chronic bronchitis, and related conditions.

Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Ultraviolet Absorbent UV-360

ID: T0340



Bisotrifluoromethylbenzotriazole is a benzotriazole-based organic compound that is added to sunscreens to absorb UV rays.

Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Tyloxapol

ID: T0307




Tyloxapol is a non-ionic detergent often used as a surfactant.

Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Undecenoic acid

ID: T0306



Undecylenic acid is an organic unsaturated fatty acid pyrolysis product of ricinoleic acid from castor oil. It is used in the manufacture of pharmaceuticals, cosmetics and perfumery, including antidandruff shampoos, antimicrobial powders and as a musk in perfumes and aromas.

Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Others

Thiocticamide**ID: T0823**

Lipoamide is a trivial name for 6,8-dithiooctanoic amide.

Size 5mg 10mg 25mg 50mg 200mg 1ml/10mM

Price(\$) 24 42 83 133 244 56

Phenothrin**ID: T1200**

Phenothrin, also called sumithrin, is a synthetic pyrethroid that kills adult fleas and ticks.

Size 2mg 5mg 10mg 25mg 50mg 1ml/10mM

Price(\$) 24 42 83 133 244 84

Morantel tartrate**ID: T0363**

Antinematodal agent used mainly for livestock.

Size 5mg 10mg 25mg 50mg 1ml/10mM

Price(\$) 24 42 83 133 56

DL-Mevalonolactone**ID: T1353**

Mevalonic acid is very soluble in water and polar organic solvents. It exists in equilibrium with its lactone form.

Size 2mg 5mg 10mg 25mg 1ml/10mM

Price(\$) 24 42 83 133 84

Eflornithine HCl Monohydrate**ID: T2593**

Eflornithine hydrochloride, hydrate (DFMO; MDL-71782) is a drug found to be effective in the treatment of facial hirsutism.

Size 10mg 50mg 100mg 1ml/10mM

Price(\$) 24 49 73 59

Beclamide**ID: T1249**

Beclamide is used as antiepileptics.

Size 5mg 10mg 25mg 50mg 100mg 1ml/10mM

Price(\$) 24 42 83 133 203 56

DCU**ID: T1251**

Dicloralurea is a organic compound with molecular formula C5H6Cl6N2O3

Size 5mg 10mg 25mg 50mg 100mg 1ml/10mM

Price(\$) 24 42 83 133 203 56

Acetanilide**ID: T0406**

Acetanilide is an aniline derivative and has possess analgesic.

Size 2mg 10mg 25mg 50mg 100mg 1g 1ml/10mM

Price(\$) 24 58 162 244 366 27

3-Chloropropiophenone**ID: T1342**

3-Chloropropiophenone is a small molecular compound.

Size 5mg 10mg 25mg 50mg 200mg 1ml/10mM

Price(\$) 24 42 83 133 244 56

1-Phenyl-1,2-ethanediol**ID: T1346**

O-benzyl oxime ether derivatives and their use as pesticides.

Size 5mg 10mg 25mg 50mg 200mg 1ml/10mM


Price(\$) 24 42 83 133 244 56

4-Methylumbelliferon (4-MU)**ID: T1391**

A coumarin derivative possessing properties as a spasmolytic, choleric and light-protective agent.

Size 2mg 10mg 50mg 100mg 1ml/10mM

Price(\$) 24 58 162 259 56

Demeton-s-methyl sulfone**ID: T1367**

Demeton-S-methyl Sulfone is a kind of pesticides.

Size 5mg 10mg 25mg 50mg 100mg 1ml/10mM

Price(\$) 24 42 83 133 203 56

1,1-Bis(Methylthio)-2-Nitroethylene**ID: T1345**

Bis(methylthio)-2-nitroethylene is an organic compound.

Size 5mg 10mg 25mg 50mg 200mg 1ml/10mM

Price(\$) 24 42 83 133 244 56

Trimetozine**ID: T0240**

Trimetozine is a sedative that has been marketed in Europe since 1959. It also has mild tranquilizing effects and has been used in the treatment of anxiety.

Size 2mg 10mg 25mg 50mg 100mg 1ml/10mM

Price(\$) 24 67 119 206 328 67

Eprazinone 2HCl

ID: T3034

Eprazinone 2HCl is a drug with proposed mucolytic, secretolytic, and bronchial antispasmodic properties.



Size	5mg	25mg	50mg	100mg	500mg	1ml/10mM
Price(\$)	24	50	78	137	422	40

Nandrolone

ID: T2560



Nandrolone (19-nortestosterone) is an anabolic steroid that may be present naturally in the human body, albeit in minute quantities of less than 0.4 ng/ml.

Size	10mg	50mg	100mg	500mg	1ml/10mM
Price(\$)	24	49	73	244	47

Deoxycorticosterone acetate

ID: T3033



Deoxycorticosterone acetate is a steroid hormone used for intramuscular injection for replacement therapy of the adrenocortical steroid.

Size	5mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	24	50	78	137	40

4-Hydroxy-3-methoxybenzylamine HCl

ID: T1356



Vanillylamine is an alkaloid that is an intermediate in the biosynthesis of capsaicin. Vanillylamine is produced from vanillin by the enzyme vanillin aminotransferase.

Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Benfotiamine

ID: T1129



Benfotiamine is a synthetic S-acyl derivative of thiamine (vitamin B1); an antioxidant dietary supplement.

Size	1mg	5mg	10mg	50mg	1ml/10mM
Price(\$)	24	64	101	259	84

Roniacol

ID: T1299



Alcohol analog of NICOTINIC ACID which is a direct-acting peripheral vasodilator that causes flushing and may decrease blood pressure. It is used in vasospasm and threatened GANGRENE.

Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Euquinine

ID: T0519



Size	5mg	50mg	100mg	1ml/10mM
Price(\$)	27	49	88	57

4-Chloro-4'-hydroxybenzophenone

ID: T1344



4-Chloro-4'-hydroxybenzophenone is an organic compound.

Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

5-Amino-4-imidazolecarboxamide

ID: T1722



An imidazole derivative which is a metabolite of the antineoplastic agents BIC and DIC.

Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Biscomate

ID: T1383



Bitoscanate is an organic chemical compound used in the treatment of hookworms

Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Bromindione

ID: T1515



Bromindione is a new anticoagulant.

Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Diatrizoic Acid

ID: T1395



A commonly used x-ray contrast medium.

Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Diphenyl phosphate

ID: T1348



Paint additives and coating additives not described by other categories

Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Others**2,3-Dichloroanisole****ID: T1358**

Substituted aminosalicylic acid amides with fungicidal effect and intermediate products for production thereof [US6380386].



Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

N-Carbethoxy-4-piperidone**ID: T1340**

Aminopyrimidine derivatives, processes for their preparation, compositions containing them and their use as pharmaceuticals.

Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Fenchlorphos**ID: T1635**

Ronnel is a Filipino politician, entrepreneur, and businessman and a former councilor and currently serving as Mayor of General Santos.

Size	5mg	25mg	50mg	1ml/10mM
Price(\$)	25	76	133	84

Nitarstone**ID: T0303**

Nitarstone is an organoarsenic compound that is used in poultry production as a feed additive to increase weight gain, improve feed efficiency, and prevent blackhead disease.

Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	25	49	83	145	216	99

AMI-5**ID: T2178**

Eosin yellowish is a versatile red dye used in cosmetics, pharmaceuticals, textiles, etc., and as tissue stain, vital stain, and counterstain with HEMATOXYLIN. It is also used in special culture media.



Size	5mg	50mg	100mg	1g	1ml/10mM
Price(\$)	27	49	88	167	57

Dicurone**ID: T0434**

Glucuronolactone is a naturally occurring chemical that is an important structural component of nearly all connective tissues. Glucuronolactone is also found in many plant gums.

Size	5mg	50mg	100mg	500mg	1ml/10mM
Price(\$)	27	49	88	170	57

Omeprazole sulfide**ID: T2687**

Omeprazole sulfide is a metabolite of Omeprazole, which is a proton pump inhibitor.




Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	25	43	66	123	217	59

Oxyclozanide**ID: T0955**

Oxyclozanide is a salicylanilide anthelmintic used in the treatment and control of Fascioliasis in ruminants mainly domestic animals like Cattle, Sheep and Goats.

Size	5mg	50mg	100mg	1g	1ml/10mM
Price(\$)	27	49	88	167	57

Dimesna**ID: T1672**


Dimesna is an uroprotective agent used to decrease urotoxicity.

Size	2mg	5mg	10mg	25mg	1ml/10mM
Price(\$)	25	49	89	172	99

Moxonidine**ID: T1028**

Moxonidine is a selective agonist at the imidazoline receptor subtype 1, used as antihypertensive agent.

Size	2mg	5mg	10mg	20mg	1ml/10mM
Price(\$)	25	49	86	148	56

Diatrizoate sodium**ID: T1319**

Diatrizoate Sodium is an iodinated radiopaque X-ray contrast medium.

Size	5mg	50mg	100mg	1ml/10mM
Price(\$)	27	49	88	57

Trometamol**ID: T0961**

Trometamol is a proton acceptor used to treat acidemia.

Size	5mg	50mg	100mg	1g	1ml/10mM
Price(\$)	27	49	88	167	57

Diastase**ID: T1136**


A diastase is any one of a group of enzymes which catalyses the breakdown of starch into maltose.

Size	5mg	50mg	100mg	1ml/10mM
Price(\$)	27	49	88	57

Pancreatin**ID: T0517**


Pancreatin is a mixture of several digestive enzymes produced by the exocrine cells of the pancreas. It is composed of amylase, lipase and protease.

Size	5mg	50mg	100mg	1ml/10mM
Price(\$)	27	49	88	57

Zucapsaicin**ID: T1109**

Zucapsaicin (Civanex) is a medication used to treat osteoarthritis of the knee and other neuropathic pain. Zucapsaicin is a synthetic cis isomer of natural capsaicin that has shown therapeutic efficacy in pain accompanying osteoarthritis of the knee.

Size	5mg	50mg	100mg	1ml/10mM
Price(\$)	27	49	88	57


Cardiogenol C HCl**ID: T2161**

Small molecule cardiogenol C upregulates cardiac markers and induces cardiac functional properties in lineage-committed progenitor cells.

Size	2mg	5mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	27	51	100	173	296	82

Iopamidol**ID: T1576**


A non-ionic, water-soluble contrast agent which is used in myelography, arthrography, nephroangiography, arteriography, and other radiological procedures.



Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	28	55	85	130	56

Tris(2,2,2-trifluoroethyl) borate**ID: T2186**

Betaxolol is a cardioselective beta-adrenergic receptor blocking agent.



Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	28	73	234	408	71

Avobenzone**ID: T0695**

Avobenzone is an oil soluble ingredient used in sunscreen products to absorb the full spectrum of UVA rays and a dibenzoylmethane derivative.

Size	5mg	25mg	100mg	200mg	1ml/10mM
Price(\$)	29	58	133	282	39

CTx0294885

NEW

ID: T2042

CTX-0294885 is a novel bisanilino pyrimidine; exhibits inhibitory activity against a broad range of kinases in vitro, and further developed it into a Sepharose-supported kinase capture reagent.



Size	1mg	10mg	50mg	1ml/10mM
Price(\$)	29	65	258	48

Ethopabate**ID: T0959**

Methyl 4-acetamido-2-ethoxybenzoate is an inhibitor of folate metabolism. It is used as a coccidiostat in poultry.




Size	25mg	50mg	100mg	500mg
Price(\$)	31	56	80	120

Pimecrolimus


NEW

ID: T2648

Pimecrolimus, like all ascomycins, is an immunophilin ligand, which binds specifically to the cytosolic receptor, immunophilin macropinophil-12.



Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	42	64	99	205	357	84


Tranilast**ID: T2690**

Tranilast is an antiallergic drug by inhibiting lipid mediator and cytokine release from inflammatory cells, used for the treatment of allergic disorders such as asthma, allergic rhinitis and atopic dermatitis.

Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	33	58	89	149	59

Etofibrate**ID: T2554**

Etofibrate is a combination of clofibrate and niacin, used to treat hyperlipemia.



Size	5mg	10mg	50mg	1ml/10mM
Price(\$)	36	59	84	59

1-Methylindazole-3-carboxylic acid**ID: T1369**

it is an excellent solvent with proper boiling point.



Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	36	83	160	283	84

Others

Valethamate bromide**ID: T0023**

Anticholinergic agent



Size	5mg	20mg	120	1ml/10mM
Price(\$)	35	120	266	108

Acesulfame Potassium**ID: T0940**


Acesulfame potassium is a non-nutritive sweetener.



Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	32	49	76	118	44

Dixanthogen**ID: T1268**

Dixanthogen is an ectoparasiticide.



Size	5mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	36	100	172	305	59

Guaifenesin**ID: T0739**


An expectorant that also has some muscle relaxing action. It is used in many cough preparations.



Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	36	78	237	420	56

Decoquinate**ID: T0471**

A coccidiostat for poultry.



Size	10mg	50mg	100mg	1ml/10mM
Price(\$)	39	58	88	27

8-Hydroxyquinoline-2-carboxaldehyde**ID: T2290**

Size	2mg	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	39	71	133	255	488	40

BMS-303141**NEW****ID: T2337**BMS-303141 is a potent ATP-citrate lyase (ACL) inhibitor with an IC50 value of 0.13 μ M (human recombinant ACL).

Size	2mg	5mg	10mg	50mg	1ml/10mM
Price(\$)	42	73	94	334	76

Nitazoxanide**ID: T1546**


Nitazoxanide, is a synthetic nitrothiazoyl-salicylamide derivative and an anti-protozoal agent.



Size	5mg	25mg	100mg	1ml/10mM
Price(\$)	42	78	207	56

RGW 611**NEW****ID: T2020**


Detail unknown.




Size	5mg	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	45	71	123	222	429	66

Nandrolone decanoate**ID: T2556**

Nandrolone decanoate is an anabolic steroid used in doping.



Size	5mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	49	85	133	194	99

(R)-P7C3-Ome**NEW****ID: T1990**


P7C3 is a drug related to latrepirdine (dimebon), which has neuroprotective and proneurogenic effects, and may be potentially useful for the treatment of Alzheimer's disease and similar neurodegenerative disorders.

Size	2mg	5mg	10mg	50mg	1ml/10mM
Price(\$)	59	88	113	432	99

Eburnalritardo**ID: T2149**

Vinburnine (or eburnamone, Vincamone) is a vasodilator. Vincamone is a vinca alkaloid and a metabolite of vincamine.

Size	1mg	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	51	89	146	209	357	56

P7C3-A20**NEW****ID: T2423**


P7C3 is a drug related to latrepirdine (dimebon), which has neuroprotective and proneurogenic effects, and may be potentially useful for the treatment of Alzheimer's disease and similar neurodegenerative disorders.

Size	2mg	5mg	10mg	25mg	1ml/10mM
Price(\$)	52	77	133	244	112

Ecabet Sodium

ID: T2578

Ecabet sodium: a potential new agent in the management of distal colitis.



Size	5mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	49	85	228	364	84

AG-1557

NEW

ID: T2034

Detail unknown.



Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	55	87	172	318	84

FPH2 (BRD-9424)

NEW

ID: T2292

FPH2 (BRD-9424) is a small molecule, which promotes differentiation of iPSC-derived hepatocytes.



Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	56	86	135	308	570	111

AC1NS4RE

NEW

ID: T2340



Size	2mg	5mg	10mg	50mg	1ml/10mM
Price(\$)	59	88	113	432	99

Alodan

ID: T1380



Alodan is an organic chloride insecticide

Size	2mg	5mg	10mg	50mg	1ml/10mM
Price(\$)	59	88	113	432	84

Salifungin

ID: T1043




Detail unknown

Size	2mg	5mg	10mg	50mg	1ml/10mM
Price(\$)	59	88	113	432	84

Menatetrenone

ID: T2336



Menatetrenone is a menaquinone compound and form of vitamin K2 with potential antineoplastic activity.

Size	2mg	5mg	10mg	50mg	1ml/10mM
Price(\$)	59	88	113	432	99

Dihydroethidium

NEW

ID: T2021



Dihydroethidium(Hydroethidine; PD-MY 003) is a superoxide indicator; exhibits blue-fluorescence in the cytosol until oxidized, where it intercalates within the cell's DNA, staining its nucleus a bright fluorescent red.

Size	2mg	5mg	10mg	50mg	1ml/10mM
Price(\$)	59	88	113	432	99

Echinacoside

ID: T1716

Echinacoside is a natural polyphenolic compound, has various kinds of pharmacological activities, such as antioxidative, anti-inflammatory, neuroprotective, hepatoprotective, nitric oxide radical-scavenging and vasodilative ones

Size	1mg	5mg	10mg	50mg	1ml/10mM
Price(\$)	59	110	99		

Z-JIB-04 (NSC 693627)

NEW

ID: T1816




Z-JIB-04 is a compound with unknown details.

Size	2mg	5mg	10mg	50mg	1ml/10mM
Price(\$)	59	88	113	432	99

Alarelin

ID: T1494



Alarelin acetate is a synthetic GnRH agonist. Alarelin is found in higher amounts than that of LH-RH in rat hypophyseal stimulation of gonadotropin secretion in vivo and in vitro and in ovulation inductions.

Size	2mg	5mg	10mg	1ml/10mM
Price(\$)	59	88	113	84

EA25


ID: T1707

Antimycobacterial activity against wild type Mycobacterium tuberculosis H37Rv

Size	2mg	5mg	10mg	1ml/10mM
Price(\$)	59	88	113	84

Mangostin

ID: T1717



Mangostin is a natural xanthonoid, a type of organic compound isolated from various parts of the mangosteen tree

Size	1mg	5mg	1ml/10mM
Price(\$)	59	110	99

Others

Mertansine

NEW

ID: T1992



Mertansine refers to the thiol-containing maytansinoid, DM1 (N2'-deacetyl-N2'-(3-mercaptopro-1-oxopropyl) maytansine) attached to a monoclonal antibody through reaction of the thiol group with the SPP (N-succinimidyl 4-(2-pyridyl)dithio) linker to create an antibody-drug conjugate or ADC.

Size	2mg	5mg	10mg	50mg	1ml/10mM
Price(\$)	59	88	113	432	99

Lacosamide

ID: T2540



Lacosamide (Vimpat; Erlosamide) is a medication developed for the adjunctive treatment of partial-onset seizures and diabetic neuropathic pain.

Size	2mg	5mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	61	84	269	445	99	

Adjudin (AF-2364)

NEW

ID: T2498



Adjudin (AF-2364) is a drug which is under development as a potential non-hormonal male contraceptive drug.

Size	2mg	5mg	10mg	50mg	1ml/10mM
Price(\$)	61	88	305	77	

4-(1H-Pyrazol-4-yl)-7-((2-(trimethylsilyl)ethoxy)methyl)-7H-pyrrolo[2,3-d]pyrimidine

NEW

ID: T2476




Detail unknown

Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	61	107	202	347	84	

Robenidine HCl

ID: T2549




Robenidine hydrochloride is an anticoccidial agent mainly for poultry.

Size	10mg	50mg	100mg	1ml/10mM
Price(\$)	61	169	255	59

Y320

NEW

ID: T1846



Atglistatin is a highly potent, and selective inhibitor of adipose triglyceride lipase (ATGL) with IC50 of 0.7 μ M, high selectivity over other key metabolic lipases.

Size	2mg	5mg	10mg	50mg	1ml/10mM
Price(\$)	62	107	209	556	106

TP-808

NEW

ID: T2469




Detail unknown

Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	61	107	202	347	84

Exherin (ADH-1)

NEW

ID: T2637




Exherin (ADH-1) is a small, cyclic pentapeptide vascular-targeting agent with potential antineoplastic and antiangiogenic activities; selectively and competitively binds to and blocks N-cadherin.

Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	61	114	197	345	493	133

XEN-445

NEW

ID: T2249



XEN445 is a potent and selective endothelial lipase inhibitor with IC50 of 0.237 μ M

Size	2mg	5mg	25mg	50mg	1ml/10mM
Price(\$)	75	112	345	604	133

Mecarbitane

ID: T0013



Mecarbitane is a chemical intermediate of arbidol hydrochloride.

Size	2mg	5mg	10mg	50mg	1ml/10mM
Price(\$)	79	119	181	275	133

Lomitapide Mesylate

NEW

ID: T2545



Lomitapide Mesylate is a potent microsomal triglyceride transfer protein (MTP) inhibitor, used in the treatment of familial hypercholesterolemia.

Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	79	128	222	357	99

ELN 441958

NEW

ID: T2086



ELN-441958 is a potent, neutral antagonist of B1 receptor, inhibits the binding of the B1 agonist ligand [³H]DAKD to IMR-90 cells with Ki of 0.26 nM. ELN-441958 is highly selective for B1 over B2 receptors, and >500/ 2000-fold selective for the B1 over mu/_delta_-opioid receptor.

Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	80	124	234	385	94

Pixantrone dimaleate

ID: T2394

Pixantrone dimaleate (BBR 2778 dimaleate) is an experimental antineoplastic drug.



Size	5mg	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	80	133	255	377	99	

AT-56

NEW

ID: T1866

AT56, a specific inhibitor of prostaglandin D2 synthase enzymatic activity, blunted adipogenic aldosterone effects.



Size	5mg	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	83	148	319	567	99	

TH588

NEW

ID: T2037

TH588 is first-in-class nudix hydrolase family inhibitor that potently and selectively engage and inhibit the MTH1 (IC50= 5 nM) in cells.



Size	5mg	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	84	120	152	259	572	99

Atglistatin

NEW

ID: T1875



Atglistatin is a highly potent, and selective inhibitor of adipose triglyceride lipase (ATGL) with IC50 of 0.7 μ M, high selectivity over other key metabolic lipases.

Size	5mg	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	87	137	248	427	704	120

NSI-189

NEW

ID: T1833



NSI-189 is a nootropic and neurogenic research chemical derived from nicotinamide and pyrazine.

Size	5mg	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	87	161	320	517	933	86

S0859

NEW

ID: T2010



S0859, an N-cyanosulphonamide compound, reversibly inhibit NBC-mediated pH(i) recovery (K_i)=1.7 microM, full inhibition at approximately 30 microM).

Size	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	90	160	333	585	89

TPT-260

NEW

ID: T1856



TPT-260 2HCl (TPU260 2HCl) is a thiophene thiourea derivative with molecule weight 260.00 in free base form; There is no formal name yet, we temporally call this molecule as TPT-260.

Size	5mg	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	97	161	320	517	770	96

P7C3

NEW

ID: T1880



P7C3 is a potent proneurogenic and neuroprotective chemical that targets NAMPT enzyme.

Size	5mg	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	111	209	499	850	133	

Emapunil

NEW

ID: T2371



Emapunil(AC-5216;XBD-173) is a translocator protein

Size	5mg	10mg	50mg	1ml/10mM
Price(\$)	116	180	645	133

Neuropathiazol

ID: T2167


Neuropathiazol is a synthetic small molecule that induces neuronal differentiation of adult hippocampal neural progenitor cells.

Size	1mg
Price(\$)	117

Latanoprost

NEW

ID: T2528




Emapunil(AC-5216;XBD-173) is a translocator protein

Size	5mg	10mg	50mg	1ml/10mM
Price(\$)	122	195	488	133

CM 346(Obenoxazine)

NEW

ID: T1864



Afobazole (CM346) is an anxiolytic drug; produces anxiolytic and neuroprotective effects without any sedative or muscle relaxant actions.

Size	1mg	5mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	123	345	517	1474	2310	387

Others

STK321130**NEW****ID: T1938**

STK321130 is a compound with unknown detail.



Size	1mg	5mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	123	357	554	1651	2310	387

NO**ID: T2075**

Detail unknown.

Size	5mg	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	133	234	419	751	1364	132

MK5046**NEW****ID: T2126**

MK-5046 is a novel BRS-3 agonist, binds to BRS-3 with high affinity (mouse Ki = 1.6 nM, human Ki = 25 nM).

Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	148	308	443	751	11125	333

NSC-41589**NEW****ID: T2031**

N-[2-(methylsulfanyl) phenyl]acetamide.



Size	5mg	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	186	333	554	924	1410	185

CID 797718**NEW****ID: T1858**

CID-797718 is a compound with unknown details.

Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	243	345	473	940	1503	256

SW033291**NEW****ID: T2121**

SW033291 is a small-molecule inhibitor of 15-PGDH (Ki=0.1 nM) that increases prostaglandin PGE2 levels in bone marrow and other tissues.

Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	234	357	493	1109	1478	305

Natural Compound

cis-Anethol

ID: T0014



Extracted from *Foeniculum vulgare* fruit; Store the product in sealed, cool and dry condition

Size	5mg	10mg	25mg	100mg	500mg	1ml/10mM
Price(\$)	24	40	74	118	207	39

Betaine HCl

ID: T0019

A naturally occurring compound that has been of interest for its role in osmoregulation.



Size	5mg	10mg	25mg	250mg	1ml/10mM
Price(\$)	24	40	74	118	39

DL-Xylose

ID: T0032



Xylose is a sugar first isolated from wood. Xylose is classified as a monosaccharide of the aldopentose type.

Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	13	30	78	122	39

Hydroxyhexamide

ID: T0150



Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Aloin

ID: T0176



It is used as a stimulant-laxative, treating constipation by inducing bowel movements.[2] The compound is present in what is commonly referred to as the aloe latex that exudes from cells adjacent to the vascular bundles, found under the rind of the leaf and in between it and the gel. When dried, it has been used as a bittering agent in commerce

Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	24	42	83	133	244	56

Merbromin

ID: T0265




Merbromin is a topical antiseptic used for minor cuts and scrapes. Merbromin is an organomercuric disodium salt compound and a fluorescein.

Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	13	24	37	52	39

Escin

ID: T0278



Pentacyclic triterpene saponins, biosynthesized from protoaescigenin and barringtonogenol, occurring in the seeds of *AESCULUS*. It inhibits edema formation and decreases vascular fragility.

Size	2mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	13	24	37	52	39

Resorcin monoacetate

ID: T0339



Cannabidiol (CBD) is one of at least 85 active cannabinoids identified in cannabis.

Size	100ul	500ul	1ml
Price(\$)	24	33	57

Artemisinin

ID: T0392



Artemisinin is a drug used to treat multi-drug resistant strains of *falciparum* malaria (as well as increasingly vivax malaria).

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	133	27

Artesunate

ID: T0433



Artesunate is a part of the artemisinin group of agents with an IC50 of < 5 μ M for small cell lung carcinoma cell line H69.

Size	5mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	24	43	162	406	27

Protocatechuic acid

ID: T0562



Protocatechuic acid (PCA) is a dihydroxybenzoic acid, a type of phenolic acid. It is a major metabolite of antioxidant polyphenols found in green tea. It has mixed effects on normal and cancer cells in *in vitro* and *in vivo* studies.

Size	5mg	25mg	250mg	1g	1ml/10mM
Price(\$)	13	24	57	133	27

Isomaltose

ID: T0581



Isomaltose is a disaccharide similar to maltose, but with a α -(1-6)-linkage instead of the α -(1-4)-linkage. It is a reducing sugar.

Size	5mg	50mg	100mg	1g	1ml/10mM
Price(\$)	13	49	88	167	57

Natural Compound

Erythritol

ID: T0583



Erythritol is a sugar alcohol used as low-calorie sweetener.

Size	5mg	50mg	100mg	1g	1ml/10mM
Price(\$)	13	49	88	167	57

Formononetin

ID: T0724



Formononetin is a phytoestrogen from the root of *Astragalus membranaceus* and an O-methylated isoflavone.

Size	5mg	50mg	100mg	1g	1ml/10mM
Price(\$)	27	49	88	167	57

Trans-Anethole

ID: T0722



Anethole (anise camphor) is an organic compound that is widely used as a flavoring substance.

Size	5mg	25mg	100mg	250mg	1g	1ml/10mM
Price(\$)	25	44	80	117	27	

Lactose

ID: T0586



Lactose is a disaccharide sugar derived from galactose and glucose that is found in milk.

Size	5mg	50mg	100mg	1g	1ml/10mM
Price(\$)	13	49	88	167	57

Hesperidin

ID: T1035



Hesperidin is a flavanone glycoside found abundantly in citrus fruits.

Size	2mg	10mg	25mg	100mg	1g	1ml/10mM
Price(\$)	25	71	116	234	56	

D(+)-Glucose

ID: T0887



Dextrose is the biologically active form of Glucose (D-Glucose).

Size	2mg	10mg	50mg	100mg	1g	1ml/10mM
Price(\$)	24	58	162	39		

Xylitol

ID: T0589




Xylitol is a sugar alcohol used as a sweetener.

Size	5mg	50mg	100mg	1g	1ml/10mM
Price(\$)	13	49	88	167	57

Mannose

ID: T0592



D-Mannose is a hexose or fermentable monosaccharide and isomer of glucose from manna, the ash *Fraxinus ornus* and related plants.

Size	5mg	50mg	100mg	1g	1ml/10mM
Price(\$)	13	49	88	167	57

Dihydroartemisinin

ID: T0607



Dihydroartemisinin (DHA) is a semi-synthetic derivative of artemisinin and isolated from the traditional Chinese herb *Artemisia annua*.

Size	1mg	5mg	10mg	1g	1ml/10mM
Price(\$)	24	56	95	99	

Ursolic acid

ID: T0722



Ursolic acid(Bungeolic acid) is a natural pentacyclic triterpenoid carboxylic acid, exerts anti-tumor effects and is an effective compound for cancer prevention and therapy.

Size	5mg	50mg	100mg	1g	1ml/10mM
Price(\$)	27	49	88	167	57

Erythrosin B

ID: T0578



Iodeosin is a tetraiodofluorescein used as a red coloring in some foods (cherries, fish), as a disclosure of DENTAL PLAQUE, and as a stain of some cell types. It has structural similarity to THYROXINE.

Size	5mg	50mg	100mg	1g	1ml/10mM
Price(\$)	27	49	88	167	57

Casanthranol

ID: T0771



Dried aged bark of a buckthorn, *Frangula purshiana* (FRANGULA), that contains the anthraquinone EMODIN and cascarosides. It is used as a laxative (CATHARTICS).

Size	5mg	10mg	25mg	50mg	200mg	1g	1ml/10mM
Price(\$)	24	42	83	133	244	56	

Maltitol

ID: T0585



Maltitol is a sugar alcohol (a polyol) used as a sugar substitute. It has 75–90% of the sweetness of sucrose (table sugar) and nearly identical properties, except for browning.

Size	5mg	50mg	100mg	1g	1ml/10mM
Price(\$)	13	49	88	167	57

Troxerutin**ID: T0772**

Troxerutin, a natural bioflavonoid isolated from *Sophora japonica*, has been reported to have many benefits and medicinal properties.



Size	2mg	10mg	50mg	200mg	1g	1ml/10mM
Price(\$)	13	30	78	122	357	27

Glycerite**ID: T0801**

Polyphenolic compounds with molecular weights of around 500-3000 daltons and containing enough hydroxyl groups (1-2 per 100 MW) for effective cross linking of other compounds (ASTRINGENTS).



Size	5mg	25mg	250mg	500mg	1ml/10mM
Price(\$)	13	24	57	133	27

Gallic acid**ID: T0877**

Gallic acid is found in almost all plants. Plants known for their high gallic acid content include gallnuts, grapes, tea, hops and oak bark.



Size	25mg	100mg	250mg	1g	1ml/10mM
Price(\$)	13	24	30	27	

D(-)-Arabinose**ID: T0588**

Arabinose is an aldopentose – a monosaccharide containing five carbon atoms, and including an aldehyde (CHO) functional group.

Size	5mg	50mg	100mg	1g	1ml/10mM
Price(\$)	13	49	88	167	57

L(+)-Arabinose**ID: T0587**

Arabinose is an aldopentose – a monosaccharide containing five carbon atoms, and including an aldehyde (CHO) functional group.

Size	5mg	50mg	100mg	1g	1ml/10mM
Price(\$)	13	49	88	167	57

Protoporphyrin IX**ID: T1192**

Protoporphyrin IX, in the metabolism of porphyrin, is created by the enzyme protoporphyrinogen oxidase.

Size	5mg	25mg	100mg	250mg	1ml/10mM
Price(\$)	13	27	56	92	27

Shikonin**ID: T1125**

Shikonin is also found in the Chinese herbal medicine plant *Lithospermum erythrorhizon*, the red-root gromwell. The dried root is a Chinese herbal medicine with various antiviral and biological activities, including inhibition of human immunodeficiency virus type 1 (HIV-1).

Size	2mg	5mg	10mg	1ml/10mM
Price(\$)	59	88	113	84

Vincamine**ID: T1286**

A major alkaloid of *Vinca minor L.*, Apocynaceae.

Size	10mg	50mg	100mg	500mg	1ml/10mM
Price(\$)	13	24	42	74	27

Eugenol**ID: T1297**

Eugenol is a Standardized Chemical Allergen. The physiologic effect of eugenol is by means of Increased Histamine Release and Cell-mediated Immunity.

Size	10mg	50mg	200mg	1ml/10mM
Price(\$)	24	49	97	27

8-Methoxysoralen**ID: T1548**

A naturally occurring furocoumarin compound found in several species of plants, including *Psoralea corylifolia*.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Silibinin**ID: T1660**

Silibinin, the main flavonoid extracted from the milk thistle *Silybum marianum*, displays hepatoprotective properties in acute and chronic liver injury.

Size	2mg	10mg	50mg	200mg	1ml/10mM
Price(\$)	13	30	78	122	27

Hematoxylin**ID: T1686**

1NM-PP1(PP1 Analog II) is a cell-permeable PP1 analog that acts as a potent and selective inhibitor of mutant kinases over their wild-type progenitors(IC50=28 uM vSrc; 4.2 nM v-Src-as1 I338G).

Size	5mg	50mg	100mg	1g	1ml/10mM
Price(\$)	27	49	88	167	57

Natural Compound

Eucalyptol

ID: T2174

Eucalyptol is a natural organic compound which is a colorless liquid.



Size	10mg	25mg	50mg	250mg	500mg
Price(\$)	13	19	29	55	82

Propidium Iodide

ID: T2130



Quaternary ammonium analog of ethidium; an intercalating dye with a specific affinity to certain forms of DNA and, used as diiodide, to separate them in density gradients; also forms fluorescent complexes with cholinesterase which it inhibits.

Size	1mg	2mg	5mg	10mg
Price(\$)	47	86	128	229

Kaempferol

ID: T2177



Kaempferol is a natural flavonol, a type of flavonoid, that has been isolated from plant sources

Size	2mg	5mg	10mg	1ml/10mM
Price(\$)	27	49	85	49

Triptolide (PG490)

ID: T2179

Triptolide is a diterpene triepoxide, immunosuppressive agent extracted from the Chinese herb Tripterygium wilfordii.



Size	5mg	10mg	25mg	50mg
Price(\$)	42	67	106	177

Geniposide

ID: T2212


Geniposide is an iridoid glycoside with a variety of biological activities including neuroprotective, anti-diabetic, antiproliferative, and antioxidative activity.



Size	5mg	50mg	100mg	1g	1ml/10mM
Price(\$)	27	49	88	167	57

Asperosaponin VI

ID: T2698



Extracted from Dipsacus asperoides C. Y. Cheng et T. M. Ai.; Suitability: 1g dissolved in 87ml water, 3ml boiling water; Store the product in sealed, cool and dry condition

Size	5mg	10mg	20mg	50mg
Price(\$)	39	63	94	180

Cephalomannine

ID: T2217


Cephalomannine is an active anti-cancer agent obtained from *Taxus yunnanensis* and has an antineoplastic effect on tumors found in mice.



Size	1mg	5mg	10mg
Price(\$)	62	133	207

D-Stachyose tetrahydrate

ID: T2713



Stachyose is a tetrasaccharide consisting of two α -D-galactose units, one α -D-glucose unit, and one β -D-fructose unit sequentially linked as gal (α 1 → 6) gal (α 1 → 6)glc (α 1↔2 β)fru.

Size	10mg	25mg	50mg	250mg	500mg
Price(\$)	13	19	29	55	82

Tetrahydropalmatine

ID: T2714

Extracted from *Corydalis yanhusuo* W. T. Wang; Suitability: DMSO, acidic solvent; Store the product in sealed, cool and dry condition




Size	2mg	10mg	50mg	100mg	200mg	1ml/10mM
Price(\$)	14	44	70	112	179	47

Tubeimoside I

ID: T2715

A triterpenoid saponin isolated from tubers of *Bolbosetu paniculatum*, Franquet, a traditional Chinese medicine "Tu-Bei-Mu".



Size	5mg	10mg	20mg	50mg
Price(\$)	39	63	94	180

1,3-Diphenylurea

ID: T2716




1,3-Diphenylurea is involved with Epoxide hydrolase activity. Bottomless glass bottle. Contents are inside inserted fused cone.

Size	20mg	50mg	200mg	500mg
Price(\$)	30	55	116	195

Salidroside

ID: T2717



Bottomless glass bottle. Contents are inside inserted fused cone.

Size	2mg	5mg	10mg	50mg	1ml/10mM
Price(\$)	116	169	271	708	181

Palmatine chloride**ID: T2718**

Extracted from herba fibraureae reciae;Suitability:Hot water;Store the product in sealed,cool and dry condition



Size	5mg	10mg	20mg	100mg	250mg
Price(\$)	24	43	67	177	329


Succinic acid**ID: T2719**

Extracted from Amber;Suitability:Water;Store the product in sealed,cool and dry condition

Size	5mg	20mg	50mg	100mg	200mg	1ml/10mM
Price(\$)	14	29	44	70	122	47

Ginsenoside Rc**ID: T2720**


Extracted from Panax ginseng C.A.Meyer(P. schinseng Nees) Root,stem,leaf and Pquinque folium L. middle of the root;Store the product in sealed, cool and dry condition



Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	44	73	112	246	456	112

Digitonin**ID: T2721**

Digitonin is a steroidal saponin (sapogenin) obtained from the foxglove plant Digitalis purpurea. It's aglycone is digitogenin, a spirostan steroid. It has been investigated as a detergent, as it effectively water-solubilizes lipids.



Size	5mg	10mg	25mg	50mg
Price(\$)	42	67	106	177

Tetramethylpyrazine**ID: T2722**

Extracted from Ligusticum chuanxiong Hort.;Suitability:Hot water,petroleum ether;Store the product in sealed,cool and dry condition

Size	5mg	10mg	20mg	50mg
Price(\$)	39	63	94	180

Scopolamine HBr**ID: T2725**

Extracted from Physochlaina infundibularis Kuang dried roots;Store the product in sealed, cool and dry condition

Size	5mg	20mg	50mg	100mg	200mg	1ml/10mM
Price(\$)	35	88	148	234	382	47

Caryophyllene oxide**ID: T2724**

Caryophyllene oxide, isolated from Aegle marmelos, has the potent anti-inflammatory activity.

Size	5mg	10mg	20mg	100mg	500mg
Price(\$)	13	19	27	59	146

Ketoisophorone**ID: T2723**

Size	10mg	25mg	50mg	250mg	500mg
Price(\$)	13	19	29	55	82

Salvianolic acid B**ID: T2727**

Packaging: Bottomless glass bottle. Contents are inside inserted fused cone.

Size	5mg	10mg	20mg	50mg
Price(\$)	39	63	94	180

Limonin**ID: T2728**

Limonin is a limonoid, and a bitter, white, crystalline substance found in citrus and other plants.

Size	5mg	20mg	50mg	100mg	200mg	1ml/10mM
Price(\$)	14	29	45	70	122	47

Scoparone**ID: T2729**

Extracted from A.scoparia Waldst.e Kit seeds;Store the product in sealed, cool and dry condition

Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	59	92	137	278	517	133

Cinnamic acid**ID: T2740**

Cinnamic acid exerts anti-diabetic activity by improving glucose tolerance in vivo and by stimulating insulin secretion in vitro.

Size	20mg	50mg	200mg	500mg	1ml/10mM
Price(\$)	30	55	116	195	33

5-Acetylsalicylic acid**ID: T2735**

Size	10mg	25mg	50mg	250mg	500mg
Price(\$)	13	19	29	55	82

Natural Compound

Sinomenine

ID: T2726

Sinomenine, a pure alkaloid extracted from the Chinese medical plant Sinomenium acutum, is used for the treatment of rheumatism and arthritis.



Size	5mg	10mg	20mg	100mg	250mg
Price(\$)	24	43	67	177	329

Shikimic Acid

ID: T2739

Actions Biosynthetic precursor of aromatic amino acids, as well as many alkaloids and other aromatic metabolites.




Size	5mg	20mg	50mg	200mg	500mg	1ml/10mM
Price(\$)	28	56	86	160	283	47

Gossypol acetic acid

ID: T2730

Gossypol-acetic acid, a polyphenolic compound isolated from cottonseeds, inhibits Bcl-2 by acting as a BH3 mimetic.



Size	5mg	10mg	20mg	100mg	250mg
Price(\$)	24	43	67	177	329

Usnic Acid

ID: T2731



Usnic acid is an antimicrobial, antitumor and enzyme inhibiting agent shown to uncouple oxidative phosphorylation in mouse-liver mitochondria. Usnic acid induces necrosis in certain cells.

Size	5mg	10mg	20mg	100mg	250mg
Price(\$)	24	43	67	177	329

(-)Epicatechin gallate

ID: T2732

Extracted from Green tea; Suitability: Water; Store the product in sealed, cool and dry condition



Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	59	92	137	278	517	133

Sennoside B

ID: T2744


Extracted from Puffer fish, salamanders, frogs foot spot; Suitability: Acidic aqueous solution; Store the product in sealed, cool and dry condition



Size	1mg	2mg	5mg	20mg	100mg	1ml/10mM
Price(\$)	36	55	96	171	470	91

Sarsasapogenin

ID: T2733



Sarsasapogenin is a steroid sapogenin, that is the aglycosidic portion of a plant saponin. It is named after sarsaparilla (*Smilax* sp.), a family of climbing plants found in subtropical regions. It was one of the first sapogenins to be identified, and the first spirostan steroid to be identified as such.

Size	5mg	10mg	20mg	50mg
Price(\$)	39	63	94	180

Sodium Demethylcantharidate

ID: T2736

Extracted from *Mylabris phalarata* pallas; Store the product in sealed, cool and dry condition



Size	5mg	10mg	20mg	50mg
Price(\$)	39	63	94	180

Neohesperidin

ID: T2737



Flavanone glycoside with antioxidant and neuroprotective properties. Unlike other citrus flavanones, it does not inhibit oral carcinogenesis in a rat model.

Size	10mg	50mg	100mg	250mg	1ml/10mM
Price(\$)	21	39	60	140	30

Dehydroandrographolide

ID: T2738

Extracted from *Andrographis paniculata* (Burm.f.) Nees; Suitability: E thanol, acetone; Store the product in sealed, cool and dry condition




Size	10mg	50mg	250mg
Price(\$)	27	51	118

Glycyrrhizin (Glycyrrhizic Acid)

ID: T2741

Actions Biologically active constituent in the sweet root of *Glycyrrhiza* species (licorice). Antiviral. Packaging 25,100 g in poly bottle




Size	2mg	5mg	10mg	25mg	200mg
Price(\$)	27	39	61	118	274

Aloin

ID: T2742


Aloin, a natural anthracycline from *Aloe vera*, is a tyrosinase inhibitor



Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	37	52	93	128	234	274

Iломастат (GM6001, Galardin)**ID: T2743**


Iломастат (GM6001, Galardin) is a broad spectrum matrix metalloprotease (MMP) inhibitor for MMP-1, MMP-2, MMP-3, MMP-7, MMP-8, MMP-9, MMP-12, MMP-14, and MMP-26 with K_i of 0.4 nM, 0.5 nM, 27 nM, 3.7 nM, 0.1 nM, 0.2 nM, 3.6 nM, 13.4 nM, 0.36 nM, respectively.




Size	1mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	49	120	185	382	668	145

Methyl Cholate**ID: T2744**

Biotransformation of methyl cholate using *Aspergillus niger* was investigated.



Size	10mg	25mg	50mg	250mg	500mg
Price(\$)	13	19	29	55	82

Glycyrrhetic acid(Enoxolone)**ID: T2745**

Enoxolone (INN, BAN; also known as glycyrrhetic acid) is a pentacyclic triterpenoid derivative of the beta-amyrin type obtained from the hydrolysis of glycyrrhetic acid, which was obtained from the herb liquorice.

Size	10mg	25mg	50mg	250mg	500mg
Price(\$)	13	19	29	55	82

Sophocarpine**ID: T2746**

Extracted from *Sophora flavescens* Ait.;Suitability:Methanol,ethanol,chloroform,acetone and benzene;Store the product in sealed,cool and dry condition

Size	2mg	5mg	20mg	50mg	250mg
Price(\$)	27	39	61	118	274

Endothall**ID: T2747**

The monohydrate is in the form of colorless crystals. Non corrosive. Used as a selective herbicide.



Size	5mg	10mg	20mg	50mg
Price(\$)	39	63	94	220


Ginkgolide A**ID: T2749**

Extracted from *Ginkgo biloba* L.;Suitability:Ethyl acetate,methanol,ethanol,two sulfoxide;Store the product in sealed,cool and dry condition

Size	5mg	10mg	20mg	50mg
Price(\$)	39	63	94	220

Cortodoxone**ID: T2748**

11-Deoxycortisol, also known as cortodoxone (INN, USAN, BAN), is a glucocorticoid steroid hormone that can be oxygenated to cortisol (hydrocortisone).



Size	5mg	10mg	20mg	100mg	250mg
Price(\$)	24	43	67	177	329

Ginkgolide C**ID: T2750**

Extracted from *Ginkgo biloba* Leaf P.E.;Suitability:Ethyl acetate,methanol,ethanol,two sulfoxide;Store the product in sealed,cool and dry condition

Size	5mg	10mg	20mg	50mg
Price(\$)	39	63	118	220

Ginkgolide B**ID: T2751**

Extracted from *Ginkgo biloba* Leaf P.E.;Suitability:Ethyl acetate,methanol,ethanol,two sulfoxide;Store the product in sealed,cool and dry condition

Size	25mg	50mg	200mg
Price(\$)	79	152	329

2'-Deoxyadenosine monohydrate**ID: T2752**

Deoxyadenosine is a deoxyribonucleoside. It is a derivative of the nucleoside adenosine, differing from the latter by the replacement of a hydroxyl group (-OH) by hydrogen (-H) at the 2' position of its ribose sugar moiety.



Size	5mg	10mg	20mg	100mg	250mg
Price(\$)	24	43	67	177	329

Avasimibe**ID: T2753**

Avasimibe inhibits ACAT with IC50 of 3.3 μ M, also inhibits human P450 isoenzymes CYP2C9, CYP1A2 and CYP2C19 with IC50 of 2.9 μ M, 13.9 μ M and 26.5 μ M, respectively.

Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	25	43	66	137	239	59

3,5-Diiodotyrosine Dihydrate**ID: T2760**

Size	10mg	25mg	50mg	250mg	500mg
Price(\$)	13	19	29	55	82

Natural Compound

Oxymatrine

ID: T2754

Alkaloid isolated from *Sophora flavescens*. Antifibrotic. Neuroprotective.1 Traditional chinese medicine used in the treatment against hepatitis B virus.2



Size	5mg	20mg	50mg	100mg	250mg	1ml/10mM
Price(\$)	13	30	46	81	148	47

Rhoifolin

ID: T2755

Extracted from *Turpinia arguya* Seem dried leaves;Store the product in sealed, cool and dry condition



Size	5mg	10mg	20mg	50mg
Price(\$)	39	63	94	180

Swertiajarin

ID: T2756

Extracted from Gentianaceae *Swertia L.* *Swertia mussotii* Franch;Suitability: Methanol,ethanol;Store the product in sealed,cool and dry condition



Size	5mg	10mg	20mg	100mg
Price(\$)	39	63	118	220

Myricetin

ID: T2757

Myricetin, a flavonoid compound isolated from the root bark of *Myrica cerifera*, which exerts antinociceptive effects.



Size	10mg	50mg	250mg
Price(\$)	27	51	118

Madecassic acid

ID: T2758

Extracted from whole herb of *Centella asiatica*;Store the product in sealed, cool and dry condition



Size	10mg	50mg	250mg
Price(\$)	27	51	118

Loganin

ID: T2759

Loganin,an iridoid glucosides,has been reported to be an inhibitor of Cox-1 and also noted to suppress TNF- α formation.



Size	5mg	10mg	20mg	50mg
Price(\$)	39	63	94	180

Naringin dihydrochalcone

ID: T2761

Naringin Dihydrochalcone(Naringin DC) is a new-style sweetening agent and an artificial sweetener derived from naringin.



Size	10mg	25mg	50mg	250mg	500mg
Price(\$)	13	19	29	55	82

Kasugamycin HCl

ID: T2762



Kasugamycin (Ksg) is an aminoglycoside antibiotic that was originally isolated in 1965, from *Streptomyces kasugaensis*.

Size	5mg	10mg	25mg	50mg	100mg
Price(\$)	14	25	43	76	122

Panaxadiol

ID: T2763



Extracted from Panax ginseng C. A. Mey.;Suitability:Methanol,acetone,DMSO;Store the product in sealed,cool and dry condition

Size	2mg	5mg	25mg	100mg
Price(\$)	39	73	116	207

10-Hydroxycamptothecin

ID: T2764



An alkaloid isolated from the stem wood of the Chinese tree, *Camptotheca acuminata*.

Size	10mg	50mg	250mg
Price(\$)	27	51	118

Rosmarinic acid

ID: T2765



Rosmarinic acid has shown to contain antioxidant,anti-inflammatory and antimicrobial activities. Possesses promising physiological actions related to cognitive performance,Alzheimer's disease prevention,kidney disease treatment,cardioprotection and c

Size	5mg	10mg	20mg	100mg	250mg
Price(\$)	24	43	67	177	329

Arctiin

ID: T2766



(-)Arctiin is a lignan derivative with antitumor activities acting as a potent inhibitor of HIV-I integrase and DNA topoisomerase II. (-)Arctiin down-regulates anti-apoptotic protein Bcl-XL.

Size	5mg	10mg	20mg	100mg	250mg
Price(\$)	24	43	67	177	329

Neohesperidin Dihydrochalcone (Nhdc)

ID: T2767



Neohesperidin dihydrochalcone(Nhdc), sometimes abbreviated to neohesperidin DC or simply NHDC, is an artificial sweetener derived from citrus.

Size	5mg	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	36	59	103	172	283	63

Saikosaponin A(Nhdc)

ID: T2768



Extracted from *Bupleurum*,*scorzonerifolium*;Suitability:Water,dilute alcohol,especially the hot water,hot alcohol, butanol and pentanol;Store the product in sealed,cool and dry condition

Size	5mg	10mg	20mg	50mg
Price(\$)	39	63	94	180

3-Aminopropionitrile fumarate

ID: T2769



Size	10mg	25mg	50mg	250mg	500mg
Price(\$)	13	19	29	55	82

Gentiopicrin

ID: T2770



Extracted from *Gentiana manshurica* Kitag.;Suitability:Water,methanol,ethanol;Store the product in sealed,cool and dry condition

Size	2mg	10mg	25mg	100mg
Price(\$)	28	55	98	183

Orcinol glucoside

ID: T2771



Extracted from *Curculigo orchoides* Gaertn. dried rhizome;Store the product in sealed, cool and dry condition

Size	5mg	10mg	20mg	50mg
Price(\$)	39	63	94	180

S-allyl-L-cysteine

ID: T2772



S-Allyl cysteine (SAC) is an organic compound that is a natural constituent of fresh garlic. It is a derivative of the amino acid cysteine in which an allyl group has been added to the sulfur atom.

Size	5mg	10mg	20mg	100mg	250mg
Price(\$)	24	43	67	177	329

Vindoline

ID: T2773



Vindoline is a monomeric vinca-alkaloid,forms lower portion of the lead anti-tumor agents,vinblastine and vincristine. Vindoline exhibits reciprocal cross-resistance to vincristine and vinblastine.

Size	5mg	10mg	20mg	100mg	250mg
Price(\$)	24	43	67	177	329

Lycorine chloride

ID: T2774



Extracted from *Lycoris radiata*;Store the product in sealed,cool and dry condition

Size	10mg	50mg	250mg	1g
Price(\$)	27	51	118	220

Baicalin

ID: T2775



Extracted from *Labiatae Scutellaria baicalensis* Georgii;Suitability:N,N- two DMF,pyridine;Store the product in sealed,cool and dry condition

Size	10mg	25mg	50mg	250mg	500mg
Price(\$)	13	19	29	55	82

Tribuloside

ID: T2776



A new cinnamolyglycoflavonoid 3-cinnamoyltribuloside (1), its precursor tribuloside and two known flavonoid glycosides afzelin and astilbin were isolated from *Hirtiera littoralis* Dryand (Sterculiaceae) ethanolic leaf extract.

Size	10mg	25mg	50mg	250mg	500mg
Price(\$)	13	19	29	55	82

Ginsenoside Rg1

ID: T2777



Ginsenosides are a class of steroid glycosides, and triterpene saponins, found exclusively in the plant genus *Panax* (ginseng).

Size	5mg	20mg	50mg	200mg
Price(\$)	62	116	201	378

(+)-Catechin Hydrate

ID: T2778



An antioxidant flavonoid of plant origin; a free radical scavenger, preventing free radical-mediated damage in a variety of biological systems.

Size	5mg	10mg	20mg	100mg	250mg
Price(\$)	24	43	67	177	329

Natural Compound

Olaquindox

ID: T2779



Store the product in sealed, cool and dry condition

Size	5mg	20mg	50mg	200mg
Price(\$)	26	43	67	118

Catalpol

ID: T2780



The primary function is to stimulate the production of adrenal cortical hormones, which increases the production of sex hormones. Catalpol also exhibits anti-inflammatory activity and has shown to increase the production of androgens yielded by the adrena

Size	5mg	10mg	20mg	100mg	250mg
Price(\$)	24	43	67	177	329

Sanguinarine

ID: T2781

A natural product with antimicrobial, anti-inflammatory, and anti-oxidant properties.



Size	5mg	10mg	20mg	50mg
Price(\$)	39	63	94	180

Oxysophocarpine

ID: T2786



Extracted from Sophra flavescens Ait; Suitability: Water, methanol, ethanol, chloroform, benzene; Store the product in sealed, cool and dry condition

Size	5mg	10mg	20mg	100mg	250mg
Price(\$)	24	43	67	177	329

Methyl Dihydrojasmonate;Hedione

ID: T2783



Methyl dihydrojasmonate is an ester and a diffusive aroma compound, with the smell vaguely similar to jasmine.

Size	5mg	10mg	20mg	100mg	250mg
Price(\$)	24	43	67	177	329

Orsellinic acid ethyl ester

ID: T2784



Orsellinic acid, more specifically o-orsellinic acid, is a phenolic acid. It is of importance in the biochemistry of lichens, from which it can be extracted.

Size	5mg	10mg	20mg	100mg	250mg
Price(\$)	24	43	67	177	329

Catharanthine

ID: T2782



Catharanthine-d3 is an isotope labeled precursor of Vinblastine-type alkaloids.

Size	5mg	10mg	20mg	50mg
Price(\$)	39	63	94	180

Picroside I

ID: T2787



Extracted from Picrorhiza; Store the product in sealed, cool and dry condition

Size	5mg	10mg	20mg	50mg
Price(\$)	39	63	94	180

Baccatin III

ID: T2788



Baccatin III is an isolate of the Pacific yew tree (*Taxus brevifolia*) and related species. Baccatin III is a precursor to the anti-cancer drug paclitaxel (Taxol).

Size	5mg	10mg	20mg	100mg	250mg
Price(\$)	24	43	67	177	329

Scutellarin

ID: T2789



Extracted from Scutellaria altissima L.; Suitability: Alkali, glacial acetic acid, pyridine, DMSO; Store the product in sealed, cool and dry condition

Size	2mg	10mg	25mg	100mg
Price(\$)	28	55	98	183

Rubescins A

ID: T2790



Oridonin has potent anti-tumor activity. Oridonin targets AE (AML1-ETO) oncogene. Exposure to oridonin induces apoptosis in AE-bearing leukemic cells through the activation of intrinsic apoptotic pathway and triggering a caspase-3-mediated degradation

Size	2mg	10mg	25mg	100mg
Price(\$)	28	55	98	183

Pectolinarin

ID: T2791



Pectolinarin is a Cirsium isolate with anti-inflammatory activity and similar in chemical structure to linarin.

Size	1mg	5mg	10mg	25mg
Price(\$)	24	67	118	201

Glucosamine sulfate**ID: T2792**

Extracted from synthetic product;Store the product in sealed, cool and dry condition



Size	5mg	10mg	20mg	50mg
Price(\$)	39	63	94	180

Tetrahydropalmatine**ID: T2793**

Tetrahydropalmatine, an active component isolated from corydalis (a Chinese herbal medicine), possesses analgesic effects.

Size	5mg	10mg	20mg	100mg	250mg
Price(\$)	24	43	67	177	329

Astilbin**ID: T2794**

Actions Flavonoid phytochemical found in St. John's wort and Traditional Chinese Medicine herbal preparations.



Size	2mg	10mg	20mg	100mg
Price(\$)	40	104	177	340

(20S)-Protopanaxadiol**ID: T2799**

Extracted from Panax ginseng C. A. Me y.;Suitability:Acetone,DMSO;Store the product in sealed,cool and dry condition

Size	5mg	10mg	20mg	100mg	250mg
Price(\$)	24	43	67	177	329

Coenzyme Q10 (CoQ10)**ID: T2796**

Extracted from Coenzyme Q10;Suitability:Chloroform,benzene and carbon tetrachloride;Store the product in sealed,cool and dry condition

Size	10mg	50mg	250mg
Price(\$)	14	30	48

Harmaline**ID: T2797**

Harmaline is a fluorescent psychoactive indole alkaloid from the group of harmala alkaloids and beta-carbolines. It is the reduced hydrogenated form of harmine.

Size	5mg	10mg	20mg	100mg	250mg	1ml/10mM
Price(\$)	24	43	67	177	329	63

Esculetin**ID: T2798**

Extracted from Aesculus hippocastanum linn;Suitability:Ethanol and dilute alkali;Store the product in sealed,cool and dry condition

Size	5mg	10mg	20mg	50mg	100mg	200mg	1ml/10mM
Price(\$)	14	44	70	112	179	63	

Laetile**ID: T2795**

Laetile is a glycoside initially isolated from the seeds of the tree Prunus dulcis, also known as bitter almonds.

Size	5mg	10mg	25mg	50mg	200mg	1ml/10mM
Price(\$)	39	64	105	190	333	63

L-Theanine**ID: T2800**

Extracted from Camellia sinensis;Store the product in sealed, cool and dry condition

Size	10mg	50mg	250mg
Price(\$)	27	51	118

Aristolochic Acid**ID: T2801**

Aristolochic acids are a family of carcinogenic, mutagenic, and nephrotoxic compounds commonly found in the Birthwort (Aristolochiaceae) family of plants.

Size	1mg	2mg	5mg	10mg	1ml/10mM
Price(\$)	24	43	78	133	123

Nocodazole**ID: T2802**

Nocodazole is a rapidly-reversible inhibitor of microtubule polymerization, also inhibits Abl, Abl(E255K) and Abl(T315I) with IC50 of 0.21 μ M, 0.53 μ M and 0.64 μ M in cell-free assays, respectively.

Size	5mg	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	36	59	123	210	357	246

Monocrotaline**ID: T2803**

Extracted from Legume Crotalaria assa mica;Suitability:Methanol,ethanol,chloroform;Store the product in sealed,cool and dry condition

Size	5mg	10mg	20mg	50mg
Price(\$)	39	63	94	180

Natural Compound

Panaxtriol

ID: T2804



Extracted from Panax ginseng C. A. Mey.; Suitability: Methanol, acetone, DMSO; Store the product in sealed, cool and dry condition

Size	5mg	10mg	25mg	100mg
Price(\$)	30	48	84	220

Chlorogenic Acid

ID: T2805



Extracted from Lonicera acuminata Wall.; Suitability: Ethanol and acetone; Store the product in sealed, cool and dry condition

Size	5mg	20mg	50mg	200mg
Price(\$)	26	43	67	118

Lappaconitine

ID: T2806

Extracted from Aconitum kusnezoffii Reichb.; Store the product in sealed, cool and dry condition



Size	10mg	25mg	50mg	250mg	500mg
Price(\$)	13	19	29	55	82

Caffeic Acid

ID: T2807



Extracted from Solidago decurrens, large-fruited Chinese hawthorn; Suitability: Hot water and cold ethanol; Store the product in sealed, cool and dry condition

Size	5mg	20mg	50mg	200mg
Price(\$)	26	49	91	189

Bilobalide

ID: T2808

Bilobalide, a bioactive from Gingko biloba, is active on hypoxia induced alterations




Size	5mg	10mg	25mg	100mg
Price(\$)	30	48	84	220

Adenosine disodium triphosphate

ID: T2812

Adenosine triphosphate (ATP) is a nucleoside triphosphate used in cells as a coenzyme often called the "molecular unit of currency" of intracellular energy transfer.




Size	5mg	10mg	20mg	100mg	250mg
Price(\$)	24	43	67	177	329

Protopanaxatriol

ID: T2810

Protopanaxatriol (PPT) is an organic compound characterizing a group of ginsenosides. It is a dammarane-type tetracyclic triterpenes sapogenins found in ginseng (*Panax ginseng*) and in notoginseng (*Panax pseudoginseng*).



Size	1mg	5mg	10mg	50mg
Price(\$)	48	170	320	969

Harmine HCl

ID: T2811

Extracted from Peganum Harmala Genus; Store the product in sealed, cool and dry condition



Size	5mg	10mg	20mg	50mg
Price(\$)	39	63	94	180

Fangchinoline

ID: T2809

Extracted from Stephania tetrandra S. Moore; Store the product in sealed, cool and dry condition



Size	5mg	10mg	25mg	100mg
Price(\$)	55	82	116	220

Madecassoside

ID: T2813

Extracted from Centella asiatica (L.) Urban; Suitability: Water, ethanol; Store the product in sealed, cool and dry condition



Size	10mg	50mg	250mg
Price(\$)	27	51	118

7,8-Dihydroxyflavone

ID: T2816



7,8-Dihydroxyflavone (7,8-DHF) is a naturally-occurring flavone found in Godmania aesculifolia, Tridax procumbens, and primula tree leaves.

Size	5mg	10mg	20mg	100mg	250mg
Price(\$)	24	43	67	177	329

Picroside II

ID: T2817




Extracted from Picrorhiza; Store the product in sealed, cool and dry condition

Size	5mg	10mg	25mg	100mg
Price(\$)	55	82	116	220

Puerarin (Kakonein)

ID: T2815

Puerarin (Kakonein), an isoflavones found in the root of Radix puerariae, is a 5-HT2C receptor and benzodiazepine site antagonist.



Size	2mg	5mg	10mg	25mg	50mg	1ml/10mL
Price(\$)	80	128	223	394	665	145

Methyl Vanillate

ID: T2818

Hovenia dulcis Thunb extract and its ingredient methyl vanillate activate Wnt/β-catenin pathway and increase bone mass in growing or ovariectomized mice.



Size	10mg	25mg	50mg	250mg	500mg
Price(\$)	13	19	29	55	82

Methyl 4-hydroxycinnamate

ID: T2819

Size	20mg	50mg	200mg	500mg
Price(\$)	30	55	116	195

Glycitin

ID: T2820

Actions Glycitin is a soy isoflavone in the glucoside form.



Size	5mg	10mg	20mg	50mg
Price(\$)	39	63	94	180

Pedunculoside

ID: T2824

Extracted from Ilex rotunda Thunb., barks;Store the product in sealed, cool and dry condition



Size	5mg	10mg	20mg	50mg
Price(\$)	39	63	94	180

Isocorydine

ID: T2832

Isocorydine and its derivatives have anticancer activities.



Size	5mg	10mg	25mg	50mg
Price(\$)	42	67	106	177

Nobiletin

ID: T2834


Nobiletin is an inhibitor of ERK with in a concentration-dependent manner.



Size	5mg	10mg	50mg
Price(\$)	118	213	598

Ethyl ferulate

ID: T2821




Extracted from angelica, Chuan Xiong;Store the product in sealed, cool and dry condition

Size	20mg	100mg	250mg	1g
Price(\$)	61	118	207	366

Ginsenoside Rb1

ID: T2822

Ginsenosides are a class of steroid glycosides, and triterpene saponins, found exclusively in the plant genus Panax (ginseng).



Size	5mg	10mg	20mg	100mg	250mg
Price(\$)	24	43	67	177	329

Crocin

ID: T2823



General descriptionA highly unsaturated diterpene dicarboxylic acid ester found in saffron. ActionsCrocin alleviates some ethanol-induced impairments of learning and prevents ethanol-induced inhibition of hippocampal long-term potentiation (LTP),a form o

Size	5mg	10mg	20mg	50mg
Price(\$)	39	63	94	180

Cyclopamine

ID: T2825



Cyclopamine is a naturally occurring chemical that belongs to the group of steroid alkaloids.

Size	5mg	10mg	25mg	50mg
Price(\$)	42	67	106	177

Cryptotanshinone

ID: T2814



Cryptotanshinone is a STAT3 inhibitor with IC50 of 4.6 μ M in a cell-free assay, strongly inhibits phosphorylation of STAT3 Tyr705, with a small effect on STAT3 Ser727, but none against STAT1 nor STAT5.

Size	5mg	10mg	20mg	100mg	250mg
Price(\$)	24	43	67	177	329

Asarylaldehyde

ID: T2826



Asarylaldehyde is a natural COX-2 inhibitor, exhibiting 17-fold selectivity over COX-1.


Size	10mg	25mg	50mg	250mg	500mg
Price(\$)	13	19	29	55	82

Natural Compound

Asiatic acid

ID: T2827

Actions Asiatic acid is commonly used in wound healing. Asiatic acid has antioxidant, anti-inflammatory and neuroprotective properties.




Size	5mg	10mg	25mg	100mg	250mg
Price(\$)	55	82	116	220	427

Spiculisporic Acid

ID: T2828

Spiculisporic acid is a bioactive γ -butenolide isolated from a marine Aspergillus.



Size	20mg	50mg	200mg	500mg
Price(\$)	30	55	116	195

Isoalantolactone

ID: T2829



Extracted from Inula helenium L. roots,l. Racemosa Hook . F. ;Store the product in sealed, cool and dry condition

Size	10mg	25mg	50mg	100mg
Price(\$)	43	84	141	232

Betulinic acid

ID: T2830




Betulinic acid is a naturally occurring pentacyclic triterpenoid which has antiretroviral, antimalarial, and anti-inflammatory properties, as well as a more recently discovered potential as an anticancer agent, by inhibition of topoisomerase.

Size	10mg	25mg	50mg
Price(\$)	43	84	141

Isorhamnetin

ID: T2836

Red turnip,goldenrod,mustard leaf,ginkgo biloba.



Size	5mg	25mg	100mg	250mg
Price(\$)	79	144	240	427

Dehydrocostus Lactone

ID: T2833


Extracted from Vladimiria souliei(Franch.) Ling;Store the product in sealed, cool and dry condition



Size	5mg	10mg	50mg
Price(\$)	70	109	408

Glycocholic acid

ID: T2831



Glycocholic acid, or cholyglycine, is a crystalline bile acid involved in the emulsification of fats. It occurs as a sodium salt in the bile of mammals. It is a conjugate of cholic acid with glycine. Its anion is called glycocholate.

Size	5mg	10mg	20mg	100mg	250mg
Price(\$)	24	43	67	177	329

Morin

ID: T2835



Morin is a chemical compound. It is a yellow color substance that can be isolated from Maclura pomifera (Osage orange), Maclura tinctoria (old fustic) and from leaves of Psidium guajava (common guava). In a preclinical in vitro study, morin was found to be a weak inhibitor of fatty acid synthase with an IC50 of 2.33 μ M.

Size	5mg	25mg	100mg	250mg
Price(\$)	79	144	240	427

Chrysin

ID: T2837



Chrysin is a naturally occurring flavone chemically extracted from the blue passion flower (*Passiflora caerulea*).

Size	5mg	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	22	35	54	83	127	63

Naringenin

ID: T2838



Extracted from *Amaurodium occidentale* L.;Suitability:Ethanol,ether and benzene;Store the product in sealed,cool and dry condition

Size	5mg	25mg	100mg	250mg
Price(\$)	79	144	240	427

Orsellinic acid

ID: T2839



Orsellinic acid, more specifically o-orsellinic acid, is a phenolic acid. It is of importance in the biochemistry of lichens, from which it can be extracted.

Size	5mg	10mg	20mg	100mg	250mg
Price(\$)	24	43	67	177	329

Phloracetophenone

ID: T2840



Size	10mg	25mg	50mg	250mg	500mg
Price(\$)	13	19	29	55	82

Plumbagin**ID: T2841**

Plumbagin is a yellow dye, formally derived from naphthoquinone.



Size	5mg	10mg	25mg	50mg	100mg
Price(\$)	14	25	43	76	122

Tangeretin**ID: T2842**

Extracted from Citrus nobilis peel; Store the product in sealed, cool and dry condition



Size	5mg	10mg	50mg
Price(\$)	60	106	402

Aloe-emodin**ID: T2843**

Aloe-emodin is an interferon-inducing agent with IC50 of about 1 μ g/mL for JEV and of about 0.33 μ g/mL for EV71.



Size	5mg	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	17	27	41	64	97	63

Hyperoside**ID: T2844**

Extracted from CLUSIACEAE fruit; Suitability: Ethanol, methanol, acetone and pyridine; Store the product in sealed, cool and dry condition



Size	5mg	10mg	20mg	50mg
Price(\$)	43	67	116	220

Imperatorin**ID: T2845**

Imperatorin is a modulator of p38, ERK pathway. Imperatorin increases BMP-2 expression (mRNA) and increases bone density/volume and mineralization in vivo.

Size	5mg	10mg	20mg	100mg	250mg
Price(\$)	43	61	104	220	402

Isoimperatorin**ID: T2846**

Isoimperatorin is an anti-inflammatory agent, that also has an effect on proliferation, isolated from the dried roots of Angelicae dahuriae. In bone marrow derived mast cells the compound has been observed to inhibit, at an IC50 24 μ M and 10.7 μ M, COX-1

Size	5mg	10mg	20mg	100mg	250mg
Price(\$)	43	61	104	220	402

Indigo**ID: T2847**

Extracted from Indigo blue; Suitability: Water, ethanol, glycerol and propylene glycol; Store the product in sealed, cool and dry condition

Size	5mg	20mg	50mg	100mg	200mg	1ml/10mM
Price(\$)	14	44	70	112	179	47

Osthole**ID: T2848**

Active constituent of Cnidium monnierii, a traditional Chinese medicine used for its anti-inflammatory, analgesic, and anti-lipidemic activities.

Size	10mg	50mg	200mg
Price(\$)	26	45	71

Proanthocyanidins**ID: T2849**

Extracted from Grape seed, pine bark coast of France; Suitability: Water, most organic solvents; Store the product in sealed, cool and dry condition

Size	5mg	10mg	20mg	100mg	500mg	1g
Price(\$)	43	61	104	220	427	671

(+)-Bicuculline**ID: T2850**

Bicuculline is a light-sensitive competitive antagonist of GABA_A receptors. It was originally identified in 1932 in plant alkaloid extracts and has been isolated from *Dicentra cucullaria*, *Adlumia fungosa*, *Fumariaceae*, and several *Corydalis* species.

Size	5mg	10mg	20mg	50mg
Price(\$)	39	63	94	180

Daphnetin**ID: T2851**

Daphnetin, a natural coumarin derivative, is a protein kinase inhibitor, inhibits EGFR, PKA and PKC with IC50 of 7.67 μ M, 9.33 μ M and 25.01 μ M, respectively, also known to exhibit anti-inflammatory and anti-oxidant activities.

Size	10mg	25mg	50mg
Price(\$)	43	104	190

Citropten**ID: T2852**

Citropten is a natural organic compound and is found in the essential oils of citrus such as lime, lemon, and bergamot.

Size	5mg	10mg	25mg	50mg	100mg
Price(\$)	14	25	43	76	122

Natural Compound

Curcumol

ID: T2853



Curcumol is a pure monomer isolated from Rhizoma Curcumaeis with antitumor activities. Extracted from Curcuma zedoaria(Berg.)Rose;Store the product in sealed,cool and dry condition

Size	10mg	50mg	250mg
Price(\$)	27	51	118

Forsythin

ID: T2854



Extracted from Forsythia suspensa;Suitability:The mixed solvent of chloroform and methanol,DMSO;Store the product in sealed,cool and dry condition

Size	10mg	25mg	50mg	100mg
Price(\$)	39	67	95	165

Icaruin

ID: T2855



Icaruin is a cGMP-specific PDE5 inhibitor with IC50 of 0.432 μ M, 167-fold more selective for PDE5 than PDE4. Extracted from Epimedium brevicornum Maxim; Suitability:Ethanol,ethyl acetate;Store the product in sealed,cool and dry condition

Size	5mg	10mg	20mg	100mg	250mg
Price(\$)	24	43	67	177	329

Epicatechin

ID: T2856



Extracted from Acacia catechu (L.F.) Willd peeled branches;Store the product in sealed, cool and dry condition

Size	5mg	10mg	25mg	100mg	250mg
Price(\$)	30	56	91	177	329

Vanillyl Alcohol

ID: T2860



Vanillyl alcohol is derived from vanillin. It is used to flavor food.

Size	10mg	25mg	50mg	250mg	500mg
Price(\$)	13	19	29	55	82

Gentisic acid

ID: T2867



Gentisic acid is a dihydroxybenzoic acid. It is a derivative of benzoic acid and a minor (1%) product of the metabolic break down of aspirin, excreted by the kidneys.

Size	10mg	25mg	50mg	250mg	500mg
Price(\$)	13	19	29	55	82

Baicalein

ID: T2858



The flavonoid component of Nepalese and Sino-Japanese crude drugs.1,2 Baicalein,a major flavone of Scutellariae baicalensis,inhibits the 12-lipoxygenase (12-LOX) pathway of arachidonic acid metabolism,which inhibits cancer cell proliferation and induce

Size	5mg	20mg	50mg	100mg	250mg	1ml/10mM
Price(\$)	13	30	46	81	148	47

Biochanin A

ID: T2859



Biochanin A, an O-methylated isoflavone from Trifolium pratense, inhibits protein tyrosine kinase (PTK) of epidermal growth factor receptor with IC50 values of 91.5 μ M.

Size	5mg	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	14	25	43	76	122	63

Tyrosol

ID: T2861



Extracted from Florence oil;Store the product in sealed,cool and dry condition

Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	34	54	74	148	253	84

Phloretic acid

ID: T2862



Phloretic acid is a phenolic compound. It can be used to produce polyesters based on phloretic acid and gallic acid.

Size	10mg	25mg	50mg	250mg	500mg
Price(\$)	13	19	29	55	82

p-Coumaric acid

ID: T2863



Actions Hydroxycinnamic acid found in many fruits and vegetables.

Size	5mg	10mg	50mg	500mg
Price(\$)	67	118	299	598

Oleanolic Acid

ID: T2865




Oleanolic Acid is a naturally occurring triterpenoid found in garlic and Phytolacca Americana. Exhibits strong anti-HIV activity. Mechanism of action is the induction of iNOS and of Cyclooxygenase 2

Size	10mg	25mg	50mg	250mg	500mg
Price(\$)	13	19	29	55	82

Lycopene

ID: T2864




Extracted from Papaya fruit, marigold flower petals; Store the product in sealed, cool and dry condition

Size	5mg	10mg	20mg	50mg
Price(\$)	39	63	94	180

Echinocystic acid

ID: T2866

Extracted from Albizzia julibrissin Durazz.; Store the product in sealed, cool and dry condition




Size	5mg	10mg	20mg	50mg
Price(\$)	39	63	94	180

Diosgenin

ID: T2867

Diosgenin is a plant steroid which induces apoptosis in colon cancer cell lines and induces apoptosis, cell cycle arrest and COX activity in osteosarcoma cells



Size	10mg	25mg	50mg	250mg	500mg
Price(\$)	13	19	29	55	82

Evodiamine

ID: T2868



Evodiamine is an indole alkaloid found in *Evodia rutaecarpa*, acts as an anti-inflammatory compound; the mechanism of action may be inhibition of prostaglandin E2 synthesis or by cyclooxygenase 2 induction and NF- κ B activation.1 Evodiamine has been stu

Size	25mg	100mg	200mg
Price(\$)	48	109	160

Emodin

ID: T2869



Description: IC50 Value: observed at 72 hr were as follows: 66.9 μ M, Hep3B cells; 74.36 μ M, HepG2 cells; and 101.5 μ M, HuH7 cells

Size	5mg	20mg	50mg	100mg	250mg	1ml/10mM
Price(\$)	13	30	46	81	148	47

(+)-Matrine

ID: T2870

Matrine is an alkaloid found in plants from the Sophora genus. It has a variety of pharmacological effects, including anti-cancer effects, and action as a kappa opioid receptor and μ -receptor agonist.




Size	5mg	20mg	50mg	100mg	200mg	1ml/10mM
Price(\$)	14	44	70	112	179	47

Quercitrin

ID: T2871

Application Reference standard in the analysis of herbal medicinal products. General description Produced and qualified by HWI AnalytikExact content by quantitative NMR can be found on the certificate




Size	5mg	10mg	20mg	50mg
Price(\$)	39	63	94	180

Ginsenoside Re

ID: T2872

Ginsenoside Re may have properties that inhibit or prevent the growth of tumors.



Size	10mg	50mg	250mg
Price(\$)	27	51	118

Mucic Acid

ID: T2877

Mucic acid is an aldaric acid obtained by nitric acid oxidation of galactose or galactose-containing compounds such as lactose, dulcite, querite, and most varieties of gum.




Size	20mg	50mg	200mg	500mg
Price(\$)	30	55	116	195

Tetrahydroberberine THB

ID: T2874

Extracted from *Berberis julianae* Schneid. roots; Store the product in sealed, cool and dry condition



Size	5mg	10mg	20mg	50mg
Price(\$)	39	63	94	180

Isoporsoralen

ID: T2875

Extracted from *Psoralea corylifolia* L.; Suitability: Ethanol, chl orform; Store the product in sealed, cool and dry condition



Size	5mg	10mg	25mg
Price(\$)	85	132	195

Flavone

ID: T2876

Flavones have effects on CYP (P450) activity which are enzymes that metabolize most drugs in the body.



Size	5mg	10mg	20mg	100mg	250mg
Price(\$)	24	43	67	177	329

Natural Compound

Ginsenoside Rg2

ID: T2873

Ginsenoside Rg2 may have properties that inhibit or prevent the growth of tumors.



Size	5mg	10mg	20mg	50mg
Price(\$)	39	63	94	180

Ginsenoside Rd

ID: T2878

Ginsenoside Rd may have properties that inhibit or prevent the growth of tumors.



Size	5mg	10mg	50mg	100mg
Price(\$)	78	134	299	476

Fisetin

ID: T2879


Extracted from *Rhus succedanea* L;Store the product in sealed, cool and dry condition



Size	25mg	100mg	500mg	1g
Price(\$)	24	45	67	90

Genistin

ID: T2882



Actions Inactive analog of genistein; useful as a negative control for genistein and other tyrosine kinase inhibitors.

Size	5mg	10mg	50mg	200mg
Price(\$)	54	99	213	573

Syringic acid

ID: T2883



Extracted from *Kalimeris indica*(L.) Sch-Bip;Store the product in sealed, cool and dry condition

Size	5mg	20mg	50mg	100mg	200mg	1ml/10mM
Price(\$)	14	44	70	112	179	47

Isoferulic acid

ID: T2889



3-Hydroxy-4-methoxycinnamic Acid exhibits hypoglycemic properties.

Size	5mg	10mg	25mg	100mg	250mg
Price(\$)	55	93	152	476	634

Nicotine

ID: T2892



Extracted from *Nicotiana sanderae*;Store the product in sealed, cool and dry condition

Size	2mg	5mg	20mg	50mg
Price(\$)	27	39	61	118

D-Cellobiose

ID: T2880



Cellobiose is a disaccharide, a reducing sugar, consists of two β -glucose molecules linked by a $\beta(1 \rightarrow 4)$ bond. It can be hydrolyzed to glucose enzymatically or with acid.

Size	10mg	25mg	50mg	250mg	500mg
Price(\$)	13	19	29	55	82

Ecdysterone

ID: T2881

Extracted from *Cyanotis, arachnoidea, C, B, Clarke*;Suitability:Methanol,DMSO;Store the product in sealed, cool and dry condition



Size	5mg	10mg	50mg	250mg
Price(\$)	43	67	207	424

Cortisone

ID: T2884

Cortisone is a 21-carbon steroid hormone. It is one of the main hormones released by the adrenal gland in response to stress. In chemical structure, it is a corticosteroid closely related to cortisol.



Size	5mg	10mg	20mg	100mg	250mg
Price(\$)	24	43	67	177	329

Esculin

ID: T2885

Extracted from *Aesculus hippocastanum*;Suitability:Hot ethanol,methanol,pyridine,ethyl acetate and acetic acid;Store the product in sealed, cool and dry condition



Size	5mg	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	36	59	103	172	283	63

Trigonelline

ID: T2887

Extracted from *Trigonella foenum-graecum*L. seeds;Store the product in sealed, cool and dry condition



Size	10mg	25mg	50mg	100mg
Price(\$)	39	67	95	165

Pterostilbene

ID: T2888




Extracted from *Pterocarpus indicus*;Store the product in sealed, cool and dry condition

Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	42	64	99	205	357	84

Aleuritic Acid

ID: T2886



Aleuritic acid, or α -aleuritic acid, is a major ingredient in shellac, constituting about 35% of it. It is used as a starting material in the perfume industry for the preparation of musk aroma.

Size	10mg	25mg	50mg	250mg	500mg
Price(\$)	13	19	29	55	82

Hordenine

ID: T2890



Extracted from Germinated barley seeds; Suitability: Ethanol, chloroform and ether; Store the product in sealed, cool and dry condition

Size	5mg	10mg	50mg	100mg	1ml/10mM
Price(\$)	86	123	333	456	84

Monoammonium glycyrrhizinate

ID: T2891

Extracted from Such sweet licorice root; Suitability: Acetic acid, dilute ethanol, ammonia; Store the product in sealed, cool and dry condition

Size	5mg	10mg	20mg	100mg	250mg
Price(\$)	24	43	67	177	329

Muscone

ID: T2893



Muscone is an organic compound that is the primary contributor to the odor of musk.

Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	59	92	137	278	517	133

Norcantharidin

ID: T2894



Extracted from *Mylabris phalerata* Pallas dry bulk; Store the product in sealed, cool and dry condition

Size	10mg	25mg	50mg	250mg	500mg
Price(\$)	13	19	29	55	82

Lupeol

ID: T2895

Lupeol is a pentacyclic triterpene that has anti-inflammatory and antioxidant activity.

Size	5mg	10mg	20mg	50mg
Price(\$)	39	63	94	180

Helenine

ID: T2896



Extracted from *Inula helenium* L. roots, *Inula grandis* chrenk leaves; Store the product in sealed, cool and dry condition

Size	5mg	10mg	20mg	50mg
Price(\$)	39	63	94	180

Shikonin

ID: T2897



Alkannin is a natural dye that is obtained from the extracts of plants from the borage family *Alkanna tinctoria* that are found in the south of France.

Size	5mg	10mg	25mg	100mg
Price(\$)	55	93	152	476

Andrographolide

ID: T2898



Inhibitor of NF- κ B signaling; also attenuates concanavalin-induced IFN γ production in murine T cells (IC50 = 1.7 μ M). Blocks androgen receptor (AR) expression in AR-expressing C4-2 cells. Activates Nrf2 in BEAS-2B cells in response to cigarette smoke extract.

Size	5mg	10mg	20mg	100mg	250mg
Price(\$)	24	43	67	177	329

Liquiritin

ID: T2899



Extracted from *Radix liquiritiae*; Suitability: Carbinol; Store the product in sealed, cool and dry condition

Size	5mg	10mg	20mg	50mg
Price(\$)	39	63	94	180

Paeonol

ID: T2900




Paeonol (Peonol), a phenolic compound extracted from Chinese herbs *Paeonia suffruticosa* (moutan cortex) and *Cynanchum paniculatum*, inhibits MAO with an IC50 of about 50 μ M.

Size	5mg	20mg	50mg	100mg	200mg	1ml/10mM
Price(\$)	14	25	43	76	122	63

Daidzin

ID: T2901



Actions Daidzin is an isoflavone reported to have anti-oxidant, anti-carcinogenic, and anti-atherosclerotic activities.

Size	2mg	10mg	50mg	200mg
Price(\$)	13	30	78	144

Natural Compound

Costunolide

ID: T2902



Extracted from Auckiandialappa Decne. roots; Store the product in sealed, cool and dry condition

Size	5mg	10mg	20mg	100mg	250mg
Price(\$)	24	43	67	177	329

Cantharidin

ID: T2903



Extracted from (Meloidae), Mylabris phalerata Pallas, Mylabris cichorii L.de; Suitability: Acetone, chloroform, ether and ethyl acetate; Store the product in sealed, cool and dry condition

Size	25mg	50mg	100mg	250mg	500mg
Price(\$)	54	91	127	232	378

Sclareolide

ID: T2904



Sclareolide is a sesquiterpene lactone natural product derived from various plant sources including Salvia sclarea, Salvia yosadensis, and cigar tobacco. It is a close analog of sclareol, a plant antifungal compound.

Size	5mg	10mg	20mg	100mg	250mg
Price(\$)	24	43	67	177	329

5Alpha-Cholestan-3-one

ID: T2905



Size	5mg	10mg	20mg	100mg	250mg
Price(\$)	24	43	67	177	329

Tanshinone IIA

ID: T2906



Tanshinone IIA(Tanshinone B) is the most abundant diterpene quinone in Danshen, Salviae miltiorrhiza Radix, a widely prescribed traditional herbal medicine that is used to treat cardiovascular and inflammatory diseases.

Size	10mg	25mg	50mg	250mg
Price(\$)	70	144	262	476

Tanshinone I

ID: T2907



Tanshinone I is a pigment isolated from the herbal medicine Salvia miltiorrhiza Bunge. Tanshinone I displays cytotoxicity against human macrophages and IFN- γ production in KLH-primed lymph node cells.

Size	5mg	10mg	20mg	100mg	250mg
Price(\$)	24	43	67	177	329

Palmitic acid

ID: T2908



Extracted from Palm tree fruit; Store the product in sealed, cool and dry condition

Size	2mg	5mg	20mg	50mg	250mg
Price(\$)	27	39	61	118	274

Fraxetin

ID: T2909



Extracted from Fraxinus bruneana DC.; Suitability: Alcohol and hydrochloric acid; Store the product in sealed, cool and dry condition

Size	5mg	20mg	50mg	100mg
Price(\$)	67	177	256	476

3-Hydroxyflavone

ID: T2910




3-Hydroxyflavone is a chemical compound. It is the backbone of all flavonols, a type of flavonoid.

Size	5mg	10mg	20mg	100mg	250mg
Price(\$)	24	43	67	177	329

Stevioside

ID: T2911



A natural, noncaloric sweetener with a potency 300 times more than that of regular sucrose.

Size	5mg	10mg	20mg	100mg	250mg
Price(\$)	24	43	67	177	329

Ergosterol

ID: T2912



Extracted from Ganoderma lucidum cystocarp; Store the product in sealed, cool and dry condition

Size	10mg	25mg	50mg	250mg	500mg
Price(\$)	13	19	29	55	82

Schisantherin A

ID: T2913



Schisantherin A is a dibenzocyclooctadiene lignan isolated from the fruit of Schisandra sphenanthera, has been used as an antitussive, tonic, and sedative agent. Extracted from Schisandra chinensis (Turcz.) Baill. seeds and stems; Store the product in sealed, cool and dry condition

Size	5mg	10mg	20mg	50mg
Price(\$)	39	63	94	180

Melibiose**ID: T2914**

Melibiose is a reducing disaccharide formed by an alpha-1,6 linkage between galactose and glucose (D-Gal- α (1 \rightarrow 6)-D-Glc).



Size	5mg	10mg	20mg	100mg	250mg
Price(\$)	24	43	67	177	329

Alpha-D-galactose**ID: T2915**

Galactose sometimes abbreviated Gal, is a monosaccharide sugar that is less sweet than glucose and fructose. It is a C-4 epimer of glucose.



Size	20mg	50mg	200mg	500mg
Price(\$)	30	55	116	195


Patchouli alcohol**ID: T2916**

Extracted from Patchouli plants; Suitability: Ethanol and ethyl ether; Store the product in sealed, cool and dry condition

Size	5mg	10mg	20mg	50mg
Price(\$)	39	63	94	180

Tetrahydropalmatine HCl**ID: T2917**

Tetrahydropalmatine (THP) is an alkaloid found in several different plant species, mainly in the *Corydalis* genus (Yan Hu Suo), but also in other plants such as *Stephania rotunda*.



Size	5mg	10mg	25mg	100mg
Price(\$)	55	93	152	476

Cholesteryl Acetate**ID: T2918**

Size	5mg	10mg	20mg	100mg	500mg
Price(\$)	13	19	27	59	146

Sesamin**ID: T2919**

Extracted from *Sesamum indicum L.*; Suitability: Chloroform, benzene, acetic acid, acetone; Store the product in sealed, cool and dry condition



Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	59	92	137	278	517	133

Berberamine HCl**ID: T2920**

Extracted from berberidis; Store the product in sealed, cool and dry condition



Size	5mg	10mg	20mg	100mg	250mg
Price(\$)	24	43	67	177	329

Sinomenine HCl**ID: T2921**

Extracted from Sinomenium Acutum Rehderett Wilson; Store the product in sealed, cool and dry condition



Size	10mg	25mg	50mg	250mg	500mg
Price(\$)	13	19	29	55	82

Phlorizin**ID: T2922**

Features and Benefits Used to induce experimental glycosuria. Other Notes Dihydrochalcone glycoside found in apple tree

Size	20mg	50mg	250mg	500mg
Price(\$)	23	50	110	201

Apremilast (CC-10004)**ID: T2923**

Apremilast (CC-10004) is a potent and orally active PDE4 and TNF- α inhibitor with IC50 of 74 nM and 77 nM, respectively.

Size	1mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	70	143	248	456	683	246

Phloretin**ID: T2924**

Phloretin is a dihydrochalcone, a type of natural phenols. It can be found in apple tree leaves and the Manchurian apricot.

Size	10mg	50mg	100mg	250mg	500mg	1ml/10mM
Price(\$)	13	19	29	44	68	47

Schizandrin B**ID: T2925**

Extracted from *Schisandra chinensis* (Turcz.) Baill.; Suitability: Ether, benzene and chloroform; Store the product in sealed, cool and dry condition

Size	10mg	25mg	50mg
Price(\$)	159	299	512

Natural Compound**Schizandrin A**

ID: T2926

Extracted from Schisandra; Suitability: Ethyl acetate,acetone, methanol;Store the product in sealed,cool and dry condition



Size	5mg	20mg	50mg	100mg
Price(\$)	55	91	152	256

Trigonelline HCl

ID: T2927



Extracted from Trigonellafoenum-graecumL. seeds;Store the product in sealed, cool and dry condition

Size	5mg	10mg	25mg	100mg
Price(\$)	55	93	152	476

L-Rhamnose monohydrate

ID: T2928



Rhamnose (Rham) is a naturally occurring deoxy sugar. It can be classified as either a methyl-pentose or a 6-deoxy-hexose. Rhamnose occurs in nature in its L-form as L-rhamnose (6-deoxy-L-mannose).

Size	5mg	20mg	50mg	100mg	200mg	1ml/10mM
Price(\$)	14	25	43	76	122	63

Ginsenoside Rh1

ID: T2932



Ginsenoside Rg1, one of the main constituents of Panax ginseng, exhibits anti-inflammatory effect. Extracted from Panax ginseng C.A.Mey.;Suitability:Water,methanol,ethanol ;Store the product in sealed,cool and dry condition

Size	5mg	10mg	20mg	50mg
Price(\$)	39	63	94	180

Alphalipoic acid

ID: T2930



Extracted from potato, spinach, broccoli, tomato, carrot,hepar;Store the product in sealed, cool and dry condition

Size	20mg	100mg	500mg	5g
Price(\$)	60	107	213	402

Citrulline

ID: T2931



The organic compound citrulline is an α -amino acid. Its name is derived from citrullus, the Latin word for watermelon, from which it was first isolated in 1914 by Koga & Odake.

Size	5mg	10mg	20mg	100mg	250mg
Price(\$)	24	43	67	177	329

Ethyl Vanillate

ID: T2929



Ethylvanillin are used by the food industry; ethylvanillin is more expensive, but has a stronger note.

Size	10mg	25mg	50mg	250mg	500mg
Price(\$)	13	19	29	55	82

Wogonin

ID: T2933



An anti-inflammatory agent and inhibitor of COX-2,which blocks the induction of both COX-2 and iNOS. Wogonin inhibits COX-2 (IC50 = 46 M) without affecting COX-1. Wogonin inhibits iNOS induction and thus inhibits activation-induced C6 glial cell death. S

Size	10mg	50mg	250mg
Price(\$)	27	51	118

Bilirubin

ID: T2934



Extracted from bezoor;Store the product in sealed, cool and dry condition

Size	5mg	10mg	25mg	50mg	100mg
Price(\$)	14	25	43	76	122

Phenethylamine

ID: T2935



Phenylethylamine functions as a monoaminergic neuromodulator and, to a lesser extent, a neurotransmitter in the human central nervous system.

Size	10mg	25mg	50mg	250mg	500mg
Price(\$)	13	19	29	55	82

4'-Demethyllepidophyllotoxin

ID: T2937



4'-demethyllepidophyllotoxin is a key intermediate compounds for the preparation of podophyllotoxin-type anti-cancer drugs.

Size	5mg	20mg	50mg	100mg	200mg
Price(\$)	35	88	148	234	382

Piceid

ID: T2938



Polydatin is a crystal component extracted from the root stem of perennial herbage Polygonum Cuspidatum Sieb.et Zucc.

Size	5mg	10mg	20mg	100mg	250mg
Price(\$)	24	43	67	177	329

Anitarol**ID: T2936**

Size	5mg	10mg	20mg	100mg	250mg
Price(\$)	24	43	67	177	329

6-Hydroxyflavone**ID: T2940**

6-Hydroxyflavone is a flavone, a type of chemical compound.



Size	5mg	10mg	20mg	100mg	250mg
Price(\$)	24	43	67	177	329

Glucosamine HCl**ID: T2941**

Extracted from natural chitin;Store the product in sealed, cool and dry condition



Size	20mg	50mg	200mg	500mg
Price(\$)	30	55	116	195

Psoralen**ID: T2942**

Psoralen is used as photochemical probe in studies of DNA mutation and repair mechanisms. Causes photosensitization in human.

Size	10mg	50mg	250mg
Price(\$)	27	51	118

Germacrone**ID: T2945**

Extracted from Curcuma,Curcuma aromatica;Store the product in sealed, cool and dry condition

Size	10mg	25mg	50mg	100mg
Price(\$)	39	67	95	165

Beta-Cyclodextrin**ID: T2951**

Cyclodextrins are produced from starch by means of enzymatic conversion.

Size	20mg	50mg	200mg	500mg
Price(\$)	30	55	116	195

Ethyl vanillin acetate**ID: T2948**

Vanillin is a phenolic aldehyde

Size	10mg	25mg	50mg	250mg	500mg
Price(\$)	13	19	29	55	82

Forskolin**ID: T2939**

Forskolin is a ubiquitous activator of eukaryotic adenylyl cyclase (AC) in a wide variety of cell types, commonly used to raise levels of cAMP in the study and research of cell physiology.

Size	5mg	10mg	20mg	50mg
Price(\$)	39	63	94	180

5-Hydroxymethyl-2-furaldehyde**ID: T2943**

Extracted from Cornus officinalis Sieb. et Zucc.;Suitability:Water,ethanol,ethyl ether,acetone,carbon tetrachloride;Store the product in sealed,cool and dry condition

Size	5mg	10mg	25mg	100mg
Price(\$)	55	93	152	476

Sodium Danshensu**ID: T2944**

Extracted from Salvia miltiorrhiza Bge.;Suitability: Methanol,water;Store the product in sealed,cool and dry condition

Size	10mg	50mg	200mg
Price(\$)	35	106	305

Tanshinone IIA-sulfonic sodium**ID: T2946**

Extracted from Savia miltorrhiza;Suitability:Water;Store the product in sealed,cool and dry condition

Size	5mg	10mg	25mg	50mg
Price(\$)	42	67	106	177

Indole-3-carbinol**ID: T2947**

Indole-3-Carbinol is a natural compound present in a wide variety of plant food substances including members of the family Cruciferae with antioxidant and potential chemopreventive properties.

Size	10mg	25mg	50mg	250mg	500mg
Price(\$)	13	19	29	55	82

Alizarin**ID: T2949**

Alizarin or 1,2-dihydroxyanthraquinone is an organic compound that has been used throughout history as a prominent red dye, principally for dyeing textile fabrics.

Size	20mg	50mg	200mg	500mg
Price(\$)	30	55	116	195

Natural Compound

Schisandrin

ID: T2950

Extracted from Schisandra chinensis (Turcz.) Baill.; Suitability: DMSO; Store the product in sealed, cool and dry condition



Size	5mg	10mg	50mg
Price(\$)	61	104	299

Camphor

ID: T2952

Camphor is a bicyclic monoterpene ketone found widely in plants, especially CINNAMOMUM CAMPHORA. It is used topically as a skin antipruritic and as an anti-infective agent.



Size	20mg	50mg	200mg	500mg
Price(\$)	24	43	67	177

Fructose

ID: T2954

Extracted from Honey, fruits, berries, melon; Suitability: Water, ethanol, methanol, methylamine, ethylamine, pyridine and hot acetone; Store the product in sealed, cool and dry condition



Size	10mg	25mg	50mg
Price(\$)	27	46	84

Gibberellic acid

ID: T2955

Gibberellic acid (also called Gibberellin A3, GA, and GA3) is a hormone found in plants and fungi.



Size	5mg	10mg	20mg	100mg	250mg
Price(\$)	24	43	67	177	329

Cedryl acetate

ID: T2956

The fungal transformation of cedryl acetate was investigated for the first time by using Cunninghamella elegans.



Size	5mg	10mg	20mg	100mg	250mg
Price(\$)	24	43	67	177	329

Arctigenin

ID: T2957



Arctigenin, the main effective constituent of Arctium lappa L. fruit, has previously been proven to dramatically attenuate dextran sulfate sodium (DSS)-induced colitis in mice, a frequently used animal model of inflammatory bowel disease (IBD).

Size	10mg	50mg	250mg
Price(\$)	27	51	118

Ligustrazine HCl

ID: T2953



Extracted from Ligusticum chuanxiong Hort; Store the product in sealed, cool and dry condition

Size	10mg	20mg	100mg	500mg
Price(\$)	43	67	177	177

Quinic acid

ID: T2958



Extracted from Cinchona bark; Store the product in sealed, cool and dry condition

Size	10mg	25mg	50mg	250mg	500mg
Price(\$)	13	19	29	55	82

Ginsenoside Rh2

ID: T2959

Ginsenoside Rh2, an extract of red Panax ginseng, is a potent anti-inflammatory and anticancer drug. Extracted from Panax ginseng C. A. Mey.; Store the product in sealed, cool and dry condition



Size	10mg	25mg	50mg
Price(\$)	27	46	84

Deacetyltaxol

ID: T2960

Extracted from Taxus brevifolia barks; Store the product in sealed, cool and dry condition



Size	10mg	25mg	50mg
Price(\$)	39	67	95

Notoginsenoside R1

ID: T2961

Notoginsenoside R1 has been shown to exhibit antioxidant, anti-inflammatory, antiapoptotic, and immune-stimulatory properties.



Size	5mg	10mg	25mg	100mg
Price(\$)	55	93	152	476

Dihydrocholesterol

ID: T2962

Dihydrocholesterol is a cholesterol derivative found in human feces, gallstones, eggs, and other biological matter.



Size	10mg	25mg	50mg	250mg	500mg
Price(\$)	13	19	29	55	82

Cholic Acid**ID: T2963**

ApplicationNon-denaturing ionic detergent used for extraction of membrane proteins.



Size	10mg	25mg	50mg	250mg	500mg
Price(\$)	13	19	29	55	82

CHEMBL460860**ID: T2964**

Extracted from *caulis polygoni multiflori*;Store the product in sealed, cool and dry condition



Size	5mg	10mg	25mg	100mg
Price(\$)	55	93	177	305

Deoxycholic acid**ID: T2965**

Extracted from Pig bile; Suitability: Ethanol,ether,three oxygen methane,acetone,acetic acid,alkali hydroxide and alkali carbonate solution;Store the product in sealed,cool and dry condition



Size	20mg	50mg	200mg	500mg
Price(\$)	30	55	116	195

Beta-Sitosterol**ID: T2966**

β-Sitosterol is a common plant steroid that possesses anticholesteremic properties.



Size	10mg	25mg	50mg
Price(\$)	43	104	190

Stigmasterol**ID: T2967**

Extracted from *Glycine max(L)Merr.*;Suitability:Chloroform,benzene,ethyl acetate,pyridine,ethanol,acetone;Store the product in sealed,cool and dry condition



Size	10mg	20mg	100mg
Price(\$)	43	67	177

Hyodeoxycholic acid (HDCA)**ID: T2968**

Extracted from Pigs bile;Suitability: alcohol;Store the product in sealed,cool and dry condition



Size	5mg	25mg	100mg	500mg
Price(\$)	39	140	390	659

Lawsone**ID: T2969**

Lawsone (2-hydroxy-1,4-naphthoquinone), also known as hennetannic acid, is a red-orange dye present in the leaves of the henna plant (*Lawsonia inermis*) as well as in the flower of water hyacinth (*Eichhornia crassipes*).



Size	10mg	50mg	250mg
Price(\$)	13	29	56

Rotenone**ID: T2970**

Rotenone is an odorless, colorless, crystalline ketonic chemical compound used as a broad-spectrum insecticide, piscicide, and pesticide. It occurs naturally in the seeds and stems of several plants, such as the jicama vine plant, and the roots of several members of Fabaceae. It was the first described member of the family of chemical compounds known as rotenoids.



Size	10mg	50mg	250mg
Price(\$)	13	29	56

Phytic acid**ID: T2971**

Extracted from Plant seeds;Suitability: Water,ethanol and acetone;Store the product in sealed,cool and dry condition



Size	5mg	20mg	50mg	100mg	200mg	1mL/10mM
Price(\$)	14	44	70	112	179	47

Rutaecarpine**ID: T2972**

ActionsDelayed rectifier K+ channel blocker. Inhibits platelet aggregation; vasodilator



Size	10mg	25mg	100mg	250mg
Price(\$)	63	152	354	549

o-Veratraldehyde**ID: T2975**

Verataldehyde is an organic compound that is widely used as a flavorant and odorant. The compound is structurally related to benzaldehyde.



Size	10mg	25mg	50mg	250mg	500mg
Price(\$)	13	19	29	44	68

Acetylvanillin**ID: T2977**

Vanillin is a phenolic aldehyde



Size	10mg	50mg	100mg	250mg
Price(\$)	21	39	60	140

Natural Compound

Astragaloside IV

ID: T2973

Astragaloside IV is generally considered to be the primary active ingredient in Astragalus extract, an herbal extract which has been famous for literally thousands of years for its anti-aging properties.



Size	10mg	50mg	250mg
Price(\$)	13	29	56

Cyclovirobuxin D

ID: T2974

Extracted from *Buxus microphylla*; Suitability: Chloroform, methanol and ethanol; Store the product in sealed, cool and dry condition



Size	5mg	10mg	50mg
Price(\$)	118	207	439

Mogroside V

ID: T2978

Extracted from *Momordica grosvenori*; Suitability: Swingle; Store the product in sealed, cool and dry condition



Size	1mg	5mg	20mg	50mg
Price(\$)	13	30	55	85

Menthol

ID: T2979




Extracted from *Herba Menthae Haplocalycis*; Suitability: Alcohol, ether, acetic acid, liquid paraffin and petroleum ether; Store the product in sealed, cool and dry condition

Size	20mg	100mg	500mg
Price(\$)	49	146	299

Gypenoside XLIX

ID: T2985



Extracted from whole herb of *Gynostemma pentaphyllum* (Thunb.) Mak.; Store the product in sealed, cool and dry condition

Size	1mg	5mg	10mg	25mg
Price(\$)	24	67	118	201

Xanthone

ID: T2982



Xanthone is an organic compound and can be prepared by the heating of phenyl salicylate. In 1939, xanthone was introduced as an insecticide and it currently finds uses as ovicide for codling moth eggs and as a larvicide.

Size	10mg	50mg	250mg
Price(\$)	27	79	165

L(-)-sorbose

ID: T2976

Sorbose is a ketose belonging to the group of sugars known as monosaccharides.



Size	10mg	25mg	50mg	250mg	500mg
Price(\$)	13	19	29	44	68

Xanthoxyline

ID: T2981

Derivatives of xanthoxyline have antispasmodic activity.



Size	10mg	50mg	250mg
Price(\$)	27	79	226

3,4,5-Trimethoxycinnamic acid

ID: T2983



Size	20mg	100mg	500mg
Price(\$)	24	55	112

Scopoletin

ID: T2984



Plant growth factor derived from the root of *Scopolia carniolica* or *Scopolia japonica*.

Size	5mg	20mg	100mg
Price(\$)	71	171	354

4-Hydroxybenzoic acid

ID: T2989



4-Hydroxybenzoic acid is a monohydroxybenzoic acid, a phenolic derivative of benzoic acid.

Size	20mg	50mg	200mg	500mg
Price(\$)	24	43	67	177

Chondroitine sulfate

ID: T2980



Extracted from shark bone; Store the product in sealed, cool and dry condition

Size	10mg	25mg	50mg	250mg	500mg
Price(\$)	13	19	29	44	68

Jatrorrhizine HCl

ID: T2986



Extracted from *berberidis, radix*; Store the product in sealed, cool and dry condition

Size	5mg	20mg	100mg
Price(\$)	71	171	354

Epigallocatechin**ID: T2987**

Extracted from Green tea;Suitability:M ethanol,ethanol;Store the product in sealed,cool and dry condition



Size	5mg	20mg	100mg	200mg
Price(\$)	71	171	354	543

(-)Epigallocatechin Gallate**ID: T2988**

(-)Epigallocatechin gallate (EGCG), the major catechin accounting for 59% of the total catechins in green tea, is a powerful antioxidant as well as an antiangiogenic and antitumor agent.

Size	25mg	50mg	200mg	500mg
Price(\$)	30	49	118	177

Phenibut**ID: T2990**

Phenibut is a central depressant and derivative of the naturally occurring inhibitory neurotransmitter γ -aminobutyric acid (GABA).

Size	10mg	25mg	50mg	250mg	500mg
Price(\$)	13	19	29	44	68

3,3'-Diindolylmethane**ID: T2991**

DIM (3,3'-diindolylmethane), a small molecule compound, is a proposed cancer preventive agent.

Size	10mg	25mg	50mg	250mg	500mg
Price(\$)	13	19	29	44	68

Pinocembrin**ID: T2992**

Pinocembrin is a flavanone, a type of flavonoid. It is an antioxidant found in damiana, honey, fingerroot, and propolis.

Size	5mg	10mg	20mg	100mg	250mg
Price(\$)	24	43	67	177	329

Cardamoni**ID: T2994**

Cardamomin (also known as cardamonin) is a chalconoid that has been isolated from several plants including Alpinia katsumadai and Alpinia conchigera.

Size	5mg	10mg	20mg	100mg	250mg
Price(\$)	24	43	67	177	329

Cordycepin**ID: T2993**

Cordycepin is a purine nucleoside antimetabolite and antibiotic isolated from the fungus *Cordyceps militaris* with potential antineoplastic activity. Extracted from *Cordyceps*;Store the product in sealed, cool and dry condition



Size	5mg	10mg	20mg	100mg	250mg
Price(\$)	24	43	67	177	329

Chrysophanic Acid**ID: T2995**

Extracted from *Rheum palmatum* L.;Suitability:Boiling ethanol,benzene,chloroform,ether,acetic acid and acetone;Store the product in sealed, cool and dry condition

Size	1mg	2mg	5mg	20mg	100mg	1ml/10mL
Price(\$)	36	55	96	171	470	91

Tetrandrine**ID: T2996**

Tetrandrine, a bis-benzylisoquinoline alkaloid derived from *Stephania tetrandra*, is a calcium channel blocker.

Size	5mg	10mg	20mg	100mg	250mg
Price(\$)	24	43	67	177	329

Rheic Acid**ID: T2997**

Rhein is an anthraquinone compound enriched in the fresh rhizome of *Rheum coreanum* Nakai, showing anti-inflammation and antitumor activities. Extracted from *Polygonaceae* *Rheum officinale*;Suitability:Pyridine,sodium bicarbonate;Store the product in sealed, cool and dry condition

Size	5mg	25mg	100mg	200mg	500mg
Price(\$)	18	36	60	100	172

Dihydromyricetin**ID: T2998**

Dihydromyricetin (*Ampelopsin*, *Ampelopterin*) is a natural antioxidant flavonoid from *Ampelopsis grossedentata*.

Size	5mg	10mg	20mg	100mg	250mg
Price(\$)	24	43	67	177	329

Gastrodin**ID: T2999**

Gastrodin, an anti-inflammatory polyphenol extracted from Chinese natural herbal *Gastrodia elata* Blume., benefits neurodegenerative diseases.

Size	5mg	10mg	20mg	100mg	250mg
Price(\$)	24	43	67	177	329

Natural Compound

Magnolol

ID: T3000



Magnolol is isomeric to honokiol (sc-202653). Magnolol is an anxiolytic, anti-thrombotic and antibacterial. . Inhibitor of nitric oxide (NO) and TNF- α production in LPS-activated macrophages by the suppression of inducible nitric oxide synthase (iNOS; NOS)

Size	10mg	25mg	50mg	250mg	500mg
Price(\$)	13	19	29	55	82

Honokiol

ID: T3001



Honokiol is the active principle of magnolia extract that inhibits Akt-phosphorylation and promotes ERK1/2 phosphorylation.

Size	10mg	25mg	50mg	250mg	500mg
Price(\$)	13	19	29	55	82

Piperine

ID: T3002



Piperine (1-Piperoylpiperidine) is the alkaloid responsible for the pungency of black pepper and long pepper, which has also been used in some forms of traditional medicine and as an insecticide.

Size	10mg	25mg	50mg	250mg	500mg
Price(\$)	13	19	29	55	82

5-hydroxytryptophan (5-HTP)

ID: T3003



Extracted from Griffonia simplicifolia; Suitability: Water; Store the product in sealed, cool and dry condition

Size	10mg	25mg	50mg	250mg	500mg
Price(\$)	13	19	29	55	82

2-Methoxy-1,4-naphthoquinone

ID: T3008



Lawsone (2-hydroxy-1,4-naphthoquinone), also known as hennotannic acid, is a red-orange dye present in the leaves of the henna plant (*Lawsonia inermis*) as well as in the flower of water hyacinth (*Eichornia crassipes*).

Size	10mg	25mg	50mg	250mg	500mg
Price(\$)	13	19	29	55	82

Catharanthine hemitartrate

ID: T3013



Extracted from whole herb of *Catharanthus roseus* (L.) G.Don; Store the product in sealed, cool and dry condition

Size	5mg	10mg	20mg	100mg	250mg
Price(\$)	24	43	67	177	329

Batyl alcohol

ID: T3004



Size	10mg	25mg	50mg	250mg	500mg
Price(\$)	13	19	29	55	82

4-Hydroxychalcone

ID: T3005



4-Hydroxychalcone attenuates hyperaldosteronism, inflammation, and renal injury in cryptochromes-null mice.

Size	10mg	25mg	50mg	250mg	500mg
Price(\$)	13	19	29	55	82

5-Phenyl-2,4-pentadienoic acid

ID: T3006



JUAREZIC ACID is also known as 5-Phenylpenta-2,4-dienoic acid.

Size	10mg	25mg	50mg	250mg	500mg
Price(\$)	13	19	29	55	82

Spermine

ID: T3007



A biogenic polyamine formed from spermidine.

Size	5mg	10mg	25mg	50mg	200mg	1ml/10mL
Price(\$)	43	71	123	209	431	45

Bovinocidin

ID: T3009



A new antibiotic bovinocidin, identified as beta-nitropropionic acid.

Size	5mg	10mg	20mg	100mg	250mg
Price(\$)	24	43	67	177	329

Xanthurenic Acid

ID: T3010



Xanthurenic acid, or xanthureneate, is a chemical shown to induce gametogenesis of *Plasmodium falciparum*, the parasite that causes malaria.

Size	5mg	10mg	20mg	100mg	250mg
Price(\$)	24	43	67	177	329

Kynurenone

ID: T3011



Kynurenone is synthesized by the enzyme tryptophan dioxygenase, which is made primarily but not exclusively in the liver, and indoleamine 2,3-dioxygenase, which is made in many tissues in response to immune activation.

Size	2mg	5mg	10mg	25mg	50mg	1ml/10mL
Price(\$)	18	36	60	101	172	39

Mangiferin**ID: T3012**

Mangiferin is used for antidiabetes. Extracted from Mangifera indica L.;Suitability:Hot dilute methanol,hot dilute alcohol;Store the product in sealed,cool and dry condition

Size	5mg	10mg	20mg	100mg	250mg
Price(\$)	24	43	67	177	329

Scclareol**ID: T3020**


Scclareol, a labdane-type diterpene isolated from clary sage (*Salvia sclarea*), exerts growth inhibition and cytotoxic activity against a variety of human cancer cell lines. Extracted from *Salvia Sclareol*. inflorescence,stem and leaf;Store the product in sealed, cool and dry condition

Size	5mg	20mg	50mg	100mg	200mg	1ml/10mM
Price(\$)	19	44	78	115	185	44

Olaparib (AZD2281, Ku-0059436)**ID: T3015**

Olaparib (AZD2281, KU0059436) is a potent PARP inhibitor with IC50 of 5 and 1 nM for PARP-1 and PARP-2, respectively.

Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	25	38	60	127	217	47

Melezitose**ID: T3016**

Melezitose, also spelled melicitose, is a nonreducing trisaccharide sugar that is produced by many plant sap eating insects, including aphids such as Cinara pilicornis by an enzyme reaction.

Size	10mg	25mg	50mg	250mg	500mg
Price(\$)	13	19	29	55	82

Trenbolone acetate**ID: T3017**

Trenbolone acetate (TBA; RU1697; Finaplix) is a synthetic androgen steroid with anabolic properties.

Size	5mg	10mg	20mg	100mg	250mg
Price(\$)	24	43	67	177	329

Protocatechualdehyde**ID: T3018**

Extracted from Stenoloma chusanum(L.) Ching leaves;Store the product in sealed, cool and dry condition

Size	5mg	10mg	20mg	100mg	250mg
Price(\$)	24	43	67	177	329

Rheochrysidin**ID: T3019**

Physcion is an anthraquinone from roots of *Rheum officinale* Baill.

Size	5mg	10mg	25mg	50mg	100mg
Price(\$)	32	56	96	148	234

Abscisic acid**ID: T3014**

Abscission-accelerating plant growth substance isolated from young cotton fruit, leaves of sycamore, birch, and other plants, and from potatoes, lemons, avocados, and other fruits.

Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	25	38	60	127	217	47

Bulleyaconitine A**ID: T3021**

Bulleyaconitine A is an analgesic and antiinflammatory drug isolated from Aconitum plants; has several potential targets, including voltage-gated Na⁺ channels. Extracted from *Aconitumkusnezoffii* Reichb.;Suitability:Ethanol,chloroform,ether;Store the product in sealed,cool and dry condition

Size	5mg	10mg	25mg	50mg	100mg
Price(\$)	32	56	96	148	234

3',4'-Anhydrovinblastine**ID: T3022**

Extracted from *Catharanthus roseus* (L.) G.Don;Store the product in sealed, cool and dry condition

Size	2mg	10mg	25mg	50mg	100mg
Price(\$)	19	44	78	115	185

Catharanthine sulfate**ID: T3023**

Catharanthine inhibits nicotinic receptor mediated diaphragm contractions.

Size	2mg	10mg	25mg	50mg	100mg	1ml/10mM
Price(\$)	19	44	78	115	185	44

Asiaticoside**ID: T3025**

Asiaticoside (Madecassol) is the active chemical component of the plant *Centella asiatica*. Asiaticoside is used to study potential treatments for wounds and burns.

Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	56	112	189	308	518	112

Natural Compound**(-)-Huperzine A (HupA)**

ID: T3026



(-)Huperzine A is a potent, highly specific and reversible inhibitor of acetylcholinesterase (AChE) with K_i of 7 nM, exhibiting 200-fold more selectivity for G4 AChE over G1 AChE. Also acts as an NMDA receptor antagonist. Phase 4.

Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	32	56	96	148	234	56

Celastrol

ID: T3028

Celastrol is a potent proteasome inhibitor for the chymotrypsin-like activity of a purified 20S proteasome with IC50 of 2.5 μ M.



Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	50	83	127	247	394	112

Sodium Aescinate

ID: T3027

Extracted from *Aesculus wilsonii*; Store the product in sealed, cool and dry condition



Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	50	83	127	247	394	112

L-Sophoridine

ID: T3030



Sophoridine, a natural product obtained from medicinal plants, which has a variety of pharmacological effects, including anti-cancer effects, and selectively induces apoptotic cell death in a variety of human cancer cells in vitro and in vivo.

Size	10mg	25mg	50mg	250mg	500mg
Price(\$)	13	19	29	55	82

Hederagenin

ID: T3039



Extracted from *Hederanepalensis*K.Kochvar.sinensis(Tobl.) Rehd.;Suitability:Hot water,hot methanol and ethanol;Store the product in sealed,cool and dry condition

Size	2mg	5mg	10mg	25mg	50mg	1ml/10mM
Price(\$)	32	56	96	148	234	56

Sparteine sulfate

ID: T3029



Extracted from *SpartiumJunceum*;Store the product in sealed, cool and dry condition

Size	1mg	2mg	5mg	10mg
Price(\$)	49	86	128	229

Product Alphabetical Index

0-9	
((2-(trimethylsilyl)ethoxy)-methyl)	238
(-)Cotinine	128
(-)Epicatechin gallate	246
(-)Epigallocatechin Gallate	267
(-)Huperzine A (HupA)	270
(-)Sparteine sulfate pentahydrate	193
(+)-Bicuculline	255
(+)-Camptothecin	95
(+)-Catechin Hydrate	249
(+)-Emetine 2HCl hydrate	150
(+)-Matrine	257
(+)-Pilocarpine HCl	126
(+, -)-Octopamine HCl	168
(±)-Bisoprolol hemifumarate	171
(20S)-Protopanaxadiol	251
(MEK162, ARRY-162, ARRY-438162)	41
(R)-Naproxen	121
(R)-P7C3-Ome	236
1,1-Bis(Methylthio)-2-Nitroethylene	232
1,3-Diphenylurea	244
1,3-Propanedisulfonic disodium	218
10-Deacetylbasatin III	54
10-Hydroxycamptothecin	248
17-Beta-Estradiol-3,17-Dipropionate	181
17-Methyltestosterone	182
1-Aminohantoin HCl	219
1-Ethyl-2-benzimidazolinone	87
1-Methylindazole-3-carboxylic acid	235
1NM-PP1	69
1-Phenyl-1,2-ethanediol	232
2-(1-Piperazinyl)pyrimidine	171
2-(Hydroxymethyl)pyridine	194
2,3-Butanedione 2-Monoxime	32
2,3-Dichloroanisole	234
2,3-Dihydrofuran	221
2,5-dioxo-4-imidazolidinyl urea	151
2,6-Dihydroxypurine	214
2,8-Quinolinediol	226
2-Aminobenzenesulfonamide	212
2-Aminoethanethiol	220
2-Aminoheptane	228
2-Benzothiazolamine	76
2-Bromo-6-methoxynaphthalene	111
2-Chloropyrazine	47
2'-Deoxyadenosine monohydrate	247
2'-Deoxyinosine	220
2'-Deoxy-L-thymidine	103
2'-Deoxyuridine	97
2-dihydro-pyridine-3-carbonitrile	202
2-isopropylphenol	73
2-Methoxy-1,4-naphthoquinone	268
2-Methoxyestradol	10
2-Methoxyphenothiazine	197
2-Methyl-4-nitroimidazole	161
2-Naphthol	222
2-NP	17
2-Picolinyl hydrazide	214
2-Pyridinealdoxime methochloride	117
3,3'-Diindolylmethane	267
3,4,5-Trimethoxycinnamic acid	266
3',4'-Anhydrovinblastine	269
3,4-Dimethoxybenzyl alcohol	228
3,5-Diodotyrosine Dihydrate	247
3-Aminopropionitrile fumarate	249
3-Chloropropiophenone	232
3-Hydroxyflavone	260
3-Methyladenine (3-MA)	36
4-(1H-Pyrazol-4-yl)-7-	238
4-Aminocoumarine	121
4-aminobenzoic acid	217
4-Aminobutyric acid	131
4-Aminophenol	73
4-Aminophenylarsonic acid	153
4-Aminopyridine	90
4-Biphenylacetic acid	118
4-Butoxyphenol	223
4-Chloro-4'-hydroxybenzophenone	233
4-Chlorophenol	154
4-Chlorosalicylic acid	150
4'-Demethylepipodophyllotoxin	262
4E1rcat	75
4EGI-1	75
4-Fluoroaniline	216
4-Hydroxy-3-methoxybenzylamine HCl	233
4-Hydroxy-3-methoxymandelic acid	228
4-Hydroxy-3-nitrophenylacetic acid	78
4-Hydroxyantipyrine	121
4-Hydroxybenzoic acid	266
4-Hydroxychalcone	268
4-Methoxy-2-oxo-1,	202
4-Methylmorpholine N-oxide	228
4-Methylpyrazole	199
4-Methylumbelliferon (4-MU)	232
5-Acetylsalicylic acid	245
5alpha-Cholestan-3-one	260
5-Amino-4-imidazolecarboxamide	144
5-Amino-4-imidazolecarboxamide	233
5Beta-Pregnane-3Alpha,20alpha-Diol	181
5-Fluorouridine	100
5-Hydroxymethyl-2-furaldehyde	263
5-hydroxytryptophan (5-HTP)	268
5-Phenyl-2,4-pentadienoic acid	268
6-Aminocaproic acid	70
6-BIO	33
6H05	49
6-Hydroxyflavone	263
6-Hydroxypurine	218
6-Mercaptopurine monohydrate	97
7,8-Dihydroxyflavone	252
7ACC2	216
7-Aminocephalosporanic acid	144
-7H-pyrrolo [2,3-d]pyrimidine	238
7-Hydroxycoumarin	73
8-Azaguanine	217
8-Hydroxyquinoline-2-carboxaldehyde	236
8-Methoxysoralen	243
A	
A 769662	39
A-1210477	61
A-205804	51
A-438079 HCl	141
A66	38
A77-01	20
A-803467	86
A-83-01	20
Abacavir	102
Abamectin	160
Ababolactone	183
Abscisic acid	269
ABT-199 (GDC-0199)	61

ABT-263 (Navitoclax).....	61	Adrenalone HCl	167	Aloin.....	246
ABT-737	61	Adrenosterone	183	Alosetron HCl	110
ABT-751 (E7010).....	54	Adriamycin.....	96	Alpha-Chloralose.....	222
ABT888 HCL.....	13	ADX 47273	124	Alpha-D-galactose.....	261
AC1NS4RE.....	237	AEE788	26	Alphalipoic acid.....	262
Acalisib (GS-9820)	36	AF 353	141	Alprostadil.....	189
Acamprosate calcium	133	Afalanine.....	229	Altiratinib(DCC2701).....	23
Acarbose	218	Afatinib (BIBW2992).....	24	Altrenogest	184
Acetabutol HCl.....	168	Afatinib (BIBW2992) Dimaleate.....	24	Altretamine	94
Acecainide	84	Afuresertib	33	Alverine citrate.....	109
Aceclofenac	122	AG-1478	25	Alvimopan.....	141
Acedoben	228	AG-1517;PD153035 HCl	25	AM095	174
Aceglutamide	226	AG-1557	237	AM251	173
Acemetacin.....	119	AG18	24	AM281	174
Acesulfame Potassium	236	AG-337;Nolatrexed 2HCl	101	Amantadine HCl	111
Acetaminophen.....	118	AG-490 (Tyrophostin B42).....	24	Ambrisentan	174
Acetanilide	232	AGI-5198 (IDH-C35).....	201	Ambroxol	193
Acetazolamide	209	AGI-6780	200	Amcincinide	179
Acetohexamide	210	Agipnon	132	Amfenac Sodium Monohydrate	122
Acetohydroxamic acid	3	Agomelatine	109	Amfepramone HCl	180
Acetricoic acid	229	AHAS inhibitor BTB06584	157	AMI-1	12
Acetylcholine chloride	125	AICAR (Acadesine)	39	AMI-5	234
Acetylcysteine	71	AL082D06	188	Amidrine	221
Acetylsalicylic acid	71	Alarelbin	237	Amikacin	144
Acetylspiramycin.....	153	Albamycinsodium	95	Amiloride HCl	86
Acetylvanillin	265	Albendazole	53	Aminacrine	154
Acexamic Acid	121	Alcaftadine	139	Aminoglutethimide	179
Aciclovir	97	Alda-1	199	Aminoguanidine HCl	75
Acinitrazol	145	Alectinib (CH5424802)	20	Aminopar	213
Acipimox	223	Aleuritic Acid	259	Aminophylline	167
Acitretin	197	Alfuzosin HCl	172	Aminothiazole	145
Acldinium bromide	130	Aliskiren hemifumarate	178	Amiodarone HCl	173
Acotiamide HCl	115	Alizapride HCl	113	Amisulpride	112
ACT 058362; Palosuran	177	Alizarin	263	Amitraz	171
Actarit	78	ALK inhibitor 2	21	Amitriptyline HCl	180
Actidione	158	Alkornide	151	Amlexanox	77
Adapalene	197	Allantoin	220	Amlodipine	87
Adefovir dipivoxil	102	Allopurinol	202	Amlodipine Besylate	193
Ademine	84	Allotropal	193	Amorolfine HCl	154
Adenine	103	Allylestrenol	185	Amoxapine	132
Adenosine	103	Allylthiourea	225	Amoxicillin	146
Adenosine 5'-triphosphate disodium salt.....	223	Almorexant	174	Ampalex	131
Adenosine disodium triphosphate	252	Almotriptan Malate	105	Amphotericin B	146
Adiphenine HCl	126	Alodon	237	Ampicillin Trihydrate	146
Adipic acid	222	Aloe-emodin	255	Ampronilum	206
AdipoRon	91	Alogliptin Benzoate	2	Amrinone	63
Adjudin (AF-2364)	238	Aloin	241	Amsacrine	90

Amstat	70	Armodafinil	173	Azathioprine	92
Amuvatinib(MP470)	22	ARN-509	183	AZD1080	34
Amylenhydrate	221	ARRY380	25	AZD1208	18
ANA-12	31	Artemether	152	AZD1480	15
Anacetrapib (MK-0859)	204	Artemisinin	241	AZD2014	35
Anagrelide	194	Artesunate	241	AZD2461	13
Analgin	118	Articaine HCl	86	AZD2858	33
Anastrozole	180	AS 602801	44	AZD2932	27
Andarine	182	AS601245	44	AZD3463	22
Andrographolide	259	AS-605240	36	AZD4547	26
Anestan	124	Asarylaldehyde	253	AZD-5363	32
Anethole trithione	225	Ascomycin (FK520)	216	AZD5438	47
Aniracetam	130	Asenapine Maleate	110	AZD7545	208
Anitarol	263	Asiatic acid	254	AZD8055	35
Anovigam	118	Asiaticoside	269	AZD9291	25
Ansamtocin P-3	54	ASP 3026	20	Azelaic acid	98
Antascarin	229	Aspartame	83	Azelastine	136
Antazoline HCl	138	Asperosaponin VI	244	Azeliragon	217
Antepan	131	Astemazole	134	Azelnidipine	87
Anthralin	227	Astilbin	251	Azilsartan	70
Antipyryne	119	Astragaloside IV	266	Azilsartan kaMedoxoMil	178
Antrapurol	39	AT 7519 HCl salt	48	Azithromycin dihydrate	150
AOB2796	4	AT13148	33	Azlocillin sodium	155
AP24534 Ponatinib	27	AT-56	239	Aztreonam	153
AP26113	20	AT9283	16		
Apatinib	28	Ataluren (PTC124)	81	B	
APD 668	177	Ataractan	107	Baccatin III	250
Apigenin	193	Atazanavir sulfate	3	Bacitracin	146
Apilimod	76	ATB 346	123	Baclofen	131
Apitolisib (GDC-0980, RG7422)	38	Atenolo...	168	Baicalin	256
Apixaban	198	Atglistatin	239	Balicatib	249
Apoptosis Activator 2	63	Atomoxetine HCl	113	Balofloxacin	93
Apramycin sulfate	146	Atopaxar	4		
Apremilast (CC-10004)	261	Atovaquone	200	BAM7	60
Aprepitant	142	Atropine	127	Bambuterol HCl	116
Aptal	218	Auranofin	72	Barasertib (AZD1152-HQPA)	53
APY0201	76	Avanafil	195	Baricitinib (LY3009104, INCB028050)	16
Aquacrine	184	Avasimibe	247	Baricitinib (LY3009104, INCB028050)	17
AR-A014418	33	AVN944	200	Basibrol	229
Arbidol HCl	163	Avobenzene	235	Batyl alcohol	268
Arbutin	215	AWD 131-138	132	BAY 11-7082	72
Arctigenin	264	Axitinib	22	Bay 11-7085	72
Arctiin	248	Ayrtol	144	BAY 87-2243	10
Arecoline HBr	128	AZ20	40	BAY85-3934;Molidustat	10
Argatroban	70	AZ5104	24	Bazedoxifene acetate	186
Aripiprazole	107	Azasetron HCl	109	BD1047.2HBr	175
Aristolochic Acid	251	Azatadine Maleate	138		

Beclamide	232	BHT FCC/NF	73	BRD7716	101
Betamethasone dipropionate	187	BIBR 1532	92	Brexipiprazole	112
Bedaquiline(TMC207; R207910)	163	Bicalutamide	183	Brinzolamide	209
Behenic alcohol	146	Bifonazole	159	Brivanil Alaninate (BMS-582664)	28
Belinostat (PXD101)	9	BIIB-021	49	Brivudine	162
Benacytizine HCl	129	Bikinin	34	BRL54443	105
Benazepril HCl	177	Bilirubin	262	Bromfenac sodium	123
Bendamustine HCl	94	Bilobalide	252	Bromhexine HCl	223
Bendazol	113	Bimatoprost	77	Bromindione	233
Bendroflumethiazide	209	Binimetinib	41	Bromisoval	219
BenfluoreX HCl	76	Biochanin A	256	Bromopride	113
Benfotiamine	233	Biogmifi	63	Brompheniramine hydrogen maleate	134
Bengenin	72	Bipariden	130	Bronidiol	145
Benicar	178	Birch-Me	218	Broxiquinoline	146
Benserazide HCl	139	Biscomate	233	BS-181 HCL	48
Benzalkonium chloride	156	Bismuth subsalicylat	120	Bucetin	229
Benzbromarone	193	Bispyrazolone	229	Bucloadesine	43
Benzethonium chloride	126	Bithionol	135	Budesonide	188
Benzocaine	86	BIX 01294	12	Bufalin	80
Benzoic acid	158	BIX02188	42	Bufexamac	119
Benzoyl peroxide	73	BIX02189	42	Buflomedil HCl	169
Benzthiazide	209	BKM120 (NVP-BKM120, Buparlisib)	38	Bulleyaconi cíne A	269
Benztropine mesylate	112	Blonanserin	109	Bumetanide	91
Benzydamine HCl	119	BLU9931	26	Bupivacaine HCl	76
Benzyl benzoate	220	BMH-21	101	Bupropion HCl	126
Benzyladenine	222	BML-275	39	Buspirone HCl	109
Bephenium Hydroxynaphthoate	219	BML-277	49	Busulfan	93
Berbamine HCl	261	BMS 599626	30	Butenafine HCl	146
Berberine HCl	152	BMS-265246	47	Butoconazole nitrate	159
Bergapten	94	BMS-303141	236	Butyl 4-aminobenzoate	85
BET bromodomain inhibitor	7	BMS-754807	30	Butylated hydroxyanisole	222
BET bromodomain inhibitor	7	BMS-777607	23	Butylparaben	155
Beta-Cyclodextrin	263	BMS-777607	30	Buxamine	131
Betahistidine 2HCl	136	BMS794833	23	BVT 2733	200
Betaine HCl	241	BMS-833923	59	BX795	39
Betamethasone	187	BMY 7378 2HCl	173	BX912	39
Betamethasone 17-valerate	187	Bohemine	47	BYL-719(Alpelisib)	38
Betamethasone dipropionate	188	Borneol	193		
Betamipron	223	Bornyl acetate	76	C	
Beta-Sitosterol	265	Bortezomib (PS-341)	4	C646	11
Beta-Tetralone	193	Bosutinib (SKI-606)	67	C7280948	11
Betaxolol HCl	171	Bovinocidin	268	Cabazitaxel	54
Betulinic acid	254	BPR1J-097	30	Cabozantinib (XL184, BMS-907351)	28
BEZ235 (NVP-BEZ235, Dactolisib)	34	BQUS7	42	Caffeic Acid	252
Bezafibrate	196	B-Raf IN 1	43	CAL-101 (Idelalisib, GS-1101)	37
BG45	9	B-Raf inhibitor 1	43	Calpain Inhibitor III	1
BGJ398 (NVP-BGJ398)	26	BRD4770	12		

CaMKP Inhibitor	116	CC-292 (AVL-292)	66	CGK 733.....	40
Camostat mesilate.....	86	CCG-1423	49	CH 223191	203
Camphor.....	264	CCT007093	217	CH5132799	37
Camylofine 2HCl.....	229	CCT137690	52	CHEMBL460860.....	265
Canagliflozin.....	82	Cediranib (AZD2171).....	27	Chenodeoxycholic acid.....	201
Cancidas.....	159	Cedryl acetate	264	Chidamide	8
Candesartan.....	178	Cefaclor monohydrate	153	CHIR98014.....	34
Candesartan Cilexetil.....	177	Cefadroxil	151	CHIR-98014.....	34
Canertinib 2HCl.....	25	Cefalexine EP IMpurity B.....	153	CHIR-99021.....	33
Canrenone.....	189	Cefazolin sodium salt	143	Chitosan	158
Cantharidin.....	260	Cefdinir	213	Chloroquinan	146
Capastat sulfate.....	146	Cefditoren pivoxil	158	Chloral hydrate	132
Capecitabine.....	99	Cefepime Dihydrochloride Monohydrate	151	Chloramine-T.....	151
Capitol	147	Cefixime	143	Chloramphenicol.....	155
Capsaicin.....	82	Cefmenoxime HCl	151	Chlorhexidine.....	227
Captopril.....	177	Cefmetazole sodium.....	156	Chlorhexidine HCl.....	155
Carbachol	126	Cefonidic sodium	158	Chlorindanol	160
Carbadox	156	Cefoperazone sodium	154	Chlormadinone acetate	183
Carbaglu	229	Cefotaxime sodium	144	Chlormezanone	91
Carbamazepine	84	Cefotiam HCl	144	Chloroambucil.....	93
Carbaryl	116	Cefoxitin sodium	150	Chlorobutanol	145
Carbazochrome sodium sulfonate.....	223	Cefpiramide acid.....	151	Chlorogenic Acid.....	252
Carbenicillin disodium.....	146	Cefprozil hydrate	158	Chlorophos	116
Carbenoxolone disodium.....	229	Cefsulodine sodium	152	Chlorophyllin.....	92
Carbetapentane citrate	226	Ceftazidime	145	Chloropyramine HCl	134
Carbidopa Hydrate	139	Ceftriaxone sodium	155	Chloroquine diphosphate	39
Carbimazole	190	Cefuroxime sodium	154	Chlorothiazide	209
Carbinoxamine Maleate Salt	137	Celastrol	270	Chlorotrianisene	185
Carboplatin	99	Celecoxib	123	Chlorpheniramine maleate	135
Cardamoni	267	Celiprolol HCl.....	170	Chlorpromazine HCl	135
Cardiogenol C HCl	235	CEP-28122	19	Chlorpropamide	223
Carfilzomib (PR-171)	4	CEP-32496	43	Chlorprothixene	127
Cariporide	86	CEP-33779	15	Chlortaldidone	85
Carisoprodol	131	CEP37440	22	Chlortetracycline HCl	147
Carmofur	100	Cepazine	144	Chlorzoxazone	49
Carprofen	119	Cephalexin	155	Cholesterol	75
Carteolol HCl	171	Cephalemannine	244	Cholesteryl Acetate	261
Carvedilol	90	Cephalonium	152	Cholic Acid	265
Carvedilol phosphate	51	Cephalothin sodium	156	Choline chloride	124
Caryophyllene oxide	245	Cepharanthine	78	Chondroitin sulfate	266
Casanthranol	242	Cephradine	150	Chromocarbe	225
Catalpol	250	Cerdulatinib	16	Chrysins	254
Catharanthine	250	Cetirizine 2HCl	135	Chrysophanic Acid	267
Catharanthine hemitartrate	268	Cetylpyridinium chloride monohydrate	144	CHS 828	210
Catharanthine sulfate	269	Cevimeline HCl hemihydrate	130	CI994 (Tacedinaline)	8
CAY10603	10	CFTRinh-172	81	Cialis	195
CAY10683 (SantacruzaMate A)	8	CGI1746	67	Cianidanol	74

Ciclesonide(RPR251526).....	188	Clobetasol propionate.....	187	CX5461.....	102
Ciclopirox.....	80	Clofarabine	100	CX-6258	18
Ciclopirox ethanolamine	80	Clofazimine	210	Cyanoacetohydrazide	34
CID 797718	240	Clofibrate	196	Cyasorb	222
CID-2011756	62	Clofibric acid	196	Cyclamic acid	223
CID755673	62	Clofoctol	151	Cyclandelate	88
Cilastatin	2	Clomifene citrate.....	180	Cyclobenzaprine HCl	108
Cilengitide	51	Clomipramine HCl	107	Cyclocytidine HCl	98
Cilnidipine	87	Clonidine HCl.....	169	Cyclopamine	253
Cilostazol	194	Cloperastine HCl	136	Cyclophosphamide monohydrate	94
Cimetidine.....	135	Clopidogrel	141	Cyclosporin A	75
Cinacalcet HCl.....	165	Clopidol	161	Cyclovirobuxin D	266
Cinaciquat	213	Clorgyline HCl.....	191	CYMS442.....	175
Cinchonidine	219	Clorprenaline HCl	170	Cyproheptadine HCl	136
Cinchonine	88	Clorpyrifos	116	Cyproterone acetate	183
Cinchophen	119	Clorsulon	223	Cyromazine	224
Cinene	220	Closantel	227	CYT997 (Lexibulin)	54
Cinepazide maleate	225	Clotrimazole	147	Cytarabine	99
Cinnamic acid	245	Cloxacillin sodium monohydrate	155	Cytisine	125
Cinoxacin	94	Clozapine	135	CZC24832	37
Cinromide	229	CM 346(Obenoxazine)	239	CZC-54252	133
Ciprofibrate	196	CNV-1014802	86	D	
Ciprofloxacin	94	CNX-1351	38	D 4476	198
Ciprofloxacin HCl	95	CNX-774	66	D(-)-Arabinose	243
Ciproxifan maleate	138	Coenzyme Q10 (CoQ10)	251	D(+)-Glucose	242
cis-Anethol	241	Colchicine	54	D64131	55
Cisapride	107	Colistin sulfate	156	Dabigatran etexilate	70
Cisatracurium besylate	127	Cordycepin	267	Dabrafenib (GSK2118436)	43
Cisplatin	63	Cortisone	258	Dacarbazine	99
Citalopram HBr	134	Cortisone acetate	186	Daclatasvir, BMS790052	162
Citicoline	111	Cortodoxone	247	Dacogen	104
Citicoline sodium	142	Corvotone	131	Dacomitinib (PF299804, PF299)	25
Citiolone	218	Costunolide	260	Daidzein	217
Citropten	255	CP 640186	216	Daidzin	259
Citrulline	262	CPI-203	6	Dalasetron Mesylate Hydrate	110
CK-636	54	Creatinine	223	Dalbavancin HCl	158
CL-387785 (EKI-785)	25	Crenolanib (CP-868596)	29	Danazol	185
Cladribine	99	Cresol	155	Danofloxacin mesylate	93
Clarithromycin	75	Crizotinib (PF-02341066)	21	Dantrolene sodium salt	87
Clemastine fumarate	136	Crocin	253	Danuserib (PHA-739358)	53
Clemizole	138	Crotamiton	226	Dapagliflozin	82
Clevudine butyrate	88	Cryptotanshinone	253	Daphnetin	255
Clidinium bromide	127	CTX0294885	235	Dapivirine (TMC120)	103
Climbazole	159	CUDC-907	9	Dapoxetine HCl	105
Clinafloxacin	158	Curcumin	72	Daptomycin	100
Clindamycin phosphate	147	Curcumol	256	Darifenacin HBr	130
Clioquinol	145	CX-4945 (Silmetasertib)	198		

Darunavir Ethanolate.....	3	Diastase.....	234	Dimethylsulfamoyl chloride.....	156
Dasatinib.....	68	Diatrizoate sodium.....	234	Dimetridazole.....	161
Daunorubicin HCl	95	Diatrizoic Acid.....	233	Diminazene Aceturate	214
DBEQ	4	Diaveridine.....	147	Dinaciclib (SCH727965)	48
D-Camphor.....	82	Diazinon.....	116	Dinitolmide.....	147
DCC-2036 (Rebastinib)	67	Diazoxide.....	79	Diolane	220
D-Cellobiose	258	Dibenzo thiophene.....	225	Diosgenin.....	257
DCU	232	Dibucaine.....	116	Diosmetin.....	31
D-Cycloserine.....	147	Dibutyl carbonate.....	219	Diosmin.....	180
Deacetyltaxol.....	264	Dibutyl phthalate.....	221	Diperodon HCl.....	229
Decamethonium bromide	115	Dichlorophen	149	Diphenamid mesylate	126
Decernotinib(VX-509)	17	Diclofenac.....	121	Diphenhydramine HCl	136
Decoquinate	236	Di clazuril.....	224	Diphenidol HCl.....	126
Defactinib(VS-6063, PF-04554878)	68	Diclofenac diethylamine.....	225	Diphenyl phosphate.....	233
Deflazacort	188	Diclofenac sodium	85	Diphenylpyraline HCl.....	137
Dehydroacetic acid	222	Dicloxacillin sodium	152	Dipivefrin HCl.....	117
Dehydroandrographolide	246	Dicrotalic acid	202	Diprophylline	194
Dehydrocholic acid	208	Dicumarol	199	Dirithromycin	147
Dehydrocostus Lactone	254	Dicurone	234	Disodium monofluorophosphate	214
Dehydroepiandrosterone acetate	182	Dicyclomine HCl	125	Disopyramide	90
Delphene	114	Didanosine	102	Disulfiram.....	199
Delta-Gluconolactone	212	Dienestrol	181	Dixanthogen	236
Demeclocycline HCl	143	Dienogest	186	DL-Carnitine	230
Demeton-s-methyl sulfone	232	Diethanol sulfide	200	DL-Glutamine	227
Denatonium benzoate	230	Diethylcarbamazine citrate	122	DL-Mevalonolactone	232
Dendrid	98	Diethylstilbestrol	181	DL-trihexyphenidyl HCl	128
Deoxycholic acid	265	Diflorasone	188	DL-Xylose	241
Deoxycorticosterone acetate	233	Diflunisal	118	D-Mannitol	200
Deoxythymidine triphosphate	101	Digitonin.....	245	DMH1	20
Depofemnin	185	Digitoxigenin	80	DNP (2,4-Dinitrophenol)	227
Dequalinium chloride	50	Digitoxin	219	Docetaxel.....	60
Deracil	189	Digoxigenin	80	Docetaxel trihydrate	61
Deracoxib	121	Digoxin	79	Docusate sodium	140
Dermofongin	161	Dihydroartemisinin	242	Dolutegravir sodium	164
Des(benzylpyridyl) Atazanav	3	Dihydrocholesterol	264	Domperidone	113
Desipramine HCl	108	Dihydroergotamine Mesylate	110	Dopamine HCl	107
Desloratadine	138	Dihydroethidium	237	Doramectin	161
Desonide	187	Dihydromyricetin	267	Doripenem Hydrate	152
Desvenlafaxine	180	Dihydrostreptomycin sulfate	144	Dorzolamide HCl	209
Dexamethason acetate	179	Dihydrothymine	103	DOV 21947	106
Dexamethasone (DHAP)	179	Diltiazem HCl	88	Doxapram hydrochloride monohydrate	90
Dexchlorpheniramine Maleate	112	Dimenhydrinate	136	Doxazosin mesylate	170
Dexibuprofen	119	Dimesna	234	Doxepin HCl	125
Dexmedetomidine	171	Dimethadione	89	Doxifluridine	100
Dextromethorphan HBr monohydrate.....	141	Dimethyl fumarate	71	Doxofylline	194
Diacerein	76	Dimethyl sulfoxide	218	Doxorubicin (Adriamycin)	96
Diammonium Glycyrrhizinate.....	184	Dimethyloxaloylglycine (DMOG)	213	Doxycycline	153

Doxycycline HCl	3	Emodin	257	Estropipate	181
Doxylamine succinate.....	134	Empagliflozin (BI 10773)	82	Etamsylate	70
Drofenine HCl.....	230	Enalapril.....	178	Ethacridine lactate monohydrate	224
Dromostat.....	87	Enasidenib.....	200	Ethambutol 2HCl	223
Dronedarone HCl.....	90	Endothall.....	247	Ethamivan.....	220
Droperidol.....	114	Endoxifen.....	186	Ethaverine HCl	192
Dropnopazine	224	Eniporide	87	Ethidium bromide	220
Dospirenone	184	ENMD-2076	53	Ethinamide	214
Droxidopa	172	Enoxacin Sesquihydrate.....	93	Ethisterone	184
D-Sorbitol.....	218	Enoxolone.....	199	Ethopabate	235
D-Stachyose tetrahydrate	244	Enrofloxacin	156	Ethosuximide	88
DUB inhibitor	64	Entacapone	11	Ethoxyquin	226
Dulcitol	226	Entecavir hydrate	103	Ethyl ferulate	253
Duloxetine HCl.....	113	Epalrestat	214	Ethyl Vanillate	262
Dutasteride	214	Epiandrosterone	183	Ethyl vanillin	221
Duvelisib (IPI-145, INK1197)	37	Epicatechin	256	Ethyl vanillin acetate	263
DY-131	185	Epigallocatechin	267	Ethylparaben	159
Dyclonine HCl.....	84	Epinephrine bitartrate	173	Ethynodiol diacetate	184
Dynasore	52	Epirubicin HCl.....	96	Ethynodiol estradiol	181
Dipyridamole	195	Eplerenone	189	Etidronate	80
		Eprazinone 2HCl	233	Etodolac	197
E		Eprosartan Mesylate	178	Etofenamate	122
EA25	237	EPZ004777	12	Etofibrate	235
Ebastine	138	EPZ005687	13	Etofylline	229
Ebselen	122	EPZ011989	13	Etomide	132
Eburnalritardo	236	EPZ6438	12	Etonogestrel	186
Eacet Sodium	237	Erastin	205	Etoposide	94
Edysterone	258	Erdosteine	224	Etoricoxib	118
Echinacoside	237	Ergosterol	260	ETP46464	40
Echinocystic acid	257	Ergotamine bitartrate	106	Etravirine (TMC125)	103
Econazole	159	Erlotinib	23	Eucalyptol	244
Edaravone	73	Erythritol	242	Eugenol	243
Edoxaban Tosylate Monohydrate	198	Erythromycin	147	Euquinine	233
Efavirenz	162	Erythromycin ethylsuccinate	156	Evans blue	124
Eflaconazole	160	Erythrosin B	242	Everolimus (RAD001)	35
Eflornithine HCl Monohydrate	232	Erythrosine	222	Evodiamine	257
Efonidipine(NZ-105)	89	Escin	241	EVP-6124 Hcl	130
EHop-016	48	Escitalopram	137	Exemestane	180
Elacridar (GF120918)	82	Esculetin	251	Exerkin (ADH-1)	238
Eletriptan HBr	106	Esculin	258	Ezetimibe	203
Eliprodil	139	ESI-09	205		
Ellagic acid	198	Esmolol HCl	169	F	
Ellipticine	96	Esomeprazole Magnesium	83	Famciclovir	162
ELN 441958	238	Estradiol	182	Famotidine	135
Eltrombopag	70	Estradiol benzoate	180	Famprofazone	121
Elvitegravir(GS-9137, JTK-303)	163	Estradiol valerate	182	Fangchinoline	252
Emapunil	239	Estriol	184	Farlutin	181

Fasudil	57	Fludrocortisone acetate	226	G	
Fasudil (HA-1077) HCl	57	Flufenamic acid	119	G-749	29
Febuxostat	202	Flumazenil	132	Gabapentin	166
Fedratinib (SAR302503, TG101348)	17	Flumequine	96	Gabexate mesylate	5
Felbamate	139	Flumethasone	186	Galanthamine HBr	115
Felodipine	195	Flumethrin	161	Gallamine triethiodide	129
Felypressin	190	Flunarizine 2HCl	135	Gallic acid	243
Fenbendazole	160	Flunisolide	187	Galunisertib (LY2157299)	77
Fenbufen	122	Flunixin meglumine	119	Ganciclovir	100
Fenchlonine	212	Fluocinolone acetonide	228	Gandotinib (LY2784544)	17
Fenchlorphos	234	Fluorescein	78	Ganetespib (STA-9090)	49
Fendiline HCl	88	Fluorocytosine	100	GANT61	59
Fenipental	208	Fluoroethyl	229	Gastrdin	267
Fenofibrate	3	Fluorouracil (5-Fluoracil, 5-FU)	163	GATIFLOXACIN	95
Fenofibric acid	3	Fluoxetine	76	GBR-12935	112
Fenoprofen calcium	118	Fluoxymesterone	182	GDC-0032	38
Fenretinide	197	Flupentixol 2HCl	114	GDC-0941	37
Fenspiride HCl	167	Fluphenazine HCl	112	Gedatolisib (PF-05212384, PKI-587)	38
Ferrous fumarate	224	Flurbiprofen	123	Gefitinib (ZD1839)	24
Ferulic Acid	26	Flutamide	183	Gemcitabine	65
Fesoterodine fumarate	130	Fluticasone propionate	189	Gemfibrozil	196
Flexaramine	201	Fluvastatin sodium salt	202	Gemifloxacin mesylate	96
Fexinidazole	160	Fluvoxamine maleate	109	Genipin	204
Fexofenadine HCl	137	Formestane	179	Geniposide	244
FG-2216	10	Formononetin	242	Geniposidic Acid	78
FH1(BRD-K4477)	56	Formoterol	172	Genistein	96
FH535	58	Forskolin	263	Genistin	258
Filotinib (GLPG0634)	16	Forsythin	256	Gentamycin sulfate	205
Fimasartan(BR-A-657)	177	Fosaprepitant dimeglumine	142	Gentiopicrin	249
Finasteride	214	Foscarnet sodium	102	Gentisic acid	256
Fingolimod (FTY720) HCl	175	Fosfomycin calcium	151	Germacrone	263
Fipexide	111	FOSFOSAL	122	Gestodene	185
Fipronil	134	Fosinopril sodium	178	GHF-5074	114
Fisetin	258	FPH2 (BRD-9424)	237	Gibberellic acid	264
FK866 (APO866, Daporinad)	206	FR180204	43	Gimeracil	199
Flavone	257	Fraxetin	260	Ginkgolide A	247
Flavopiridol (Alvocidib) HCl	46	Fructose	264	Ginkgolide B	247
Flavoxate HCl	129	Fruquintinib;HMPL-013	29	Ginkgolide C	247
Fleroxacin	93	Ftxalide	157	Ginsenoside Rb1	253
FLI-06	59	FTI 277 HCl	206	Ginsenoside Rc	245
Flopropione	108	Fudosteine	226	Ginsenoside Rd	258
Florfenicol	151	Fulvestrant	186	Ginsenoside Re	257
Flouxuridine	98	Furaclilin	154	Ginsenoside Rg1	249
FLT3-IN-1	30	Furaladtadone HCl	147	Ginsenoside Rg2	258
Flubendazole	55	Furazolidone	192	Ginsenoside Rh1	262
Fluconazole	149	Furosemide	91	Ginsenoside Rh2	264
Fludarabine	99	Fusidine	150	GIT 27	78

Glafenine	118	GSK923295	52	Hordenine	259
Gliclazide	90	GSK-LSD1 2HCl	11	hPGDS-IN-1	77
Glimepiride	1	GTPL5846	176	hPGDS-inhibitor-1	77
Glipizide	196	GTS 21 2HCl	125	HS-173	37
Gliquidone	89	Guaiacol	223	HTH-01-015	37
GLPG0634 analogue	16	Guaiifenesin	236	Hydralazine HCl	192
Glucosamine	3	Guanethidine Monosulfate	180	Hydrastinine HCl	228
Glucosamine HCl	263	Guanfacine HCl	172	Hydrochlorothiazide	209
Glucosamine sulfate	251	Guanidine HCl	225	Hydrocortisone	179
Glutathione	220	GW 4064	201	Hydrocortisone acetate	179
Glyburide	90	GW 627368X	205	Hydrocortisone butyrate	179
Glycerite	243	GW2580	22	Hydrocortisone Valerate	187
Glycitin	253	GW788388	21	Hydroquinidine	85
Glycocholic acid	254	GW9508	176	Hydroquinone	73
Glycopyrrrolate	129	GW9662	197	Hydroxy Camptothecine	95
Glycyrhetic acid(Enoxolone)	247	Gypenoside XLIX	266	Hydroxychloroquine sulfate	65
Glycyrrhizin (Glycyrrhizic Acid)	246	GZD824	67	Hydroxyhexamide	241
GlyH-101	81	GZD824 Dimesylate	67	Hydroxyprogesterone	185
GNE7915	133			Hydroxyquinoline	143
GNE9605	133	H		Hydroxytoluic acid	122
GNF-2	67	HA130	216	Hydroxyurea	100
GNF-5	67	HA14-1	61	Hydroxyzine 2HCl	137
Gossypol acetic acid	246	Halazone	230	Hydroxyzine Pamoate	134
Gramicidin	75	Halcinonide	186	Hygromycin B	150
Granisetron HCl	109	Haloperidol	108	Hydeoxycholic acid (HDCA)	265
Griseofulvin	55	Harmaline	251	Hyperoside	255
GS-7340 Tenofovir alafenamide	103	Harmine	192		I
GS967	86	Harmine HCl	252	Ibandronic acid	207
GSK 5959	7	Hederagenin	270	I-BET151 (GSK1210151A)	7
GSK0660	196	Helenine	259	Ibrutinib (PCI-32765)	67
GSK-1059615	38	Hematoxylin	243	Ibdilast	195
GSK126	13	Hemicolinium-3	203	Ibuprofen	196
GSK1292263	176	Heptaminol HCl	194	IC261	198
GSK1838705A	21	Hesperetin	78	IC-87114 (IC87114)	36
GSK2126458(Ompalisib)	35	Hesperidin	242	Icarin	256
GSK-2256098	68	Hexachlorophene	199	ICG001	58
GSK2334470	39	Hexamethonium Bromide	126	ICILIN	82
GSK2578215A	133	Hexamethylenetetramine	149	Icotinib	24
GSK2606414	62	Hexetidine	159	ID-8	216
GSK-2636771	36	Histamine	137	Idazoxan HCl	172
GSK2656157	62	Histone Deacetylase Inhibitor III	9	Idabenone	74
GSK2801	7	HMN214	50	IDH1-IN-1	201
GSK3787	197	Hodostin	117	Ifenprodil Tartrate	124
GSK429286A	57	Homatropine Bromide	127	Ifosfamide	98
GSK503	12	Homatropine Methylbromide	126	Ilaprazole sodium	83
GSK-525762A(I-BET-762)	7	Homotaurine	114	Ilomastat (GM6001, Galardin)	247
GSK650394	218	Honokiol	268		

Iloperidone	171	Isopsoralen	257	Ketotifen fumarate	135
IM-12	33	Iisorhamnetin	254	Khellin	220
Imatinib Mesylate (ST1571)	29	Isosorbide dinitrate	81	KI8751	27
Imazalil	160	Isotretinoin	197	Kinetin	227
Imipenem	156	Isovaleramide	199	KN-62	115
Imiquimod	74	Isoxicam	117	KN-93	116
Imperatorin	255	Isoxsuprine HCl	170	KN-93 Phosphate	115
Inauhzin	14	Isradipine	89	KNK437	49
INC8024360 analogue	207	ISRB1	62	Kobe0065	42
INC828060(Capmatinib)	23	Isx 9	58	Kobe2602	42
Indacaterol	167	ITD-1	78	KPT-185	81
Indacaterol maleate	171	Itopride HCl	127	KPT-330, (E)-RN	67
Indapamide	91	Itraconazole	145	k-ras(g12d) inhibitor 6	49
Indazole	85	Ivabradine HCl	171	KRCA-0008	20
Indigo	255	Ivacafitor (VX-770)	81	KU0063794	35
Indole-3-carbinol	263	Ivermectin	133	KU55933	40
Indometacin	196	IWP-2	58	KU-60019	40
Indoprofen	121	IWP-L6	58	KW2449	29
INH1	54	IWR-1-endo	57	KX1-004	69
INK 128 (MLN0128)	35	J		KY0211	58
Iodipamide	219	J147	115	Kynurenone	268
Iodoxanol	230	Jatrorrhizine HCl	266	L	
Iodoquinol	221	JIB-04 (NSC 693627)(E)	12	L(-)-Carnitine	224
Iohexol	222	JNJ-1661010	205	L(-)-sorbose	266
Iopamidol	235	JNJ-26854165 (Serdematan)	65	L(-)- α -Methylldopa	167
Iopanoic acid	226	JNJ-31020028	140	L(+)-Arabinose	243
Iopromide	221	JNJ-7777120	138	L-701,324	139
IOWH-032	81	JNK-IN-8	44	L-779,450	43
IOX 2	10	JSH-23	72	Labetalol HCl	170
Ipragliflozin	82	JW55	13	Lacidipine	88
Ipratropium bromide	129	JZL195	205	Lacosamide	238
Ipriflavone (Osteofix)	216	K		Lactose	242
Iproniazid Phosphate	192	K02288	21	Lactulose	224
IRAK-1/I Inhibitor	30	Kaempferol	244	L-Adrenaline	173
Irbesartan	68	Kanamycin sulfate	145	Laetile	251
Irbitinib(ARRY-380; ONT-380)	26	Kartogenin	77	Lafutidine	138
Irinotecan HCl Trihydrate	96	Kasugamycin HCl	248	Lamivudine	102
Isavuconazole	160	kb NB 142-70	62	Lamotrigine	107
Isoalantolactone	254	kb-NB77-78	62	Lanatoside C	79
Iscocordine	253	KenPaullone	47	Lansoprazole	83
Isoferulic acid	258	Ketanserin	106	Lapatinib	24
Isoimperatorin	255	Ketoconazole	159	Lappaconitine	252
Isoindigotin	101	Ketoisophorone	245	LAQ824 (Dacinostat)	10
Isoliquiritinigenin	215	Ketoprofen	119	Latanoprost	239
Isomaltose	241			Lauroseptol	224
Isoniazid	214			Lawsone	265
Isoprenalin HCl	173				

LB-100	214	Liproxstatin-1	205	LY2409881 triHCl	72
LB42708	206	Liquiritin	259	LY2584702 tosylate	40
L-Carnitine HCl	201	Liranafate	215	LY2811376	114
LCL161	61	Lisinopril	177	LY2835219	48
L-Cycloserine	151	Lithium citrate tribasic tetrahydrate	33	LY-2874455	26
LCZ696	178	Lobeline HCl	125	LY294002	36
LDC1267	31	Lofexidine HCl	172	LY310762	110
LDE225 (NVP-LDE225,Erismodegib)	59	Loganin	248	LY344864	106
LDK378(Ceritinib)	21	Lomefloxacin	94	LY-364947	77
LDN-193189	21	Lomefloxacin HCl	95	Lycopene	257
LDN212854	21	Lomeguatrib	104	Lycorine chloride	249
LDN-214117	21	Lomitapide Mesylate	238	Lyothryronine	189
LDN-57444	64	Lomustine	93		
LED209	158	Lonidamine	212	M	
Lee011	47	Loperamide HCl	141	Macitentan	174
Leflunomide	203	Lopinavir	2	Madecassic acid	248
Lenalidomide (CC-5013)	63	Loratadine	137	Madecassoside	252
Lenvatinib (E7080)	27	L-Ornithine	230	Mafenide HCl	209
Lercanidipine	89	Lornoxicam	123	Magnolol	268
Letrozole	179	Losartan potassium	70	Malathion	116
Leucobasal	73	Losmapimod (GW856553X)	44	Maltitol	242
Leucocrystal Violet	228	Loteprednol etabonate	187	Mangiferin	269
Levamisole HCl	125	Lovastatin	202	Mangostin	237
Levamiodipine	89	Loxapine succinate salt	112	Manidipine 2HCl	87
Levetiracetam	87	Loxeen	128	Mannose	242
Levobupivacaine	86	Loxiglumide	204	Maprotiline HCl	126
Levacetirizine	137	Loxoprofen	123	Maribavir	162
Levodopa	111	L-Pyroglutamic acid	221	Masitinib (AB1010)	22
Levodropropizine	134	LR-510444	54	MAY-262611	57
Levofloxacin HCL	93	L-Rhamnose monohydrate	262	MBX2982	177
Levomilnacipran	111	LRRK2-IN-1	133	MC1568	8
Levonorgestrel	185	L-Sophoridine	270	MCOPPB trihydrochloride	140
Levosimendan	87	L-Theanine	251	Mdivi 1	52
Levosulpiride	112	L-Thyroxine	189	Mdivi 1	52
LGK-974	58	L-Tryptophan	226	MDL 29951	139
LH-846	198	Lu-28-179	175	Mebendazole	54
L-Hyoscymine	130	Luliconazole	160	Mebeverine HCl	231
Lidocaine HCl	85	Lumacaftor(VX 809)	81	Mebhydrolin napadisylate	128
Ligustrazine HCl	264	Luminespib (AUY-922, NVP-AUY922)	50	Mecamylamine HCl	130
Limonin	245	Lupeol	259	Mecarbinate	238
Linagliptin	2	Lupetidin	230	Mechlorethamine HCl	98
Lincomycin HCl	147	Lurasidone HCl	109	Meclizine 2HCl	135
Lincomycin HCl monohydrate	144	Luteolin	63	Meclocycline sulfosalicylate salt	151
Lindane	132	LXR623	210	Meclofenamate Sodium	123
Linezolid	191	LY 303511	35	Meclofenoxate HCl	121
Linifanib (ABT-869)	28	LY2090314	34	Medrysone	187
Liothyronine sodium	189	LY2109761	77	Mefenamic acid	119

Mefenamide HCl.....	218	Methyl hesperidin	32	MK1775	51
Mefloquine HCl.....	228	Methyl protocatechuate	167	MK-2206 2HCl.....	33
Megestrol acetate	187	Methyl Vanillate	253	MK-2866 (GTx-024).....	183
Meglumine.....	224	Methyldienedione	181	MK3102	2
Melatonin	139	Methylene Blue trihydrate.....	219	MK3697	175
Melezitose	269	Methylisobutylxanthine	193	MK-4305 (Suvorexant).....	175
Melibiose	261	Methylisoindigotin	63	MK5046	240
Meloxicam	120	Methylprednisolone	186	MK-8245	201
Melphalan.....	94	Methylprednisolone Sodium Succinate	188	MK8745	53
Memantine HCl.....	130	Methylthiouracil.....	179	MK-8776 (SCH 900776).....	49
Menatetrenone	237	Meticrane	219	ML 161.....	4
Menbutone.....	230	Metoclopramide HCl.....	105	ML141.....	48
Menthol.....	140	Metolazone	84	ML167.....	46
Menthol.....	266	Metoprolol tartrate	169	ML204.....	82
Mepenzolate Bromide.....	126	Metronidazole	212	ML323.....	65
Mephenesin	228	Metroprolol succinate	168	ML347.....	20
Meproxol	230	Metyrapone.....	219	MLN0905.....	50
Mepivacaine HCl	84	Mevastatin	201	MLN2238(Ixazomib).....	5
Meptazinol HCl	140	Mexenone	220	MLN8237(Alisertib).....	53
Merbromin	241	Mexiletine HCl	203	MLN9708.....	5
Mercaptopurine (6-MP).....	98	MG-132	5	Mocetinostat (MGCD0103).....	9
Meropenem	150	MHY1485	34	Moclambemide (Ro 111163).....	192
Mertansine.....	238	MI-2 (MALT1 inhibitor)	216	Modaline sulfate	191
Mesalamine	71	MI-2 (Menin-MLL Inhibitor)	13	Mogroside V	266
Mesna	224	MI-3 (Menin-MLL Inhibitor)	12	Moguisteine	226
Mestinon	115	Mianserin HCl	180	Molindone HCl	108
Mestranol	184	Micafungin sodium	160	Molsidomine	44
Metacetamol	226	Miconazole	91	Mometolitinib (CYT387).....	17
Metaraminol bitartrate.....	168	Midodrine HCl.....	172	Mometasone furoate	188
Metaxalone	227	Mifepristone	186	Monensin sodium salt	154
Metformin HCl.....	44	Miglitol	208	Monoammonium glycyrrhizinate	259
Methacholine Chloride	129	Milbemycin oxime	161	Monobenzone	215
Methacycline HCl.....	154	Milnacipran HCl	124	Monocrotaline	251
Methazolamide	209	Milrinone	194	Montelukast	74
Methicillin sodium	157	Miltfosine	32	Morantel tartrate	232
Methimazole	189	Minaprine 2HCl	111	Morin	254
Methiothepin mesylate	107	Minocycline HCl	147	Moroxydine HCl	97
Methocarbamol	209	Minoxidil	120	Motesanib	28
Methomyl Oxime	228	Mirabegron	167	Moxidectin	133
Methotrexate	205	Mirtazapine	137	Moxifloxacin HCl	95
Methoxamine HCl	172	Misoprostol	186	Moxisylyte HCl	170
Methscopolamine	127	Mitiglinide calcium	89	Moxonidine	234
Methyl 3,5-dihydroxybenzoate	155	Mitonan	216	MPEP HCl	124
Methyl 4-hydroxycinnamate	253	Mitoxantrone HCl	95	MPI-0479605	52
Methyl carbamate	219	Mizolastine	136	Mps1-IN-2	50
Methyl Cholate	247	Mizoribine	100	MS436	7
Methyl Dihydrojasmonate;Hedione.....	250	MK0752	114	MSDC-0160.....	217

Mucic Acid	257	Neratinib(HKI-272).....	25	Norethindrone.....	185				
Mupirocin	100	Netilmicin sulfate	154	Norethynodrel.....	185				
Muscone	259	Neuropathiazol	239	Norfloxacin.....	95				
Mutant EGFR inhibitor	26	Nevirapine	103	Norgestrel.....	185				
Myclobutanil.....	159	Nexturastat A	9	Nortriptyline HCl	138				
Mycophenolate mofetil.....	200	NG-52	47	Nortropine	129				
Mycophenolic acid	199	Nialamide	192	Noscapine HCl.....	140				
Mylosar	104	Niapyrin	122	Notoginsenoside R1	264				
Myricetin	74	Nicardipine HCl.....	126	N-Phenylbenzylamine.....	55				
Myricetrin.....	248	Nicergoline.....	168	NPS 2143	166				
N									
N,N-methylenebis N'-{(hydroxymethyl)}	151	Nicorandil	89	NS6180.....	91				
Nabumetone	121	Nicotinamide-N-oxide	51	NSC 14613.....	200				
N-Acetyl-5-hydroxytryptamine	111	Nicotine	258	NSC 405020	3				
N-Acetylneurameric acid	220	Nicotinic acid hydrazide	230	NSC 42834	16				
Nadifloxacin	148	Nifedipine	90	NSC319726	62				
Nadolol	170	Nifekalant HCl.....	227	NSC-41589	240				
Nafamostat mesylate	5	Niflumic acid	120	NSI-189	239				
nafcillin sodium	152	Nifuratel	157	NU7026	92				
Nafroxyl oxalate.....	108	Nifuroxazide	18	Nutlin-3	62				
Naftifine HCl	213	Nilotinib (AMN-107)	67	NVP 231	123				
Naftopidil	171	Nilotamide	183	NVP-ADW742	30				
Nalfurafine HCl	141	Nilvadipine	88	NVP-BEP800	50				
Nalidixic acid	95	Nimesulide	120	NVP-BVU972	23				
Naloxone HCl	140	Nimodipine	203	Nylidrin HCl.....	170				
Naltrexone HCl	141	Nimorazole	160	Nystatin (Fungicidin)	148				
Nandrolone	233	Nintedanib (BIBF 1120)	28	O					
Nandrolone decanoate	236	Nisoldipine	88	O411	217				
Naphazoline HCl.....	169	Nitarsone	234	O412	217				
Naproxen	118	Nitazoxanide	236	OAC1	56				
Naringenin	254	Nitisinone	200	OAC2	56				
Naringin	192	Nitrendipin	88	O-Acetyl-L-carnitine HCl	216				
Naringin dihydrochalcone	248	Nitrofurantoin	210	Obeticholic Acid	201				
Nateglinide	90	Nitromide	152	OC0000459	177				
N-Carbethoxy-4-piperidone	234	Nitroxoline	157	Oclacitinib	17				
Nebivolol HCl	172	Nizatidine	116	Octreotide Acetate	189				
Necrostatin-1	63	NLG919	207	Octyl 4-methoxycinnamate	227				
Nedaplatin	101	NMS 873	4	OF-1	6				
Nefacetam	131	NO	240	Oflloxacin	95				
Nefopam HCl	84	Nobiletin	253	Olanzapine	107				
Neohesperidin	246	Nocodazole	251	Olaparib (AZD2281, Ku-0059436)	269				
Neohesperidin Dihydrochalcone (Nhdc)	249	Noctone	135	Olaquindox	250				
Neomycin sulfate	148	Nonivamide	83	Oleanolic Acid	256				
Neomycin Sulphate B	153	Nonoxynol	118	Olopatadine HCl	137				
Neostigmine bromide	115	Noradrenaline bitartrate	168	Olsalazine disodium	117				
Nepafenac	123	Noradrenaline bitartrate monohydrate	169	Oltipraz	102				
		Norcantharidin	259						

	P		
Omepramol mecarbil (CK-1827452)	80	Pemirolast potassium	138
Omeprazole	83	Pempidine.....	125
Omeprazole sulfide	234	Penciclovir	98
Ondansetron HCl	106	Penfluridol	112
Orbifloxacin	150	Penicillin G sodium salt	131
Orcinol glucoside	249	Penicillin V potassium salt	144
Orciprenaline sulfate	168	Pentamidine isethionate	153
Org 27569	174	Pentetazol	132
Oritavancin diphosphate	158	Pentolinium Tartrate	128
Orlistat	205	Pentoxifylline	73
Ornidazole	145	Peramivir Trihydrate	163
Orotic acid	222	PeraMpanel	131
Orphenadrine HCl	134	Perifosine (KRX-0401).....	32
Orsellinic acid	254	Perindoprilat	178
Orsellinic acid ethyl ester	250	Permethrin	85
Osalmid	204	Perphenazine	112
Oseltamivir phosphate	161	PF 03716556	91
OSI 930	22	PF 431396	68
Osthole	255	PF 573228	68
Osu-03012	39	PF-04217903.....	23
Otenabant (CP-945598) HCl	174	PF-06447475.....	133
Otilonium bromide	129	PF06463922	20
OTSSP167	217	PF-4708671.....	40
Ouabain octahydrate	80	PF-562271.....	68
o-Veratraldehyde	265	PF670462	198
Oxacillin sodium	157	PFI-2	12
Oxaliplatin	98	PFI-3	7
Oxandrolone	183	PFI-4	7
Oxantel Pamoate	230	Paraglyline	192
Oxaprozin	120	Pardoprunox	110
Oxcarbazepine	86	Parecoxib	123
Oxeladin citrate	230	Pargyline HCl	192
Oxethazaine	84	Paromomycin Sulfate	148
Oxfendazole	55	Paroxetine HCl	108
Oxiconazole nitrate	150	Pasiniazid	121
Oxiinacic Acid	230	Patchouli alcohol	261
Oxiracetam	132	Pazufloxacin Mesylate	94
Oxolamine citrate	231	PCI-24781 (Abexinostat)	9
Oxolinic acid	94	p-Coumaric acid	256
Oxybenzone	221	PD 151746	1
Oxybuprocaine HCl	85	PD 169316	45
Oxybutynin HCl	127	PD 98059	41
Oxyclozanide	234	PD153035	24
Oxymatrine	248	PD173074	26
Oxypurinol	202	PD-173955	67
Oxysophocarpine	250	PD184352 (CI-1040)	42
Oxytetracycline (Terramycin)	148	Pectolinarin	250
		Pedunculoside	253
		Pefloxacin	96
		Pelitinib (EKB-569).....	25
		Pemetrexed acid.....	100
		Pemirolast potassium	138
		Pempidine.....	125
		Penciclovir	98
		Penfluridol	112
		Penicillin G sodium salt	131
		Penicillin V potassium salt	144
		Pentamidine isethionate	153
		Pentetazol	132
		Pentolinium Tartrate	128
		Pentoxifylline	73
		Peramivir Trihydrate	163
		PeraMpanel	131
		Perifosine (KRX-0401).....	32
		Perindoprilat	178
		Permethrin	85
		Perphenazine	112
		PF 03716556	91
		PF 431396	68
		PF 573228	68
		PF-04217903.....	23
		PF-06447475.....	133
		PF06463922	20
		PF-4708671.....	40
		PF-562271.....	68
		PF670462	198
		PFI-2	12
		PFI-3	7
		PFI-4	7
		Paraglyline	192
		Pardoprunox	110
		Parecoxib	123
		Pargyline HCl	192
		Paromomycin Sulfate	148
		Paroxetine HCl	108
		Pasiniazid	121
		Patchouli alcohol	261
		Pazufloxacin Mesylate	94
		PCI-24781 (Abexinostat)	9
		p-Coumaric acid	256
		PD 151746	1
		PD 169316	45
		PD 98059	41
		PD153035	24
		PD173074	26
		PD-173955	67
		PD184352 (CI-1040)	42
		Pectolinarin	250
		Pedunculoside	253
		Pefloxacin	96
		Pelitinib (EKB-569).....	25
		Pemetrexed acid.....	100

Phenytoin.....	85	Pirodavir	163	Proanthocyanidins.....	255
Phenytoin sodium.....	84	Piroxicam.....	120	Probenecid	65
Phloracetophenone	254	Pitavastatin calcium.....	204	Probucol	207
Phloretic acid.....	256	Pixantrone dimaleate.....	239	Procainamide HCl.....	116
Phloretin	261	Pizotifen.....	106	Procaine	84
Phlorizin.....	261	Pizotifen Malate.....	105	Procaine HCl	107
PHOB	9	PJ34 HCl	13	Procarbazine HCl	98
Phosphoserine.....	124	Plerixafor	166	Prochlorperazine Maleate.....	111
PHT-427	32	Plinabulin (NPI-2358)	55	Procodazole.....	219
Phthalylsulfacetamide.....	231	Plumbagin.....	255	Progesterone	140
Phthalylsulfathiazole	164	PLX-3397	22	Proglumide	204
Physostigmine Salicylate.....	117	PLX4720.....	42	Promazine HCl	113
Phytic acid	265	PLX647	22	Promestriene	181
PI3065	37	PMSF.....	1	Promethazine	108
PI3K-IN-2	33	PND-1186	68	Pronatalol	172
Piboserod(SB-207266).....	111	PNU 282987	125	Propafenone	76
Piceatannol.....	69	Podophyllotoxin	54	Propantheline bromide	126
Piceid.....	262	Polymyxin B sulfate	144	Proparacaine HCl	85
Picolamine	2	Pomalidomide	63	Propidium Iodide.....	244
Picropodophyllin (PPP).....	167	Ponalrestat	215	Propionyl-L-carnitine HCl.....	137
Picroside I	250	Potassium antimonyl tartrate sesquihydrate	231	Propitocaine HCl.....	84
Picroside II	252	Potassium iodide	215	Propofol	133
Pidotimod	78	Pozotinib (HM781-36B)	30	Propoxur	117
Pifithrin- α	61	PP121.....	29	Propranolol HCl	107
PIK-294	38	PPQ-102	81	Propylthiouracil	190
PIK75	36	PQ401	30	Protonamide	223
PIK-75	36	PR-619	64	Protocatechualdehyde	269
PIK-90	36	Pracinostat (SB939)	10	Protocatechuic acid	241
PIK-93	36	Pramipexole	109	Protopanaxatriol	252
Pilaralisib (XL147)	37	Pramiracetam	74	Protoporphyrin IX	243
Pilocarpine nitrate	128	Pramoxine HCl	85	Protriptyline HCl	111
Pimaricin	153	Pranlukast	74	PRT062607(P505-15, BIIB057) HCl	69
Pimavanserin	106	Pranoprofen	77	Prucalopride	106
Pimecrolimus	235	Prasugrel	141	Pseudolaric Acid B	45
Pimobendan	195	Pravastatin sodium	201	PSI6206	162
Pimozone	114	Praziquantel	88	Psoralen	263
Pindolol	108	Prazosin HCl	90	PTC-209	216
Pinocembrin	267	Prednisolone	188	Pterostilbene	258
Pioglitazone	196	Prednisolone phosphate sodium	188	Puerarin (Kakonein)	253
Pipemidic acid	152	Prednisolone-21-acetate	188	Purmorphamine	59
Piperacillin sodium salt	148	Prednisone	187	Puromycin 2HCl	99
Piperine	268	Pregabalin	89	Purvalanol A	48
Piperonyl butoxide	208	Pregnenolone	125	PX-12	74
Piracetam	124	Primaquine diphosphate	149	Pyrantel pamoate	160
Pirenzepinedi hydrochloride	127	Primidone	128	Pyrantel tartrate	219
Pirfenidone	77	Pritelivir (BAY 57-1293)	162	Pyrazinamide	163
Piroctone olamine	231	Proadifen HCl	193	Pyridone 6	16

Pyridostatin	101	RG108	11	Rosiglitazone	195
Pyridoxine	50	RGB-286638 free base	47	Rosiglitazone maleate	195
Pyrilmamine maleate	137	RGFP 966	9	Rosmarinic acid	248
Pyrimethamine	204	RGW 611	236	Rostauroxin(PST 2238)	80
		Rheic Acid	267	Rosuvastatin	202
Q		Rheochrysidin	269	Rosuvastatin calcium	202
QNZ46	139	Rhoifolin	248	Rotenone	265
Quercetin	14	RI-1	51	Roxadustat (FG-4592)	10
Quercitrin	257	RI-2	51	Roxarsone	157
Quetiapin	138	Ribavirin	99	Roxatidine Acetate HCl	136
Quinacrine 2HCl	97	Ribostamycin sulfate	148	Roxithromycin	148
Quinapril HCl	177	Rifabutin	100	RPI-1	23
Quinestrol	181	Rifampicin	97	RQ00203078	82
Quinic acid	264	Rifapentine	97	RSC133	104
Quinidine HCl	90	Rifaximin	98	RU 24969 hemisuccinate	106
Quizartinib (AC220)	29	Rilpivirine	103	RU58841	183
		Riluzole	124	Rubescinsin A	250
R		Rimantadine HCl	97	Rufinamide	86
R-(+)-Lansoprazole	83	Rimonabant HCl	174	Rutaecarpine	265
R406	69	Risedronate Sodium	207	Rutin	222
R788 (Fostamatinib) Disodium	69	Risedronic Acid	206	Ruxolitinib	15
Rabeprazole Related CoMPound E	83	Risperidal	108	Ruxolitinib (INCB018424)	15
Racecadotril	212	RTA (NSC 652287)	61	Ruxolitinib (INCB-18424) phosphate	16
Ractopamine HCl	170	Ritodrine HCl	168	RVX-208	7
Radotinib	68	Ritonavir	3		
Raloxifene HCl	181	Rivaroxaban	198	S	
Raltegravir potassium	163	Rivastigmine	115	S0859	239
Ramatroban	69	Rivastigmine tartrate	115	S1RA	175
Ramelteon	139	Rizatriptan benzoate	109	S3I-201;NSC 74859	18
Ramipril	178	RKI-1313	57	Saccharin	227
Ranolazine 2HCl	86	RKI-1447	57	Saikosaponin A(Nhdc)	249
Rapamycin (Sirolimus)	35	RN486	66	Sal003	75
Rasagiline	60	Ro 48-8071 fumarate	213	Salbutamol	168
Rebamipide	73	Ro 61-8048	213	SALICOSIDE	118
Rebeprazole sodium	83	Ro3280	50	Salicylamide	117
Reboxetine	180	Ro-3306	47	Salicylanilide	102
Regadenoson	166	Robenidine HCl	238	Salicylic acid	118
Regorafenib (BAY 73-4506)	27	Rocletinib (CO-1686, AVL-301)	26	Salidroside	244
Repaglinide	196	Rocilinostat (ACY-1215)	9	Salifungin	237
Reserpine	75	Rocuronium bromide	129	Salinomycin	58
Resorcin monoacetate	241	Rofecoxib	120	S-allyl-L-cysteine	249
Resorcine	155	Roflumilast	195	Salvianolic acid B	245
Resveratrol	8	Roniadol	233	Sanguinarine	250
Retigabine	89	Ronidazole	161	Sanguinarine chloride	69
Retinol palmitate	231	Ropinirole HCl	113	SANT-1	59
Revaprazan HCl	80	Ropivacaine HCl	85	SAR245409 (XL765)	37
		Roscovitine (CYC202,Seliciclib)	47	Sarafloxacin HCl	148

Sarsasapogenin.....	246	Sesamin.....	261	Sorafenib tosylate.....	29
Sasapyrine.....	120	SEW2871	175	Sotalol HCl.....	173
Saxagliptin hydrate.....	2	SGC0946.....	11	SP2509.....	11
SB 431542.....	20	SGI-1027.....	104	Sparfloxacin.....	93
SB 742457.....	110	SGI-1776 free base.....	18	Sparteine sulfate.....	270
SB1317.....	47	SGX-523.....	23	Spautin-1	61
SB202190 (FHPI).....	44	Shikimic Acid	246	Spectinomycin dihydrochloride.....	148
SB203580.....	45	Shikonin.....	243	Spermine	268
SB216763.....	33	Shikonin.....	259	Spiculisporic Acid.....	254
SB225002.....	166	Sildenafil	194	Spiperone	113
SB-3CT.....	3	Sildenafil citrate.....	194	Spiramycin.....	148
SB-505124.....	21	Silibinin	243	SR9243.....	210
SB525334.....	19	Silodosin.....	170	SRPIN340.....	218
SB590885.....	42	Simvastatin.....	202	SRT1720	14
SB715992(Ispinesib).....	52	Sinomenine.....	246	SRT3109	166
SB743921.....	52	Sinomenine HCl.....	261	Stanozolol.....	182
SBC-115076.....	217	Sisomicin Sulfate.....	155	Stavudine.....	102
SBE 13 HCl	50	Sitagliptin	2	StemRegenin 1 (SR1)	203
SBI-0206965.....	206	SKF-86002	45	Stevioside	260
SC 79.....	32	SKF-96365, HCl	83	STF-31.....	207
SC-202671.....	44	SKLB 610	28	Stigmasterol.....	265
SC-514	73	SKLB1002	27	STK321130.....	240
Schisandrin.....	264	SL-327	41	Streptomycin sulfate.....	145
Schisantherin A.....	260	SMI-4a	18	Streptozocin.....	93
Schizandrin A.....	262	Smoothened Agonist (SAG) HCl	59	Strontium ranelate	89
Schizandrin B.....	261	SN-38	96	Stugeron	134
Scclareol.....	269	SNS-314 Mesylate.....	53	Styrene oxide.....	221
Scclareolide.....	260	Sodium 4-Aminosalicylate Dihydrate	73	Succinic acid.....	245
Scoparone.....	245	Sodium Aescinate.....	270	Succinylsulfathiazole	212
Scopolamine butylbromide	128	Sodium butanoate	135	Sucralfate	217
Scopolamine HBr.....	245	Sodium ceftiofur.....	150	Sucralose	225
Scopolamine HBr trihydrate.....	128	Sodium cromoglycate	90	Sulbactam	153
Scopolamine N-oxide HBr	129	Sodium Danshensu	263	Sulbentine	160
Scopoletin.....	266	Sodium dehydrocholate	207	Sulfabenzamide	152
SCR7.....	101	Sodium Demethylcantharidate	246	Sulfacetamide sodium salt hydrate	211
Scriptaid.....	8	Sodium erythorbate	74	Sulfachloropyridazine	157
Scutellarin.....	250	Sodium etidronate	207	Sulfadiazine	164
SD-208	20	Sodium fusidate	157	Sulfadimethoxine	148
Senidazole.....	161	Sodium gluconate	225	Sulfadoxine	211
SelaMeerin	161	Sodium nitrite	213	Sulfaguanidine	211
Seanaxanib (SU5416).....	28	Sodium Nitroprusside	224	Sulfalalen	210
Seanaxinib(SU 5416).....	27	Sodium Phenylbutyrate	8	Sulfamerazine	211
Sennoside A.....	192	Sodium salicylate	72	Sulfameter	164
Sennoside B	246	Sodium tauroglycocholate	204	Sulfamethazine	158
Seratrodast.....	69	Solifenacin succinate	128	Sulfamethizole	211
Serotonin HCl	111	Solithromycin	154	Sulfamethoxazole	211
Sertraline HCl	109	Sophocarpine	247	Sulfamethoxypyridazine	149

Sulfamonomethoxine.....	152	Taurine.....	207	TGR5.....	175
Sulfanilamide.....	211	Taurocholic acid sodium salt hydrate.....	203	TXG-221.....	36
Sulfanilylurea.....	220	Tauroursodeoxycholic Acid.....	193	TH287.....	101
Sulfantran.....	211	Taxifolin (Dihydroquercetin).....	173	TH588.....	239
Sulfapyridine.....	211	Tazobactam acid.....	143	Thalidomide.....	72
Sulfaquinoxaline.....	153	TBB(NSC 231634).....	198	Theobromine	166
Sulfaquinoxaline sodium.....	149	TBPB	125	Theophylline	167
Sulfasalazine.....	72	TCS 1102.....	174	Theophylline-7-acetic acid.....	226
Sulfathiazole.....	211	TCS 5861528.....	83	Thiabendazole.....	55
Sulfinpyrazone.....	76	TCS PIM-1 1	18	Thiamphenicol.....	149
Sulfisoxazole.....	211	Tegafur (FT-207, NSC 148958).....	101	Thiazoivin.....	57
Sulindac.....	120	Tegaserod maleate.....	107	Thimerosal.....	157
Sulisobenzene.....	231	Teicoplanin.....	156	Thiocetamide	232
Suloctidil.....	70	Telmisartan.....	178	Thioisonicotinamide.....	153
Sulphadione.....	145	Temephos	116	Thioproline	179
Sulpiride.....	112	Temozolomide	94	Thioridazine HCl	106
Sumatriptan succinate.....	105	Temsirolimus (CCI-779, NSC 683864)	35	Thiostrepton	97
Sunitinib Malate.....	22	Teniposide	96	Thonzonium Bromide	212
Suplatast tosilate.....	136	Tenofovir	103	Thymopentin	185
Suramin Sodium Salt.....	141	Tenovin-1	62	Tiagabine	132
Suxibuzone.....	122	Tenovin-3	14	Tianeptine sodium	105
SW033291.....	240	Tenovin-6	61	Tiapride HCl.....	113
Swertiamarin.....	248	Tenoxicam	120	Ticagrelor.....	167
Synephrine.....	169	Terazosin HCl	172	Ticarcillin disodium	154
SYR472.....	2	Terbinafine HCl	213	Ticlopidine HCl	167
Syringic acid.....	258	Terbutaline Sulfate.....	169	Tideglusib	34
		Terconazole	154	Tigecycline	157
T		Terfenadine	127	Tiletamine HCl	124
Tacrine HCl hydrate	117	Terpin Monohydrate	231	Tilmicosin	149
Tacrolimus (FK506)	35	Testosterone	182	Tilorone 2HCl	161
TAE226 (NVP-TAE226)	68	Testosterone propionate	182	Timolol Maleate	169
TAE684 (NVP-TAE684)	20	Tetraabenazine	114	Tinidazole	97
TAK-063.....	195	Tetracaine HCl	84	Tiopronin	225
TAK-438(Vonoprazan fumarate).....	91	Tetracycline HCl	149	Tiotropium bromide	130
TAK632.....	42	Tetrahydroberberine THB	257	Tioxolone	209
TAK875.....	176	Tetrahydropalmatine	244	Tipiracil HCl	101
TAK901.....	53	Tetrahydropalmatine	251	Tiplaxtinin(PAI-039)	4
Taladegib (LY2940680).....	59	Tetrahydropalmatine HCl	261	Tiratricol	189
Tamoxifen citrate	184	Tetrahydroxyquinone	222	Tirofiban HCl monohydrate	51
Tamsulosin HCl.....	170	Tetramethylpyrazine	245	Tivozanib (AV-951)	23
Tandutinib (MLN518)	29	Tetramisole HCl	199	Tizanidine HCl	171
Tangeretin	255	Tetrandrine	267	Tizoxanide	162
Tanshinone I	260	Tetryzoline	169	TMP269	9
Tanshinone IIA.....	260	TG003.....	48	TMTD	145
Tanshinone IIA-sulfonic sodium.....	263	TG100-115.....	37	Tobramycin	156
Tapentadol HCl.....	140	TG101209.....	17	Tofacitinib (CP-690550) Citrate	16
TAS-301.....	50	TG6-10-1	110	Tolazamide	89

Tolazoline HCl.....	169	Trilostane.....	200	Urapidil	106
Tolbutamide	89	Trimebutine.....	140	Urapidil HCl	173
TOLFENAMIC ACID	88	Trimetazidine 2HCl.....	221	Urea.....	58
Tolmetin	123	Trimethadione.....	87	Urethane.....	191
Tolnaftate	159	Trimethoprim.....	204	Uridine	99
Tolperisone HCl	85	Trimetozine.....	232	Ursodeoxycholic acid.....	204
Tolterodine tartrate.....	125	Trimipramine maleate.....	137	Ursolic acid	242
Toltrazuril	225	Tripeptenamine HCl.....	136	Usnic Acid.....	246
Tolvaptan	190	Triprolidine HCl.....	134		
Topiramate.....	132	Triptolidine (PG490)	244	V	
Topiroxostat	202	Tris(2,2,2-trifluoroethyl) borate	235	Vagistat.....	149
Topotecan HCl.....	95	Trolox.....	74	Valacyclovir HCl.....	97
Toradol	121	Trometamol.....	234	Valdecoxib	122
Torasemide	91	Tropicamide.....	127	Valeren.....	8
Toracetapib	204	Tropisetron HCl.....	109	Valethamate bromide.....	236
Toremifene	182	Trospium chloride	129	Valganciclovir HCl.....	162
Toremifene citrate	182	Troxerutin.....	243	Valpramide.....	212
Torezolid	192	Tryptamine.....	199	Vanatone	227
Torkinib (PP242)	35	TTNPB (Arotinoid Acid)	197	Vancomycin HCl	149
TP0903	31	TTP 22	198	Vandetanib (ZD6474)	29
TP-808	238	Tubastatin A BASE	8	Vanillyl Alcohol.....	256
TPT-260	239	Tubeimoside I	244	Vanitiolide	228
Trametinib (GSK1120212)	41	TWS119	34	Vardenafil HCl Trihydrate.....	194
Tranilast	235	Tylosin	156	Varenicline Tartrate	130
Trans-Anethole	242	Tylosin tartrate	150	Varespladib (LY315920)	206
Trans-Tranilast	178	Tyloxapol	231	VE-821.....	40
Tranylcypromine (2-PCPA) HCl	11	Tyrosine	221	VE822.....	40
Trapidil	193	Tyrosol	256	Vecuronium bromide	129
Trazodone HCl.....	136	Tyrphostin 9	24	Veliparib (ABT-888)	13
Trenbolone acetate.....	269			Vemurafenib (PLX4032, RG7204)	42
Tretinoin	197	U		Venlafaxine HCl	107
Triacetin	159	U-104.....	210	VER-49009	49
Triamcinolone	188	Ubenimex	216	VER-50589	49
Triamcinolone acetonide	187	Ulipristal acetate	184	Verapamil HCl	88
Triapine	48	Ultraviolet Absorbent UV-360	231	Vidarabine	99
Tribuloside	249	UMT29	203	Vidofludimus(4SC-101; SC12267)	200
Trichloromethiazide	79	UNBS-5162	166	Vigabatrin	131
Trichloroisocyanuric acid	157	UNC0064-12	28	Vilanterol (GW642444; GW 642444X)	171
Triclabendazole	55	UNC0379	12	Vilazodone	110
Tricosanol	206	UNC0631	13	Vildagliptin (LAF-237)	2
Triethylenethiophosphoramide	93	UNC1215	6	Vinblastine sulfate	55
Trifluoperazine 2HCl	113	UNC1999	11	Vincamine	243
Triflupromazine HCl	113	UNC2250	31	Vincristine sulfate	53
Trifluridine	99	UNC2881	31	Vindoline	249
Triflusal	69	UNC669	6	Vinpocetine	194
Trigonelline	258	Undecenoic acid	231	Vipadenant	166
Trigonelline HCl	262	Uracil	99	Vismodegib (GDC-0449)	59

Voriconazole	152	Y27632	57
Vorinostat (SAHA, MK0683)	8	Y-27632 2HCl	57
Vortioxetine	110	Y320	238
VX661	81	YK-4-279	101
VX-680 (Tozaserib, MK-0457)	53	YL-109	203
VX-702	44	YM155	63
		Yohimbine HCl	172

W

Walrycin B	158	Z	
Warfarin	215	Zalcitabine	102
WAY-100635 Maleate	110	Zanamivir	163
WH-4-023	68	Zaprinast	195
WHI-P131	16	ZCL 278	49
WHI-P154	15	Zebularine	104
WHI-P180	25	Zidovudine	102
WHI-P258	25	Zileuton	121
WIKI4	58	Zinc bacitracin	149
Wiskostatin	52	Zinc pyrithione	83
Wnt-C59	58	Zinc undecylenate	159
Wogonin	262	Ziprasidone HCl monohydrate	128
WP1066	17	Z-JIB-04 (NSC 693627)	237
WS3	72	ZK-811752, BX-471	71
WS6	72	ZLN005	197
WY-14643 (Pirinixic Acid)	196	ZM 323881 HCl	28
WZ811	166	ZM 336372	43

X

Xanthone	266	ZM 39923 HCl	16
Xanthoxyline	266	ZM306416	27
Xanthurenic Acid	268	Zolmitriptan	105
XAV939	58	Zomepirac Sodium	117
XEN-445	238	Zonisamide	87
XL019	17	Zoxazolamine	225
XL147 analogue	38	Zucapsaicin	235
XL184(Cabozantinib malate)	27		
XMD17-109	43		
XMD8-92	43		
Xylazine HCl	169		
Xylitol	242		
Xylocaine	24		
Xylometazoline HCl	168		

Y

Zalcitabine	102
-------------	-----

Zanamivir	163
-----------	-----

Zaprinast	195
-----------	-----

ZCL 278	49
---------	----

Zebularine	104
------------	-----

Zidovudine	102
------------	-----

Zileuton	121
----------	-----

Zinc bacitracin	149
-----------------	-----

Zinc pyrithione	83
-----------------	----

Zinc undecylenate	159
-------------------	-----

Ziprasidone HCl monohydrate	128
-----------------------------	-----

Z-JIB-04 (NSC 693627)	237
-----------------------	-----

ZK-811752, BX-471	71
-------------------	----

ZLN005	197
--------	-----

ZM 323881 HCl	28
---------------	----

ZM 336372	43
-----------	----

ZM 39923 HCl	16
--------------	----

ZM306416	27
----------	----

Zolmitriptan	105
--------------	-----

Zomepirac Sodium	117
------------------	-----

Zonisamide	87
------------	----

Zoxazolamine	225
--------------	-----

Zucapsaicin	235
-------------	-----

Product Catalog Number Index

T0001	224	T0051	191	T0101	170	T0147	136
T0002	70	T0053	134	T0102	140	T0150	241
T0003	224	T0054	199	T0103	117	T0152	67
T0004	117	T0055	118	T0104	163	T0153	102
T0005	71	T0056	230	T0105	126	T0154	172
T0006	219	T0057	121	T0106	209	T0155	70
T0007	168	T0058	118	T0107	186	T0156	129
T0008	84	T0059	137	T0108	91	T0157	136
T0009	55	T0060	145	T0109	44	T0158	95
T0010	98	T0061	196	T0110	102	T0159	77
T0011	143	T0064	103	T0111	128	T0160	194
T0012	88	T0065	118	T0112	88	T0161	90
T0013	238	T0066	149	T0113	128	T0162	138
T0014	241	T0067	230	T0114	79	T0163	88
T0015	228	T0068	112	T0115	172	T0164	98
T0016	220	T0069	99	T0116	93	T0165	106
T0018	116	T0070	73	T0117	136	T0166	127
T0019	241	T0072	126	T0118	136	T0167	194
T0020	73	T0073	227	T0119	88	T0168	185
T0021	227	T0074	127	T0120	152	T0169	131
T0022	207	T0075	89	T0121	87	T0170	151
T0023	236	T0076	173	T0122	72	T0171	185
T0024	128	T0077	87	T0123	211	T0172	126
T0025	108	T0078	24	T0124	161	T0173	170
T0026	210	T0079	182	T0125	96	T0174	136
T0028	131	T0080	193	T0126	79	T0175	86
T0029	84	T0081	138	T0127	1	T0176	241
T0030	76	T0082	113	T0128	131	T0177	127
T0031	128	T0083	189	T0129	69	T0178	2
T0032	241	T0084	192	T0130	117	T0179	167
T0033	32	T0085	103	T0131	78	T0180	177
T0034	186	T0086	115	T0132	94	T0181	187
T0035	181	T0087	211	T0133	213	T0182	141
T0036	199	T0088	173	T0134	74	T0183	74
T0037	230	T0089	135	T0135	182	T0184	118
T0038	90	T0090	97	T0136	111	T0185	137
T0039	105	T0091	172	T0137	137	T0186	61
T0040	181	T0092	138	T0138	151	T0187	154
T0041	155	T0093	29	T0139	182	T0188	189
T0042	168	T0094	188	T0141	152	T0189	100
T0043	221	T0095	94	T0142	209	T0191	2
T0044	84	T0096	194	T0143	171	T0192	87
T0045	194	T0098	129	T0144	157	T0193	87
T0048	131	T0099	125	T0145	195	T0194	39
T0049	155	T0100	3	T0146	149	T0195	161
T0050	121						

T0196	121	T0247	218	T0300	192	T0350	89
T0197	172	T0248	170	T0301	184	T0351	108
T0198	150	T0249	84	T0302	113	T0352	225
T0199	150	T0250	95	T0303	234	T0353	204
T0201	140	T0251	65	T0304	179	T0354	189
T0202	160	T0253	127	T0305	222	T0355	212
T0203	105	T0254	207	T0306	231	T0356	152
T0204	111	T0255	107	T0307	231	T0357	215
T0205	134	T0256	33	T0308	80	T0358	75
T0207	86	T0257	230	T0309	216	T0359	228
T0208	188	T0259	225	T0310	78	T0361	199
T0209	141	T0260	123	T0313	124	T0362	167
T0210	170	T0261	179	T0314	229	T0363	232
T0211	136	T0262	141	T0315	228	T0364	116
T0212	69	T0263	134	T0316	218	T0365	106
T0213	72	T0264	117	T0317	169	T0366	151
T0214	196	T0265	241	T0318	107	T0367	228
T0215	70	T0266	90	T0319	122	T0368	225
T0216	106	T0267	87	T0320	54	T0369	192
T0217	134	T0268	125	T0321	121	T0370	136
T0218	130	T0270	179	T0322	111	T0371	89
T0219	122	T0271	219	T0323	230	T0372	5
T0220	102	T0272	183	T0324	170	T0373	23
T0221	179	T0273	218	T0325	229	T0374	22
T0222	85	T0274	94	T0326	227	T0375	127
T0223	222	T0275	219	T0327	88	T0376	226
T0224	150	T0276	187	T0328	159	T0377	210
T0225	105	T0277	168	T0329	200	T0378	85
T0226	171	T0278	241	T0330	136	T0379	206
T0227	219	T0279	168	T0331	95	T0380	183
T0228	32	T0280	113	T0332	218	T0382	218
T0229	115	T0281	151	T0333	130	T0383	167
T0230	141	T0282	80	T0334	195	T0384	180
T0231	193	T0283	87	T0335	72	T0385	111
T0232	124	T0285	117	T0336	156	T0386	85
T0233	220	T0286	219	T0337	188	T0387	193
T0234	157	T0287	126	T0338	111	T0388	87
T0235	191	T0288	219	T0339	241	T0389	70
T0236	138	T0289	154	T0340	231	T0390	151
T0237	227	T0290	171	T0341	218	T0391	191
T0239	212	T0291	123	T0342	51	T0392	241
T0240	232	T0292	150	T0343	203	T0393	180
T0241	220	T0293	219	T0344	91	T0394	170
T0242	2	T0294	188	T0345	181	T0395	219
T0243	228	T0295	219	T0346	229	T0396	152
T0244	161	T0296	125	T0347	218	T0397	169
T0245	200	T0297	100	T0348	170	T0399	218
T0246	136	T0298	136	T0349	124	T0400	157

T0401	126	T0459	120	T0507	221	T0648	73
T0403	131	T0460	85	T0508	131	T0649	118
T0404	143	T0461	152	T0509	161	T0650	231
T0405	149	T0462	194	T0510	211	T0651	55
T0406	232	T0463	123	T0511	85	T0654	221
T0407	73	T0464	226	T0512	164	T0655	216
T0408	208	T0465	198	T0513	221	T0656	73
T0409	231	T0466	123	T0514	215	T0657	228
T0412	74	T0467	194	T0515	209	T0659	229
T0413	229	T0468	24	T0516	207	T0660	193
T0414	200	T0469	168	T0517	235	T0661	156
T0415	225	T0470	84	T0518	154	T0663	111
T0416	225	T0471	236	T0519	233	T0664	230
T0417	173	T0472	107	T0520	27	T0665	214
T0418	225	T0473	215	T0521	157	T0666	150
T0419	182	T0474	156	T0522	184	T0668	219
T0424	120	T0475	169	T0523	204	T0669	151
T0425	96	T0476	183	T0524	110	T0671	222
T0426	124	T0477	121	T0525	108	T0672	201
T0427	126	T0478	140	T0529	226	T0673	73
T0428	109	T0479	125	T0532	103	T0674	83
T0429	3	T0480	194	T0562	241	T0675	132
T0430	151	T0481	178	T0578	242	T0676	100
T0431	9	T0482	109	T0579	74	T0677	209
T0432	225	T0483	173	T0581	241	T0678	180
T0433	241	T0484	121	T0583	242	T0679	159
T0434	234	T0485	188	T0585	242	T0680	107
T0435	76	T0486	96	T0586	242	T0681	97
T0436	121	T0487	169	T0587	243	T0682	102
T0439	226	T0488	214	T0588	243	T0683	201
T0440	86	T0489	183	T0589	242	T0684	99
T0441	121	T0490	223	T0590	74	T0686	205
T0442	229	T0491	221	T0592	242	T0687	202
T0443	118	T0492	71	T0593	168	T0688	100
T0444	159	T0493	221	T0594	126	T0691	231
T0445	108	T0494	199	T0595	192	T0692	202
T0446	169	T0495	145	T0607	242	T0693	120
T0447	90	T0496	223	T0610	69	T0694	74
T0448	119	T0497	224	T0611	228	T0695	235
T0450	76	T0498	120	T0617	51	T0696	171
T0451	120	T0499	221	T0619	221	T0697	83
T0452	224	T0500	147	T0625	166	T0698	222
T0453	167	T0501	73	T0636	228	T0699	152
T0454	151	T0502	83	T0638	161	T0700	204
T0455	135	T0503	224	T0641	221	T0701	146
T0456	119	T0504	88	T0642	197	T0702	166
T0457	65	T0505	167	T0646	71	T0703	129
T0458	196	T0506	147	T0647	199	T0704	34

T0705	69	T0755	229	T0805	177	T0853	103
T0706	177	T0756	226	T0806	135	T0854	132
T0707	94	T0757	83	T0807	229	T0855	121
T0708	120	T0758	120	T0808	118	T0856	182
T0709	153	T0759	215	T0809	199	T0857	208
T0710	151	T0760	75	T0810	223	T0858	119
T0711.....	17	T0761	221	T0811.....	112	T0859	122
T0712	70	T0762	242	T0812	107	T0860	228
T0713	230	T0763	220	T0813	209	T0861	150
T0714	55	T0764	73	T0814	146	T0862	126
T0715	91	T0765	199	T0815	215	T0863	98
T0716	108	T0766	113	T0816	210	T0864	189
T0717	93	T0767	211	T0817	90	T0865	135
T0718	162	T0768	231	T0818	115	T0866	76
T0719	114	T0769	226	T0819	148	T0867	119
T0720	129	T0770	156	T0820	187	T0868	151
T0721	231	T0771	242	T0821	192	T0869	113
T0722	242	T0772	243	T0822	74	T0870	184
T0723	136	T0773	202	T0823	232	T0871	168
T0724	242	T0774	218	T0824	118	T0872	206
T0725	215	T0776	112	T0825	122	T0873	147
T0726	119	T0777	149	T0826	120	T0874	161
T0727	208	T0778	120	T0827	152	T0875	71
T0728	88	T0779	132	T0828	223	T0876	145
T0729	220	T0780	115	T0829	229	T0877	243
T0730	159	T0782	209	T0830	135	T0878	180
T0731	114	T0783	180	T0831	231	T0880	145
T0733	154	T0784	88	T0832	149	T0881	70
T0734	119	T0785	112	T0833	158	T0882	82
T0735	108	T0786	127	T0834	159	T0883	114
T0736	157	T0787	222	T0835	184	T0884	146
T0737	230	T0788	148	T0836	211	T0885	211
T0738	58	T0789	1	T0837	91	T0886	157
T0739	236	T0790	116	T0838	55	T0887	242
T0740	44	T0791	75	T0839	119	T0888	118
T0741	158	T0792	193	T0840	189	T0889	227
T0742	194	T0793	145	T0841	196	T0890	119
T0743	230	T0794	126	T0842	182	T0891	145
T0744	159	T0795	222	T0843	84	T0892	194
T0745	214	T0796	84	T0844	149	T0893	97
T0746	222	T0797	135	T0845	224	T0895	148
T0747	211	T0798	188	T0846	224	T0896	147
T0748	164	T0799	224	T0847	201	T0897	154
T0749	212	T0800	39	T0848	111	T0898	144
T0750	211	T0801	243	T0849	204	T0899	222
T0751	192	T0802	107	T0850	149	T0900	144
T0753	102	T0803	229	T0851	125	T0901	145
T0754	211	T0804	126	T0852	223	T0902	95

T0903	134	T0956	160	T1007	230	T1057	70
T0904	155	T0957	89	T1008	155	T1058	99
T0906	58	T0958	131	T1009	184	T1059	231
T0907	72	T0959	235	T1010	88	T1060	96
T0908	146	T0960	226	T1011	145	T1061	225
T0909	95	T0961	234	T1012	168	T1062	82
T0910	231	T0962	130	T1013	144	T1063	154
T0911	144	T0963	141	T1014	106	T1064	169
T0912	149	T0964	98	T1015	116	T1065	131
T0913	211	T0965	137	T1017	229	T1066	106
T0914	226	T0966	192	T1018	187	T1067	146
T0915	145	T0967	156	T1019	199	T1068	227
T0916	85	T0968	60	T1020	96	T1069	105
T0917	149	T0969	161	T1021	83	T1070	156
T0918	140	T0971	147	T1022	150	T1071	173
T0919	76	T0972	214	T1023	150	T1072	128
T0920	193	T0973	50	T1024	195	T1073	90
T0921	152	T0974	95	T1025	11	T1074	131
T0922	225	T0975	93	T1026	209	T1076	179
T0923	93	T0976	117	T1027	63	T1077	109
T0924	86	T0977	187	T1028	234	T1078	148
T0925	220	T0979	50	T1029	153	T1079	212
T0926	98	T0980	122	T1030	134	T1080	220
T0927	155	T0981	140	T1031	155	T1081	108
T0929	140	T0982	150	T1032	147	T1083	167
T0930	164	T0984	163	T1033	154	T1084	146
T0931	155	T0985	157	T1034	60	T1085	220
T0932	143	T0986	100	T1035	242	T1087	97
T0933	212	T0987	199	T1036	154	T1088	196
T0935	73	T0988	221	T1037	152	T1089	132
T0938	55	T0989	144	T1038	99	T1090	112
T0939	85	T0990	114	T1039	124	T1091	85
T0940	236	T0991	108	T1041	207	T1092	105
T0941	223	T0992	229	T1042	109	T1093	197
T0942	97	T0993	172	T1043	237	T1094	159
T0943	84	T0994	135	T1044	161	T1095	93
T0944	125	T0995	116	T1045	137	T1096	194
T0945	75	T0996	184	T1046	203	T1097	137
T0946	84	T0997	116	T1047	173	T1098	230
T0947	179	T0998	116	T1048	182	T1099	179
T0948	167	T0999	88	T1049	127	T1100	144
T0949	70	T1000	227	T1050	90	T1101	147
T0950	148	T1001	152	T1051	197	T1102	186
T0951	65	T1002	197	T1052	204	T1103	179
T0952	190	T1003	156	T1053	231	T1104	148
T0953	143	T1004	222	T1054	89	T1105	112
T0954	124	T1005	146	T1055	98	T1106	229
T0955	234	T1006	126	T1056	173	T1107	148

T1108.....	145	T1159.....	203	T1208.....	142	T1257	216
T1109.....	235	T1160.....	150	T1209.....	119	T1258	121
T1110.....	135	T1161.....	223	T1210.....	207	T1259	160
T1111.....	117	T1162.....	223	T1211.....	112	T1260	90
T1112.....	194	T1163.....	187	T1212.....	121	T1261	181
T1113.....	160	T1164.....	194	T1213.....	148	T1262	143
T1114.....	80	T1165.....	214	T1214.....	148	T1263	185
T1115.....	134	T1166.....	96	T1215.....	126	T1264	196
T1117.....	191	T1167.....	183	T1216.....	181	T1265	63
T1118.....	158	T1168.....	187	T1217.....	146	T1266	127
T1119.....	60	T1169.....	226	T1218.....	154	T1267	102
T1120.....	99	T1170.....	137	T1219.....	155	T1268	236
T1121.....	54	T1171.....	186	T1220.....	220	T1269	136
T1122.....	156	T1172.....	224	T1221.....	125	T1270	53
T1123.....	95	T1173.....	109	T1222.....	113	T1271	172
T1124.....	186	T1174.....	95	T1223.....	155	T1272	99
T1125.....	243	T1175.....	113	T1224.....	154	T1273	76
T1126.....	144	T1176.....	212	T1225.....	158	T1274	193
T1127.....	187	T1177.....	153	T1226.....	146	T1275	170
T1128.....	132	T1178.....	94	T1227.....	144	T1276	93
T1129.....	233	T1179.....	130	T1228.....	158	T1277	147
T1130.....	75	T1180.....	109	T1229.....	224	T1278	134
T1131.....	133	T1181.....	24	T1230.....	227	T1279	110
T1132.....	168	T1182.....	137	T1231.....	128	T1280	123
T1133.....	120	T1184.....	198	T1232.....	137	T1281	127
T1134.....	151	T1185.....	120	T1233.....	94	T1282	171
T1136.....	234	T1186.....	124	T1234.....	89	T1283	158
T1137.....	223	T1187.....	159	T1235.....	144	T1284	187
T1138.....	203	T1188.....	100	T1236.....	128	T1285	225
T1139.....	168	T1189.....	124	T1237.....	92	T1286	243
T1140.....	3	T1190.....	151	T1238.....	217	T1287	169
T1141.....	160	T1191.....	118	T1239.....	171	T1288	197
T1142.....	147	T1192.....	243	T1240.....	132	T1289	157
T1143.....	146	T1193.....	180	T1241.....	94	T1290	150
T1144.....	85	T1194.....	79	T1242.....	141	T1291	107
T1145.....	214	T1195.....	170	T1243.....	179	T1292	113
T1146.....	90	T1196.....	230	T1244.....	170	T1293	95
T1147.....	155	T1197.....	87	T1245.....	156	T1294	93
T1148.....	230	T1198.....	84	T1246.....	76	T1295	220
T1149.....	3	T1199.....	216	T1247.....	169	T1296	213
T1150.....	126	T1200.....	232	T1248.....	211	T1297	243
T1151.....	148	T1201.....	112	T1249.....	232	T1298	196
T1152.....	53	T1202.....	128	T1250.....	93	T1299	233
T1153.....	204	T1203.....	170	T1251.....	232	T1300	133
T1154.....	98	T1204	209	T1252.....	220	T1301	223
T1155.....	54	T1205	155	T1253.....	160	T1303	72
T1156.....	108	T1206	90	T1254.....	92	T1304	147
T1157.....	133	T1207	202	T1255.....	156	T1305	145

T1306	95	T1356	233	T1418	43	T1469	137
T1307	100	T1358	234	T1419	150	T1470	137
T1308	134	T1362	218	T1420	122	T1471	113
T1309	190	T1363	202	T1421	122	T1472	129
T1310	189	T1364	153	T1422	88	T1473	200
T1311	217	T1365	153	T1423	122	T1474	129
T1312	152	T1367	232	T1424	181	T1475	130
T1313	210	T1368	167	T1425	138	T1476	109
T1314	206	T1369	235	T1426	163	T1477	39
T1315	222	T1374	214	T1427	122	T1478	106
T1316	213	T1375	228	T1428	99	T1479	81
T1317	219	T1377	181	T1429	185	T1480	185
T1318	80	T1378	101	T1430	223	T1481	226
T1319	234	T1380	237	T1431	220	T1482	80
T1320	90	T1381	161	T1432	119	T1483	134
T1321	83	T1382	55	T1433	168	T1484	178
T1322	113	T1383	233	T1434	75	T1485	205
T1323	152	T1384	135	T1435	88	T1486	161
T1324	124	T1385	87	T1438	159	T1487	202
T1325	119	T1386	84	T1439	88	T1488	98
T1326	205	T1388	149	T1440	224	T1488	98
T1327	138	T1389	84	T1441	146	T1489	178
T1328	128	T1391	232	T1442	106	T1490	185
T1329	116	T1392	78	T1443	130	T1491	200
T1330	197	T1393	135	T1444	94	T1492	96
T1332	85	T1394	196	T1445	109	T1494	237
T1333	89	T1395	233	T1446	116	T1495	153
T1334	85	T1396	132	T1447	212	T1496	173
T1335	199	T1398	195	T1448	68	T1497	215
T1336	112	T1399	225	T1449	209	T1498	91
T1337	207	T1400	143	T1450	180	T1499	214
T1338	217	T1401	121	T1451	93	T1500	169
T1339	104	T1402	3	T1452	22	T1501	100
T1340	234	T1403	159	T1453	39	T1502	2
T1341	129	T1404	102	T1454	97	T1503	169
T1342	232	T1405	158	T1455	192	T1504	170
T1343	228	T1406	111	T1456	96	T1505	156
T1344	233	T1407	140	T1458	214	T1506	99
T1345	232	T1408	99	T1459	127	T1507	93
T1346	232	T1409	209	T1460	125	T1508	104
T1347	76	T1410	91	T1461	178	T1509	108
T1348	233	T1411	213	T1462	177	T1510	202
T1349	100	T1412	112	T1463	139	T1511	95
T1350	223	T1413	132	T1464	182	T1512	109
T1352	223	T1414	224	T1465	100	T1513	103
T1353	232	T1415	196	T1466	148	T1514	185
T1354	111	T1416	102	T1467	119	T1515	233
T1355	155	T1417	98	T1468	123	T1516	72

T1517	139	T1567	107	T1619	136	T1673	133
T1518	178	T1568	132	T1620	94	T1674	90
T1519	174	T1569	157	T1621	29	T1675	102
T1520	178	T1570	178	T1622	195	T1676	202
T1521	95	T1571	184	T1623	2	T1677	74
T1522	221	T1573	187	T1624	115	T1678	148
T1523	96	T1574	118	T1625	95	T1679	97
T1524	67	T1575	116	T1626	189	T1680	169
T1525	3	T1576	235	T1627	135	T1681	167
T1526	157	T1577	172	T1628	115	T1682	129
T1527	90	T1578	192	T1629	97	T1684	200
T1528	109	T1579	184	T1630	225	T1686	243
T1529	208	T1580	180	T1631	153	T1687	153
T1530	89	T1581	2	T1632	171	T1688	181
T1531	188	T1582	118	T1634	90	T1693	73
T1532	78	T1583	8	T1635	234	T1694	202
T1533	162	T1584	169	T1636	108	T1696	171
T1534	130	T1585	84	T1638	220	T1703	96
T1535	8	T1586	120	T1639	77	T1704	31
T1536	181	T1587	180	T1640	94	T1705	144
T1537	35	T1589	147	T1641	89	T1706	78
T1538	94	T1590	179	T1642	63	T1707	237
T1539	171	T1591	98	T1644	107	T1708	195
T1540	125	T1592	3	T1645	178	T1709	220
T1541	184	T1593	203	T1646	162	T1710	74
T1542	127	T1594	129	T1647	161	T1711	192
T1543	213	T1595	103	T1649	103	T1713	193
T1544	117	T1596	183	T1650	49	T1714	244
T1545	89	T1597	193	T1651	83	T1715	158
T1546	236	T1598	97	T1652	187	T1716	237
T1548	243	T1599	207	T1653	189	T1717	237
T1549	181	T1600	100	T1654	153	T1719	80
T1550	149	T1601	93	T1655	174	T1720	122
T1551	107	T1602	8	T1656	29	T1721	97
T1552	127	T1603	196	T1657	130	T1722	233
T1553	135	T1604	189	T1659	139	T1724	101
T1554	222	T1605	178	T1660	243	T1725	57
T1555	85	T1606	57	T1661	21	T1726	20
T1556	145	T1607	228	T1663	101	T1728	172
T1557	153	T1610	227	T1664	202	T1730	166
T1558	8	T1611	197	T1665	100	T1734	83
T1559	188	T1612	117	T1666	226	T1735	109
T1560	188	T1613	192	T1667	29	T1736	198
T1561	187	T1614	179	T1668	55	T1737	96
T1562	73	T1615	68	T1669	189	T1738	173
T1563	18	T1616	144	T1670	79	T1739	166
T1564	63	T1617	156	T1671	167	T1740	175
T1566	107	T1618	195	T1672	234	T1741	34

T1742	75	T1790	142	T1838	35	T1886	42
T1743	142	T1791	21	T1839	50	T1887	14
T1744	42	T1792	27	T1840	101	T1888	8
T1745	195	T1793	177	T1841	12	T1889	216
T1746	40	T1794	160	T1842	43	T1890	10
T1747	192	T1795	4	T1843	43	T1891	3
T1748	77	T1796	174	T1844	67	T1892	42
T1749	188	T1797	27	T1845	43	T1894	37
T1750	163	T1798	61	T1846	238	T1895	28
T1751	139	T1799	159	T1847	63	T1896	213
T1752	91	T1800	21	T1848	52	T1897	139
T1753	55	T1801	210	T1849	17	T1898	57
T1754	27	T1802	197	T1850	210	T1899	101
T1755	34	T1803	67	T1851	43	T1900	21
T1756	83	T1804	77	T1852	9	T1901	48
T1757	65	T1805	81	T1853	4	T1902	72
T1758	54	T1806	207	T1854	7	T1903	43
T1759	217	T1807	13	T1855	49	T1904	104
T1760	125	T1808	62	T1856	239	T1905	13
T1761	24	T1809	200	T1857	9	T1906	7
T1762	9	T1810	59	T1858	240	T1907	52
T1763	19	T1811	68	T1859	35	T1908	34
T1764	45	T1812	69	T1860	132	T1909	139
T1765	205	T1813	78	T1861	35	T1910	54
T1766	82	T1814	82	T1862	64	T1911	33
T1767	101	T1815	103	T1863	62	T1912	48
T1768	216	T1816	237	T1864	239	T1913	175
T1769	110	T1817	67	T1865	175	T1914	21
T1770	133	T1818	61	T1866	239	T1915	173
T1771	213	T1819	9	T1867	123	T1916	38
T1772	63	T1820	54	T1868	12	T1917	33
T1773	24	T1821	40	T1869	200	T1918	68
T1774	110	T1822	138	T1870	57	T1919	62
T1775	12	T1823	10	T1871	112	T1920	32
T1776	166	T1824	175	T1872	197	T1921	38
T1777	28	T1825	167	T1873	14	T1922	45
T1778	48	T1826	37	T1874	81	T1923	12
T1779	59	T1827	38	T1875	239	T1924	64
T1780	123	T1828	198	T1876	42	T1925	22
T1781	176	T1829	15	T1877	198	T1926	59
T1782	82	T1830	39	T1878	58	T1927	217
T1783	210	T1831	203	T1879	36	T1928	204
T1784	35	T1832	158	T1880	239	T1929	16
T1785	48	T1833	239	T1881	33	T1930	72
T1786	162	T1834	18	T1882	63	T1931	49
T1787	86	T1835	67	T1883	3	T1932	64
T1788	12	T1836	27	T1884	131	T1933	123
T1789	201	T1837	39	T1885	175	T1934	72

T1935	21	T1983	10	T2031	240	T2079	13
T1936	20	T1984	213	T2032	25	T2080	61
T1937	61	T1985	15	T2033	49	T2081	72
T1938	240	T1986	4	T2034	237	T2082	47
T1939	213	T1987	12	T2035	25	T2083	37
T1940	157	T1988	37	T2036	176	T2084	40
T1941	197	T1989	50	T2037	239	T2085	30
T1942	20	T199	17	T2038	11	T2086	238
T1943	20	T1990	236	T2039	52	T2087	141
T1944	21	T1991	28	T2040	56	T2088	177
T1945	133	T1992	238	T2041	25	T2089	87
T1946	139	T1993	115	T2042	235	T2090	54
T1947	48	T1994	37	T2043	201	T2091	7
T1948	26	T1996	68	T2044	206	T2092	106
T1949	37	T1997	140	T2045	16	T2093	91
T1950	68	T1998	210	T2046	160	T2094	53
T1951	110	T1999	38	T2047	25	T2095	47
T1952	33	T2000	174	T2048	77	T2096	153
T1953	43	T2001	68	T2049	86	T2097	11
T1954	218	T2002	40	T2050	133	T2098	20
T1955	166	T2003	58	T2051	30	T2099	61
T1956	43	T2004	138	T2052	58	T2100	102
T1957	33	T2005	31	T2053	124	T2101	61
T1958	40	T2006	80	T2054	23	T2102	56
T1959	12	T2007	82	T2055	72	T2103	52
T1960	203	T2008	36	T2056	28	T2104	201
T1961	35	T2009	3	T2057	200	T2105	13
T1962	20	T2010	239	T2058	177	T2106	72
T1963	23	T2011	57	T2059	48	T2107	30
T1964	203	T2012	17	T2060	54	T2108	182
T1965	34	T2013	215	T2061	76	T2109	20
T1966	8	T2014	49	T2062	62	T2111	63
T1967	22	T2015	201	T2063	24	T2112	160
T1968	31	T2016	5	T2064	27	T2113	48
T1969	4	T2017	210	T2065	63	T2114	50
T1970	38	T2018	76	T2066	29	T2115	22
T1971	57	T2019	56	T2067	132	T2116	26
T1972	7	T2020	236	T2068	214	T2117	162
T1973	7	T2021	237	T2069	101	T2118	73
T1974	45	T2022	133	T2070	43	T2119	61
T1975	26	T2023	8	T2071	140	T2120	7
T1976	66	T2024	86	T2072	7	T2121	240
T1977	39	T2025	8	T2073	36	T2122	5
T1978	205	T2026	175	T2074	43	T2123	77
T1979	200	T2027	62	T2075	240	T2124	13
T1980	61	T2028	47	T2076	106	T2125	41
T1981	49	T2029	47	T2077	51	T2126	240
T1982	48	T2030	4	T2078	9	T2127	6

T2128	206	T2186	235	T2239	163	T2288	28
T2129	195	T2187	212	T2240	133	T2289	106
T2130	244	T2188	212	T2241	53	T2290	236
T2131	86	T2190	107	T2242	58	T2291	226
T2132	109	T2191	117	T2243	65	T2292	237
T2134	209	T2192	85	T2244	205	T2293	23
T2136	78	T2193	47	T2245	25	T2294	9
T2137	195	T2195	183	T2246	133	T2295	42
T2141	130	T2196	134	T2247	47	T2296	2
T2142	172	T2197	54	T2248	36	T2297	38
T2143	94	T2198	128	T2249	238	T2298	82
T2144	35	T2199	159	T2250	185	T2299	59
T2145	35	T2200	137	T2251	20	T2300	18
T2146	186	T2201	97	T2252	6	T2301	44
T2148	139	T2203	201	T2253	18	T2302	66
T2149	236	T2204	147	T2254	51	T2303	24
T2150	172	T2205	226	T2255	52	T2304	11
T2151	219	T2207	183	T2256	38	T2305	160
T2152	219	T2208	149	T2257	91	T2306	112
T2153	69	T2209	111	T2258	49	T2307	24
T2154	5	T2210	204	T2259	198	T2308	37
T2155	57	T2211	144	T2260	197	T2309	49
T2156	17	T2212	244	T2261	33	T2310	33
T2157	9	T2213	154	T2262	114	T2311	31
T2158	62	T2214	161	T2263	81	T2312	204
T2159	116	T2215	26	T2264	174	T2313	52
T2160	141	T2216	11	T2265	33	T2314	68
T2161	235	T2217	244	T2266	8	T2315	11
T2162	162	T2218	217	T2267	42	T2316	2
T2163	104	T2219	99	T2268	49	T2317	105
T2164	52	T2220	10	T2269	196	T2318	178
T2165	227	T2221	99	T2270	178	T2319	115
T2166	34	T2222	137	T2271	50	T2320	167
T2167	239	T2223	227	T2272	30	T2321	8
T2168	17	T2224	153	T2273	78	T2322	177
T2169	104	T2225	121	T2274	32	T2323	89
T2170	83	T2226	80	T2275	101	T2324	3
T2171	175	T2227	203	T2276	51	T2325	25
T2174	14	T2228	222	T2277	44	T2326	190
T2175	193	T2230	122	T2278	111	T2327	25
T2176	32	T2231	181	T2279	162	T2328	68
T2177	244	T2232	138	T2280	186	T2329	164
T2178	234	T2233	201	T2281	68	T2330	103
T2179	244	T2234	44	T2282	23	T2331	154
T2181	129	T2235	34	T2283	74	T2332	163
T2182	128	T2236	183	T2285	130	T2333	160
T2183	128	T2237	58	T2286	49	T2334	195
T2184	157	T2238	86	T2287	36	T2335	138

T2336	237	T2383	8	T2431	216	T2479	24
T2337	236	T2384	63	T2432	45	T2480	7
T2338	205	T2385	82	T2433	92	T2481	216
T2339	183	T2386	77	T2434	35	T2482	33
T2340	237	T2387	129	T2435	13	T2483	25
T2341	29	T2388	141	T2436	7	T2484	13
T2342	86	T2389	82	T2437	217	T2485	17
T2343	44	T2390	130	T2438	50	T2486	81
T2344	106	T2391	86	T2439	217	T2487	16
T2345	216	T2392	5	T2440	198	T2488	10
T2346	200	T2393	162	T2441	50	T2489	9
T2347	26	T2394	239	T2442	6	T2490	25
T2348	39	T2395	110	T2443	42	T2491	24
T2349	41	T2396	69	T2444	49	T2492	32
T2349	30	T2397	202	T2445	10	T2493	1
T2350	216	T2398	16	T2446	27	T2494	51
T2351	176	T2399	4	T2447	208	T2495	104
T2352	12	T2400	177	T2448	203	T2496	28
T2353	101	T2401	2	T2449	198	T2497	124
T2354	13	T2402	105	T2450	59	T2498	238
T2355	81	T2403	123	T2451	81	T2499	204
T2356	47	T2404	91	T2452	11	T2500	27
T2357	38	T2405	80	T2453	60	T2501	25
T2358	53	T2406	165	T2454	10	T2502	54
T2359	31	T2407	132	T2455	217	T2503	63
T2360	16	T2408	183	T2456	23	T2504	162
T2361	26	T2409	103	T2457	30	T2505	18
T2362	139	T2410	101	T2458	62	T2506	47
T2363	207	T2411	160	T2459	105	T2507	217
T2364	26	T2412	14	T2460	16	T2508	41
T2365	37	T2413	58	T2461	36	T2509	53
T2366	101	T2414	35	T2462	21	T2510	77
T2367	45	T2415	29	T2463	48	T2511	55
T2368	198	T2416	42	T2464	62	T2512	9
T2369	26	T2417	75	T2465	68	T2513	44
T2370	4	T2418	38	T2466	39	T2514	28
T2371	239	T2419	23	T2467	69	T2515	10
T2372	27	T2420	32	T2468	39	T2516	22
T2373	166	T2421	27	T2469	238	T2517	49
T2374	37	T2422	125	T2470	1	T2518	25
T2375	71	T2423	236	T2471	53	T2519	89
T2376	205	T2424	64	T2472	67	T2520	138
T2377	38	T2425	81	T2473	42	T2521	175
T2378	47	T2426	15	T2474	40	T2522	163
T2379	6	T2427	48	T2475	35	T2523	86
T2380	92	T2428	110	T2476	238	T2524	171
T2381	48	T2429	67	T2477	166	T2525	110
T2382	42	T2430	9	T2478	7	T2526	188

T2527	184	T2577	186	T2628	51	T2676	23
T2528	239	T2578	102	T2629	31	T2677	29
T2529	163	T2579	180	T2630	30	T2678	206
T2530	87	T2580	172	T2631	110	T2679	47
T2531	178	T2581	182	T2632	61	T2680	23
T2532	193	T2582	28	T2633	57	T2681	77
T2533	139	T2583	2	T2634	50	T2682	36
T2534	204	T2584	189	T2635	174	T2683	58
T2535	171	T2585	163	T2636	17	T2684	205
T2536	89	T2586	28	T2637	238	T2685	40
T2537	51	T2587	237	T2638	17	T2686	83
T2538	77	T2588	81	T2639	114	T2687	234
T2539	175	T2589	110	T2640	67	T2688	110
T2540	238	T2590	59	T2641	20	T2689	52
T2541	140	T2591	13	T2642	26	T2690	235
T2542	106	T2592	113	T2643	12	T2691	158
T2543	54	T2593	232	T2644	206	T2692	158
T2544	186	T2594	111	T2645	171	T2694	115
T2545	238	T2595	81	T2646	216	T2695	198
T2546	114	T2597	185	T2647	207	T2696	69
T2547	172	T2598	185	T2648	235	T2697	116
T2548	188	T2600	24	T2649	13	T2698	244
T2549	238	T2601	200	T2650	201	T2699	30
T2550	123	T2602	53	T2651	57	T2700	206
T2551	103	T2603	66	T2652	10	T2701	176
T2553	122	T2604	87	T2653	47	T2702	58
T2554	235	T2605	69	T2654	62	T2703	158
T2555	130	T2606	115	T2655	22	T2704	50
T2556	236	T2607	217	T2656	29	T2705	26
T2557	131	T2608	34	T2657	82	T2706	35
T2558	99	T2609	22	T2658	23	T2707	61
T2559	185	T2610	30	T2659	22	T2708	41
T2560	233	T2611	52	T2660	36	T2709	53
T2561	174	T2612	19	T2661	36	T2710	174
T2562	70	T2613	174	T2662	199	T2711	83
T2563	216	T2614	62	T2663	125	T2712	227
T2564	114	T2615	46	T2664	177	T2713	244
T2565	78	T2616	36	T2665	75	T2714	244
T2566	183	T2617	53	T2666	59	T2715	244
T2567	186	T2618	58	T2667	36	T2716	244
T2568	190	T2619	37	T2668	44	T2717	244
T2569	185	T2620	29	T2669	40	T2718	245
T2571	129	T2621	80	T2670	46	T2719	245
T2572	182	T2622	218	T2671	166	T2720	245
T2573	186	T2624	22	T2672	37	T2721	245
T2574	113	T2625	114	T2673	141	T2722	245
T2575	180	T2626	217	T2674	196	T2723	245
T2576	28	T2627	101	T2675	44	T2724	245

T2725	245	T2773	249	T2822	253	T2870	257
T2726	246	T2774	249	T2823	253	T2871	257
T2727	245	T2775	249	T2824	253	T2872	257
T2728	245	T2776	249	T2825	253	T2873	258
T2729	245	T2777	249	T2826	253	T2874	257
T2730	246	T2778	249	T2827	254	T2875	257
T2731	246	T2779	250	T2828	254	T2876	257
T2732	246	T2780	250	T2829	254	T2877	257
T2733	246	T2781	250	T2830	254	T2878	258
T2734	246	T2782	250	T2831	254	T2879	258
T2735	245	T2783	250	T2832	253	T2880	258
T2736	246	T2784	250	T2833	254	T2881	258
T2737	246	T2786	250	T2834	253	T2882	258
T2738	246	T2787	250	T2835	254	T2883	258
T2739	246	T2788	250	T2836	254	T2884	258
T2740	245	T2789	250	T2837	254	T2885	258
T2741	246	T2790	250	T2838	254	T2886	259
T2742	246	T2791	250	T2839	254	T2887	258
T2743	247	T2792	251	T2840	254	T2888	258
T2744	247	T2793	251	T2841	255	T2889	258
T2745	247	T2794	251	T2842	255	T2890	259
T2746	247	T2795	251	T2843	255	T2891	259
T2747	247	T2796	251	T2844	255	T2892	258
T2748	247	T2797	251	T2845	255	T2893	259
T2749	247	T2798	251	T2846	255	T2894	259
T2750	247	T2799	251	T2847	255	T2895	259
T2751	247	T2800	251	T2848	255	T2896	259
T2752	247	T2801	251	T2849	255	T2897	259
T2753	247	T2802	251	T2850	255	T2898	259
T2754	248	T2803	251	T2851	255	T2899	259
T2755	248	T2804	252	T2852	255	T2900	259
T2756	248	T2805	252	T2853	256	T2901	259
T2757	248	T2806	252	T2854	256	T2902	260
T2758	248	T2807	252	T2855	256	T2903	260
T2759	248	T2808	252	T2856	256	T2904	260
T2760	247	T2809	252	T2857	256	T2905	260
T2761	248	T2810	252	T2858	256	T2906	260
T2762	248	T2811	252	T2859	256	T2907	260
T2763	248	T2812	252	T2860	256	T2908	260
T2764	248	T2813	252	T2861	256	T2909	260
T2765	248	T2814	253	T2862	256	T2910	260
T2766	248	T2815	253	T2863	256	T2911	260
T2767	249	T2816	252	T2864	257	T2912	260
T2768	249	T2817	252	T2865	256	T2913	260
T2769	249	T2818	253	T2866	257	T2914	261
T2770	249	T2819	253	T2867	257	T2915	261
T2771	249	T2820	253	T2868	257	T2916	261
T2772	249	T2821	253	T2869	257	T2917	261

T2918	261	T2966	265	T3014	269	T3079	21
T2919	261	T2967	265	T3015	269	T3080	16
T2920	261	T2968	265	T3016	269	T3081	12
T2921	261	T2969	265	T3017	269	T3082	11
T2922	261	T2970	265	T3018	269		
T2923	261	T2971	265	T3019	269		
T2924	261	T2972	265	T3020	269		
T2925	261	T2973	266	T3021	269		
T2926	262	T2974	266	T3022	269		
T2927	262	T2975	265	T3023	269		
T2928	262	T2976	266	T3025	269		
T2929	262	T2977	265	T3026	270		
T2930	262	T2978	266	T3027	270		
T2931	262	T2979	266	T3028	270		
T2932	262	T2980	266	T3029	270		
T2933	262	T2981	266	T3030	270		
T2934	262	T2982	266	T3031	20		
T2935	262	T2983	266	T3032	40		
T2936	263	T2984	266	T3033	233		
T2937	262	T2985	266	T3034	233		
T2938	262	T2986	266	T3038	193		
T2939	263	T2987	267	T3039	270		
T2940	263	T2988	267	T3041	21		
T2941	263	T2989	266	T3042	16		
T2942	263	T2990	267	T3043	16		
T2943	263	T2991	267	T3046	173		
T2944	263	T2992	267	T3047	166		
T2945	263	T2993	267	T3057	11		
T2946	263	T2994	267	T3058	18		
T2947	263	T2995	267	T3059	20		
T2948	263	T2996	267	T3060	57		
T2949	263	T2997	267	T3061	20		
T2950	264	T2998	267	T3062	58		
T2951	263	T2999	267	T3063	67		
T2952	264	T3000	268	T3065	17		
T2953	264	T3001	268	T3066	15		
T2954	264	T3002	268	T3067	34		
T2955	264	T3003	268	T3068	16		
T2956	264	T3004	268	T3069	15		
T2957	264	T3005	268	T3070	59		
T2958	264	T3006	268	T3071	67		
T2959	264	T3007	268	T3072	17		
T2960	264	T3008	268	T3073	198		
T2961	264	T3009	268	T3074	34		
T2962	264	T3010	268	T3075	59		
T2963	265	T3011	268	T3076	16		
T2964	265	T3012	269	T3077	33		
T2965	265	T3013	268	T3078	18		

Headquarters

North America



United States

Order & Inquiry

Tel: 857-239-0968
Fax: 857-239-8801
Email: info@targetmol.com
Add: One Boston Place Suite 2600 Boston, MA 02108

Technical Support

E-mail: tech@targetmol.com

Europe



Germany

Order & Inquiry

Tel: +0049-0163-1922118
E-mail: eu.order@targetmol.com
Add: Willi-Graf-Str.25/384 80805/Munich

Asia Pacific region



China

Order & Inquiry

E-mail: info@targetmol.com
Tel: 400-998-7375 Fax: 021-34692979
Add: NO 228 Jiangchang San Road ,Shanghai,China

TargetMol

A Drug Screening Expert

Target Molecule Corp.

--Drug Screening Expert(Inhibitors,Natural Compounds,Libraries)
www.targetmol.com